

UT Date 2012-10-13 Observers H. MarionColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:11	20:08:24.1	+41:15:04	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:16	20:08:24.1	+41:15:04	300	90	3.0	0 Calibration	2	
0026.COMP	10	01:51	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0027.BDp284211	90	02:16	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0028.COMP	10	02:18	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0029.BDp174708	60	02:24	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0030.COMP	10	02:26	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0031.sn2009ip	1800	04:09	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0032.COMP	10	04:39	22:23:08.3	-28:56:52	300	90	3.0	0 Calibration	2	
0033.lsq12fhe	1800	04:44	21:32:09.3	-05:43:34	300	90	3.0	#2 SN Observat	2	
0034.COMP	10	05:15	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0035.ptf12gzk	1800	05:23	22:12:41.5	+00:30:43	300	90	3.0	#2 SN Observat	2	
0036.COMP	10	05:54	22:12:41.5	+00:30:43	300	90	3.0	0 Calibration	2	
0037.BDp174708	60	05:57	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0038.COMP	10	05:58	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0039.Feige110	180	06:01	23:19:58.4	-05:09:56	300	90	3.0	#56 Spectropho	2	
0040.COMP	10	06:04	23:19:58.4	-05:09:56	300	90	3.0	0 Calibration	2	
0041.EGAnd	1	06:20	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0042.COMP	10	06:21	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0043.EGAnd	5	06:21	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	

UT Date 2012-10-13 Observers H. MarionColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	10	06:22	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0045.EGAnd	10	06:23	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0046.COMP	10	06:23	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0047.ZAnd	1	06:27	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0048.COMP	10	06:28	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0049.ZAnd	5	06:29	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0050.COMP	10	06:29	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0051.ZAnd	30	06:30	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0052.COMP	10	06:31	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0053.RAqr	1	06:35	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0054.COMP	10	06:36	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0055.RAqr	5	06:36	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0056.COMP	10	06:37	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0057.RAqr	10	06:38	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0058.COMP	10	06:38	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0059.Group37	1800	06:54	00:41:28.8	-09:13:59	300	-57	3.0	#214 SDSS Comp	2	
0060.COMP	10	07:25	00:41:28.8	-09:13:59	300	-57	3.0	0 Calibration	2	
0061.Group37	1800	07:26	00:41:28.8	-09:13:59	300	-57	3.0	#214 SDSS Comp	2	
0062.COMP	10	07:56	00:41:28.8	-09:13:59	300	-57	3.0	0 Calibration	2	
0063.Group37	1800	07:57	00:41:28.8	-09:13:59	300	-57	3.0	#214 SDSS Comp	2	

UT Date 2012-10-13 Observers H. MarionColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	08:28	00:41:28.8	-09:13:59	300	-58	3.0	0 Calibration	2	
0065.psn0123	1800	08:36	01:23:24.4	+09:25:54	300	90	3.0	#2 SN Observat	2	
0066.COMP	10	09:06	01:23:24.4	+09:25:54	300	90	3.0	0 Calibration	2	
0067.psn0152	1800	09:16	01:52:29.7	-18:46:38	300	90	3.0	#2 SN Observat	2	
0068.COMP	10	09:47	01:52:29.7	-18:46:38	300	90	3.0	0 Calibration	2	
0069.sn2012ej	1800	10:01	06:26:51.0	+59:05:03	300	90	3.0	#2 SN Observat	2	
0070.COMP	10	10:31	06:26:51.0	+59:05:03	300	90	3.0	0 Calibration	2	
0071.HD19445	5	10:39	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0072.COMP	10	10:40	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0073.HD19445	10	10:40	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0074.COMP	10	10:41	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0075.G191B2B	240	10:45	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0076.COMP	10	10:49	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0077.psn0718	1800	10:59	07:18:56.0	+60:18:33	300	90	3.0	#2 SN Observat	2	
0078.COMP	10	11:30	07:18:56.0	+60:18:33	300	90	3.0	0 Calibration	2	
0079.psn0924	1800	11:34	09:24:38.0	+49:21:32	300	90	3.0	#2 SN Observat	2	
0080.COMP	10	12:05	09:24:38.0	+49:21:32	300	90	3.0	0 Calibration	2	
0081-0090.BIAS	0	12:27	09:24:38.0	+49:21:32	300	90	3.0	0 Calibration	2	
0091-0105.FLAT	7	12:33	09:24:38.0	+49:21:32	300	90	3.0	0 Calibration	2	