

UT Date 2012-10-20 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:51	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:32	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	4	
0021-0040.FLAT	7	02:41	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:45	03:44:08.7	+40:13:21	300	86	3.0	0 Calibration	2	
0051.BDp284211	120	04:05	21:51:11.0	+28:51:50	300	86	3.0	#56 Spectropho	2	
0052.COMP	10	04:08	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0053.BDp174708	45	04:10	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0054.COMP	10	04:12	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0055.ls12fhe	1800	04:15	21:32:09.3	-05:43:34	300	88	3.0	#2 SN Observat	2	
0056.COMP	10	04:46	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0057.sn2009ip	1500	04:49	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0058.COMP	10	05:15	22:23:08.3	-28:56:52	300	90	3.0	0 Calibration	2	
0059.ptf12gzk	1800	05:19	22:12:41.5	+00:30:43	300	90	3.0	#2 SN Observat	2	
0060.COMP	10	05:49	22:12:41.5	+00:30:43	300	90	3.0	0 Calibration	2	
0061.psn0123	1800	05:53	01:23:24.4	+09:25:54	300	90	3.0	#2 SN Observat	2	
0062.COMP	10	06:23	01:23:24.4	+09:25:54	300	90	3.0	0 Calibration	2	
0063.Group575	1800	06:27	01:46:33.2	-08:21:14	300	109	3.0	#214 SDSS Comp	2	
0064.Group575	1800	06:57	01:46:33.2	-08:21:14	300	109	3.0	#214 SDSS Comp	2	
0065.Group575	1800	07:27	01:46:33.2	-08:21:14	300	109	3.0	#214 SDSS Comp	2	
0066.COMP	10	07:59	01:46:33.2	-08:21:14	300	110	3.0	0 Calibration	2	

UT Date 2012-10-20 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.M31	60	08:01	00:42:44.3	+41:16:09	300	90	3.0	#57 Velocity S	2	
0068.COMP	10	08:04	00:42:44.3	+41:16:09	300	90	3.0	0 Calibration	2	
0069.02594211+3602171	1800	08:07	02:59:42.1	+36:02:17	300	89	3.0	#141 2Mass Red	2	
0070.02594211+3602171	1800	08:37	02:59:42.1	+36:02:17	300	89	3.0	#141 2Mass Red	2	
0071.COMP	10	09:08	02:59:42.1	+36:02:17	300	90	3.0	0 Calibration	2	
0072.03203973+1115059	1800	09:09	03:20:39.7	+11:15:06	300	90	3.0	#141 2Mass Red	2	
0073.COMP	10	09:40	03:20:39.7	+11:15:06	300	89	3.0	0 Calibration	2	
0074.03225476+1209218	1800	09:41	03:22:54.8	+12:09:22	300	90	3.0	#141 2Mass Red	2	
0075.COMP	10	10:12	03:22:54.8	+12:09:22	300	90	3.0	0 Calibration	2	
0076.03212745+3046206	1800	10:16	03:21:27.5	+30:46:21	300	90	3.0	#141 2Mass Red	2	
0077.COMP	10	10:46	03:21:27.5	+30:46:21	300	90	3.0	0 Calibration	2	
0078.03281458+3029543	1200	10:49	03:28:14.6	+30:29:54	300	90	3.0	#141 2Mass Red	2	
0079.03281458+3029543	1200	11:09	03:28:14.6	+30:29:54	300	90	3.0	#141 2Mass Red	2	
0080.03281458+3029543	1200	11:29	03:28:14.6	+30:29:54	300	90	3.0	#141 2Mass Red	2	
0081.COMP	10	11:49	03:28:14.6	+30:29:54	300	90	3.0	0 Calibration	2	
0082.GITau	240	11:51	04:33:34.0	+24:21:18	300	90	3.0	#12 Symbiotic	2	
0083.COMP	10	11:56	04:33:34.0	+24:21:18	300	90	3.0	0 Calibration	2	
0084.GKTau	240	11:57	04:33:34.5	+24:21:07	300	90	3.0	#12 Symbiotic	2	
0085.COMP	10	12:01	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0086.BGGem	300	12:03	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	

UT Date 2012-10-20 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0087.COMP	10	12:09	06:03:31.0	+27:41:50	300	90	3.0	0 Calibration	2	
0088.sn2010j1	1800	12:11	09:42:53.3	+09:29:42	300	90	3.0	#2 SN Observat	2	
0089.COMP	10	12:41	09:42:53.3	+09:29:42	300	90	3.0	0 Calibration	2	
0090-0099.BIAS	0	12:45	09:42:53.3	+09:29:42	300	90	3.0	0 Calibration	2	
0100-0119.FLAT	7	12:52	09:42:53.3	+09:29:42	300	90	3.0	0 Calibration	2	
0120-0129.DARK	900	15:11	09:42:53.3	+09:29:42	300	90	3.0	0 Calibration	2	