

UT Date 2012-11-11 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0003.DARK	900	00:56	20:22:31.6	+31:27:43	300	90	3.0	0 Calibration	4	
0004-0013.BIAS	0	01:22	20:22:31.6	+31:27:43	300	90	3.0	0 Calibration	4	
0014-0033.FLAT	7	01:29	20:22:31.6	+31:27:43	300	90	3.0	0 Calibration	2	
0034-0043.BIAS	0	01:32	20:22:31.6	+31:27:43	300	90	3.0	0 Calibration	2	
0044.sn2009ip	1800	01:40	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0045.COMP	10	02:11	22:23:08.3	-28:56:52	300	90	3.0	0 Calibration	2	
0046.ls12fhe	1800	02:18	21:32:09.3	-05:43:34	300	90	3.0	#2 SN Observat	2	
0047.COMP	10	02:49	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0048.ls12fuk	1800	09:30	04:58:15.9	-16:17:58	300	90	3.0	#2 SN Observat	2	
0049.COMP	10	10:01	04:58:15.9	-16:17:58	300	89	3.0	0 Calibration	2	
0050.G191B2B	300	10:03	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	10:09	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0052.Hiltner600	90	10:12	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0053.COMP	10	10:15	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0054.GITau	240	10:19	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0055.COMP	10	10:23	04:33:34.0	+24:21:18	300	90	3.0	0 Calibration	2	
0056.GKTau	240	10:24	04:33:34.5	+24:21:07	300	90	3.0	#12 Symbiotic	2	
0057.COMP	10	10:29	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0058.BGGem	300	10:32	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0059.COMP	10	10:37	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	

UT Date 2012-11-11 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0060.BXMon	20	10:39	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0061.BXMon	210	10:40	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0062.COMP	10	10:44	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0063.SS129	300	10:47	07:32:45.0	-26:49:16	300	60	3.0	#12 Symbiotic	2	
0064.SS129	300	10:52	07:32:45.0	-26:49:16	300	60	3.0	#12 Symbiotic	2	
0065.COMP	10	10:58	07:32:45.0	-26:49:16	300	60	3.0	0 Calibration	2	
0066.06101011-1025256	900	11:01	06:10:10.1	-10:25:26	300	90	3.0	#141 2Mass Red	2	
0067.COMP	10	11:17	06:10:10.1	-10:25:26	300	90	3.0	0 Calibration	2	
0068.06255191+5334574	1500	11:19	06:25:51.9	+53:34:57	300	90	3.0	#141 2Mass Red	2	
0069.COMP	10	11:45	06:25:51.9	+53:34:57	300	90	3.0	0 Calibration	2	
0070.06352757+8134183	900	11:46	06:35:27.6	+81:34:18	300	90	3.0	#141 2Mass Red	2	
0071.COMP	10	12:03	06:35:27.6	+81:34:18	300	90	3.0	0 Calibration	2	
0072.sn2010j1	1800	12:07	09:42:53.3	+09:29:42	300	90	3.0	#2 SN Observat	2	
0073.COMP	10	12:38	09:42:53.3	+09:29:42	300	89	3.0	0 Calibration	2	
0074.HD52071	10	12:40	07:00:58.2	+27:09:27	300	89	3.0	#57 Velocity S	2	
0075.COMP	10	12:42	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0076-0085.BIAS	0	12:53	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0086-0105.FLAT	7	13:02	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0106-0115.DARK	900	15:25	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	