

UT Date 2012-11-12 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0009.DARK	900	00:56	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	4	
0010-0019.BIAS	0	01:13	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	4	
0020-0039.FLAT	7	01:27	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0040-0049.BIAS	0	01:30	07:00:58.2	+27:09:27	300	89	3.0	0 Calibration	2	
0050.BDp284211	120	01:32	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	01:35	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0052.BDp174708	40	01:36	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0053.COMP	10	01:37	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0054.YYHer	10	01:39	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0055.YYHer	60	01:40	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0056.COMP	10	01:41	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0057.DracoC1	1500	01:44	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0058.COMP	10	02:10	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0059.AS338	90	02:12	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0060.COMP	10	02:15	19:03:47.0	+16:26:17	300	91	3.0	0 Calibration	2	
0061.BFCyg	15	02:17	19:23:53.0	+29:40:27	300	91	3.0	#12 Symbiotic	2	
0062.BFCyg	15	02:17	19:23:53.0	+29:40:27	300	91	3.0	#12 Symbiotic	2	
0063.COMP	10	02:18	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0064.CHCyg	1	02:20	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0065.CHCyg	5	02:21	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	

UT Date 2012-11-12 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.CHCyg	30	02:21	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0067.COMP	10	02:23	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0068.AS360	60	02:26	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0069.AS360	300	02:28	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	02:33	19:45:49.0	+18:36:49	300	90	3.0	0 Calibration	2	
0071.CICyg	4	02:35	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0072.CICyg	15	02:35	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	02:36	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0074.PUVul	1	02:38	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0075.PUVul	10	02:38	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0076.PUVul	60	02:39	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0077.COMP	10	02:41	20:21:13.0	+21:34:21	300	90	3.0	0 Calibration	2	
0078.lsq12fhe	1800	02:43	21:32:09.3	-05:43:34	300	90	3.0	#2 SN Observat	2	
0079.COMP	10	03:14	21:32:09.3	-05:43:34	300	90	3.0	0 Calibration	2	
0080.sn2009ip	1800	03:17	22:23:08.3	-28:56:52	300	90	3.0	#2 SN Observat	2	
0081.COMP	10	03:47	22:23:08.3	-28:56:52	300	90	3.0	0 Calibration	2	
0082.lsq12gdj	2400	03:51	23:54:43.3	-25:40:34	300	90	3.0	#2 SN Observat	2	
0083.COMP	10	04:31	23:54:43.3	-25:40:34	300	90	3.0	0 Calibration	2	
0084.sn2012gb	1800	04:36	22:15:42.8	+37:14:38	300	41	3.0	#2 SN Observat	2	
0085.COMP	10	05:07	22:15:42.8	+37:14:38	300	39	3.0	0 Calibration	2	

UT Date 2012-11-12 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.lsq12fwb	1800	05:12	00:25:25.2	+06:42:26	300	60	3.0	#2 SN Observat	2	nothing there...
0087.COMP	10	05:45	00:25:25.2	+06:42:26	300	60	3.0	0 Calibration	2	
0088.RAqr	1	05:47	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0089.RAqr	5	05:47	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0090.RAqr	10	05:47	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0091.COMP	10	05:48	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0092.Group83	1800	05:54	00:24:29.7	-01:04:39	300	82	3.0	#214 SDSS Comp	2	
0093.Group83	1800	06:24	00:24:29.7	-01:04:39	300	82	3.0	#214 SDSS Comp	2	
0094.Group83	1800	06:54	00:24:29.7	-01:04:39	300	82	3.0	#214 SDSS Comp	2	
0095.COMP	10	07:25	00:24:29.7	-01:04:39	300	82	3.0	0 Calibration	2	
0096.03402770+1533113	720	07:28	03:40:27.7	+15:33:11	300	89	3.0	#141 2Mass Red	2	
0097.COMP	10	07:41	03:40:27.7	+15:33:11	300	90	3.0	0 Calibration	2	
0098.sn2012fr	720	07:44	03:33:36.0	-36:07:38	300	90	3.0	#2 SN Observat	2	
0099.COMP	10	07:56	03:33:36.0	-36:07:38	300	90	3.0	0 Calibration	2	
0100.lsq12fuk	1800	08:00	04:58:15.9	-16:17:58	300	90	3.0	#2 SN Observat	2	
0101.COMP	10	08:30	04:58:15.9	-16:17:58	300	90	3.0	0 Calibration	2	
0102-0111.FLAT	12	08:38	04:58:15.9	-16:17:58	600	90	1.5	0 Calibration	4	
0112.G191B2B	360	08:40	05:05:30.6	+52:49:52	600	90	1.5	#56 Spectropho	4	
0113.COMP	10	08:47	05:05:30.6	+52:49:52	600	88	1.5	0 Calibration	4	
0114.lmwd526	1060	08:49	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	

UT Date 2012-11-12 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0115.COMP	10	09:08	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0116.lmwd526	1060	09:09	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0117.COMP	10	09:27	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0118.lmwd526	1060	09:28	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0119.COMP	10	09:46	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0120.lmwd526	1060	09:47	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0121.COMP	10	10:05	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0122.lmwd526	1060	10:05	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0123.COMP	10	10:24	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0124.lmwd526	1060	10:24	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0125.COMP	10	10:42	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0126.lmwd526	1060	10:43	07:26:59.5	+33:17:09	600	88	1.5	#178 Low Mass	4	
0127.COMP	10	11:01	07:26:59.5	+33:17:09	600	88	1.5	0 Calibration	4	
0128.lmwd526	1060	11:02	07:26:59.5	+33:17:09	600	86	1.5	#178 Low Mass	4	
0129.COMP	10	11:20	07:26:59.5	+33:17:09	600	86	1.5	0 Calibration	4	
0130.lmwd526	1060	11:21	07:26:59.5	+33:17:09	600	86	1.5	#178 Low Mass	4	
0131.COMP	10	11:39	07:26:59.5	+33:17:09	600	86	1.5	0 Calibration	4	
0132.lmwd526	1060	11:40	07:26:59.5	+33:17:09	600	86	1.5	#178 Low Mass	4	
0133.COMP	10	11:58	07:26:59.5	+33:17:09	600	89	1.5	0 Calibration	4	
0134.COMP	5	12:02	07:26:59.5	+33:17:09	300	89	3.0	0 Calibration	4	test

UT Date 2012-11-12 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0135.lsqa12fxd	1800	12:05	05:22:17.0	-25:35:47	300	89	3.0	#2 SN Observat	2	
0136.COMP	10	12:35	05:22:17.0	-25:35:47	300	90	3.0	0 Calibration	2	
0137.sn2010j1	1200	12:38	09:42:53.3	+09:29:42	300	89	3.0	#2 SN Observat	2	
0138.COMP	10	12:59	09:42:53.3	+09:29:42	300	89	3.0	0 Calibration	2	
0139-0148.BIAS	0	13:03	09:42:53.3	+09:29:42	300	89	3.0	0 Calibration	2	
0149-0168.FLAT	7	13:10	09:42:53.3	+09:29:42	300	89	3.0	0 Calibration	2	
0169-0178.DARK	900	15:31	09:42:53.3	+09:29:42	300	89	3.0	0 Calibration	2	