


UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	00:41	23:05:22.4	+31:26:04	300	90	3.0	0 Calibration	4	
0008-0017.BIAS	0	01:03	23:05:22.4	+31:26:04	300	90	3.0	0 Calibration	4	
0018-0037.FLAT	7	01:11	23:05:22.4	+31:26:04	300	90	3.0	0 Calibration	2	
0038-0047.BIAS	0	01:17	23:05:22.4	+31:26:04	300	90	3.0	0 Calibration	2	
0048.BDp284211	150	01:26	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	01:30	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0050.BDp174708	25	01:32	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0051.COMP	10	01:33	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0052.PUVu1	1	01:37	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0053.PUVu1	10	01:37	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0054.PUVu1	60	01:38	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0055.COMP	10	01:40	20:21:13.0	+21:34:21	300	90	3.0	0 Calibration	2	
0056.ZAnd	1	01:42	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0057.ZAnd	5	01:43	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0058.ZAnd	30	01:43	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0059.COMP	10	01:44	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0060.RAqr	1	01:47	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0061.RAqr	5	01:47	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0062.RAqr	10	01:48	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0063.COMP	10	01:49	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	

UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.EGAnd	1	01:51	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0065.EGAnd	5	01:51	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0066.EGAnd	10	01:52	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0067.COMP	10	01:53	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0068.AXPer	4	01:55	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0069.AXPer	30	01:55	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0070.AXPer	90	01:56	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0071.COMP	10	01:59	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0072.M31	60	02:00	00:42:44.3	+41:16:09	300	89	3.0	#57 Velocity S	2	
0073.COMP	10	02:02	00:42:44.3	+41:16:09	300	89	3.0	0 Calibration	2	
0074.hotwd046	1500	02:08	21:31:11.9	+16:49:44	600	89	1.5	#178 Low Mass	4	
0075.COMP	10	02:34	21:31:11.9	+16:49:44	600	89	1.5	0 Calibration	4	
0076.hotwd047	1500	02:35	21:33:54.3	+11:58:45	600	95	1.5	#178 Low Mass	4	
0077.COMP	10	03:01	21:33:54.3	+11:58:45	600	95	1.5	0 Calibration	4	
0078.hotwd054	1500	03:09	22:17:52.1	-07:44:40	600	91	1.5	#178 Low Mass	4	weak exposure
0079.COMP	5	03:35	22:17:52.1	-07:44:40	600	88	1.5	0 Calibration	4	
0080.HD19445	24	03:38	03:08:25.6	+26:19:51	600	88	1.5	#178 Low Mass	4	
0081.COMP	10	03:39	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0082-0091.FLAT	12	03:44	03:08:25.6	+26:19:51	600	88	1.5	0 Calibration	4	
0092.4U2204p543	120	04:02	22:07:57.0	+54:31:06	1200	90	2.0	#176 Be/X-ray	2	w/GG-495 blocking filter

UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.COMP	10	04:04	22:07:57.0	+54:31:06	1200	90	2.0	0 Calibration	2	
0094.IGR2253p6243	1500	04:09	22:53:55.1	+62:43:37	1200	90	2.0	#176 Be/X-ray	2	
0095.COMP	10	04:35	22:53:55.1	+62:43:37	1200	90	2.0	0 Calibration	2	
0096-0102.FLAT	15	04:39	22:53:55.1	+62:43:37	1200	90	2.0	0 Calibration	2	
0103.IGR2253p6243	1500	04:43	22:53:55.1	+62:43:37	1200	90	2.0	#176 Be/X-ray	2	blue tilt...faint in blue
0104.COMP	10	05:09	22:53:55.1	+62:43:37	1200	91	2.0	0 Calibration	2	
0105.FLAT	20	05:11	22:53:55.1	+62:43:37	1200	91	2.0	0 Calibration	2	test exposure
0106-0108.FLAT	60	05:18	22:53:55.1	+62:43:37	1200	91	2.0	0 Calibration	2	
0109.sn2012fr	1200	05:25	03:33:36.0	-36:07:38	300	91	3.0	#2 SN Observat	2	
0110.COMP	10	05:45	03:33:36.0	-36:07:38	300	89	3.0	0 Calibration	2	
0111.G191B2B	300	05:48	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0112.COMP	10	05:54	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0113.Hiltner600	90	05:56	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0114.COMP	10	06:00	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0115-0119.FLAT	7	06:02	06:45:13.4	+02:08:15	300	89	3.0	0 Calibration	2	
0120.4U0115p634	1800	06:09	01:18:32.0	+63:44:33	1200	89	2.0	#176 Be/X-ray	2	w/GG-495 filter
0121.COMP	10	06:39	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	
0122.IGRJ01363p6610	600	06:41	01:35:49.8	+66:12:43	1200	90	2.0	#176 Be/X-ray	2	
0123.COMP	10	06:51	01:35:49.8	+66:12:43	1200	90	2.0	0 Calibration	2	
0124.RXJ01469p6121	240	06:53	01:47:00.0	+61:21:23	1200	90	2.0	#176 Be/X-ray	2	

UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0125.COMP	10	06:58	01:47:00.0	+61:21:23	1200	90	2.0	0 Calibration	2	
0126.IGRJ01583p6713	1500	07:00	01:58:18.2	+67:13:26	1200	85	2.0	#176 Be/X-ray	2	
0127.COMP	10	07:25	01:58:18.2	+67:13:26	1200	86	2.0	0 Calibration	2	
0128.LSIp61303	60	07:27	02:40:31.6	+61:13:46	1200	89	2.0	#176 Be/X-ray	2	
0129.COMP	10	07:28	02:40:31.6	+61:13:46	1200	90	2.0	0 Calibration	2	
0130.V0332p53	1800	07:30	03:34:59.8	+53:10:24	1200	90	2.0	#176 Be/X-ray	2	
0131.COMP	10	08:00	03:34:59.8	+53:10:24	1200	90	2.0	0 Calibration	2	
0132.XPer	4	08:02	03:55:23.0	+31:02:45	1200	90	2.0	#176 Be/X-ray	2	
0133.COMP	10	08:03	03:55:23.0	+31:02:45	1200	90	2.0	0 Calibration	2	
0134.RXJ04409p4431	300	08:05	04:41:00.6	+44:31:50	1200	90	2.0	#176 Be/X-ray	2	
0135.COMP	10	08:10	04:41:00.6	+44:31:50	1200	90	2.0	0 Calibration	2	
0136.A0535p262	60	08:12	05:38:54.5	+26:18:57	1200	90	2.0	#176 Be/X-ray	2	
0137.COMP	10	08:14	05:38:54.5	+26:18:57	1200	90	2.0	0 Calibration	2	
0138.IGRJ06074p2205	600	08:16	06:07:26.6	+22:05:48	1200	90	2.0	#176 Be/X-ray	2	
0139.COMP	10	08:27	06:07:26.6	+22:05:48	1200	90	2.0	0 Calibration	2	
0140.MXB0656-072	900	08:29	06:58:17.2	-07:12:35	1200	90	2.0	#176 Be/X-ray	2	
0141.COMP	10	08:44	06:58:17.2	-07:12:35	1200	89	2.0	0 Calibration	2	
0142.Hiltner600	120	08:46	06:45:13.4	+02:08:15	1200	89	2.0	#176 Be/X-ray	2	
0143.COMP	10	08:49	06:45:13.4	+02:08:15	1200	90	2.0	0 Calibration	2	
0144-0150.FLAT	15	08:53	06:45:13.4	+02:08:15	1200	90	2.0	0 Calibration	2	

UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0151.sn2012hg	2400	09:10	07:07:25.6	+56:18:19	300	40	3.0	#2 SN Observat	2	
0152.COMP	10	09:50	07:07:25.6	+56:18:19	300	41	3.0	0 Calibration	2	
0153.GITau	240	09:53	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0154.COMP	10	09:58	04:33:34.0	+24:21:18	300	90	3.0	0 Calibration	2	
0155.GKTau	240	09:59	04:33:34.5	+24:21:07	300	90	3.0	#12 Symbiotic	2	
0156.COMP	10	10:03	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0157.BGGem	300	10:05	06:03:31.0	+27:41:50	300	90	3.0	#12 Symbiotic	2	
0158.COMP	10	10:10	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	
0159.BXMon	15	10:12	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0160.BXMon	180	10:13	07:25:23.0	-03:35:51	300	89	3.0	#12 Symbiotic	2	
0161.COMP	10	10:16	07:25:23.0	-03:35:51	300	89	3.0	0 Calibration	2	
0162.SS129	300	10:19	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0163.SS129	300	10:24	07:32:45.0	-26:49:16	300	70	3.0	#12 Symbiotic	2	
0164.COMP	10	10:30	07:32:45.0	-26:49:16	300	70	3.0	0 Calibration	2	
0165.06480595+8733358	1800	10:34	06:48:06.0	+87:33:36	300	90	3.0	#141 2Mass Red	2	
0166.COMP	10	11:05	06:48:06.0	+87:33:36	300	90	3.0	0 Calibration	2	
0167.06531490+8846046	1200	11:06	06:53:14.9	+88:46:05	300	90	3.0	#141 2Mass Red	2	
0168.COMP	10	11:27	06:53:14.9	+88:46:05	300	90	3.0	0 Calibration	2	
0169.07132688+2505097	1200	11:29	07:13:26.9	+25:05:10	300	90	3.0	#141 2Mass Red	2	
0170.COMP	10	11:49	07:13:26.9	+25:05:10	300	89	3.0	0 Calibration	2	

UT Date 2012-12-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0171.07304886+1851099	720	11:55	07:30:48.9	+18:51:10	300	89	3.0	#141 2Mass Red	2	
0172.COMP	10	12:07	07:30:48.9	+18:51:10	300	88	3.0	0 Calibration	2	
0173.07134975+8729044	1200	12:12	07:13:49.8	+87:29:04	300	88	3.0	#141 2Mass Red	2	
0174.COMP	10	12:32	07:13:49.8	+87:29:04	300	90	3.0	0 Calibration	2	
0175.HD84937	25	12:35	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0176.COMP	10	12:36	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0177.Feige34	120	12:37	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0178.COMP	10	12:40	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0179.sn2012hj	1800	12:41	11:07:19.2	+46:22:46	300	88	3.0	#2 SN Observat	2	
0180.COMP	10	13:12	11:07:19.2	+46:22:46	300	89	3.0	0 Calibration	2	
0181-0190.BIAS	0	13:20	11:07:19.2	+46:22:46	300	89	3.0	0 Calibration	2	
0191-0210.FLAT	7	13:27	11:07:19.2	+46:22:46	300	89	3.0	0 Calibration	2	
0211-0220.DARK	900	15:49	11:07:19.2	+46:22:46	300	89	3.0	0 Calibration	2	