

UT Date 2013-01-05 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:56	11:40:15.8	+17:27:22	300	90	3.0	0 Calibration	4	
0011-0020.BIAS	0	00:01	11:40:15.8	+17:27:22	300	90	3.0	0 Calibration	2	
0021.test	10	00:18	01:18:32.0	+63:44:33	1200	90	2.0	#176 Be/X-ray	2	
0022.test	10	00:20	01:18:32.0	+63:44:33	1200	90	2.0	#176 Be/X-ray	2	
0023-0027.BIAS	0	00:21	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	
0028.FLAT	15	00:23	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	1200-line, 2-sec, gg495, tilt 850 red
0029-0042.FLAT	15	00:30	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	
0043.COMP	10	00:32	01:18:32.0	+63:44:33	1200	90	2.0	0 Calibration	2	
0045.BDp174708	90	01:25	22:11:31.5	+18:05:34	1200	90	2.0	#176 Be/X-ray	2	
0046.COMP	10	01:27	22:11:31.5	+18:05:34	1200	90	2.0	0 Calibration	2	
0047.4U2204p543	120	01:29	22:07:57.0	+54:31:06	1200	90	2.0	#176 Be/X-ray	2	
0048.COMP	10	01:31	22:07:57.0	+54:31:06	1200	90	2.0	0 Calibration	2	
0049.IGRJ2134.2p4738	1500	01:32	21:34:20.4	+47:38:00	1200	90	2.0	#176 Be/X-ray	2	
0050.COMP	10	01:58	21:34:20.4	+47:38:00	1200	90	2.0	0 Calibration	2	
0051.IGR2253p6243	1500	01:59	22:53:55.1	+62:43:37	1200	90	2.0	#176 Be/X-ray	2	
0052.COMP	10	02:25	22:53:55.1	+62:43:37	1200	90	2.0	0 Calibration	2	
0053.HD19445	30	02:27	03:08:26.3	+26:20:29	1200	90	2.0	#176 Be/X-ray	2	
0054.HD19445	30	02:28	03:08:26.3	+26:20:29	1200	90	2.0	#176 Be/X-ray	2	
0055.COMP	10	02:29	03:08:26.3	+26:20:29	1200	90	2.0	0 Calibration	2	
0056.COMP	10	02:34	22:53:55.1	+62:43:37	1200	90	1.5	0 Calibration	2	1200-line, 1.5-sec, tilt 150 blue

UT Date 2013-01-05 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0057.IGR2253p6243.blue	900	02:35	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0058.IGR2253p6243.blue	900	02:51	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0059.COMP	10	03:06	22:53:55.1	+62:43:37	1200	90	1.5	0 Calibration	2	
0060.IGR2253p6243.blue	900	03:06	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0061.IGR2253p6243.blue	900	03:22	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0062.COMP	10	03:37	22:53:55.1	+62:43:37	1200	90	1.5	0 Calibration	2	
0063.IGR2253p6243.blue	900	03:38	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0064.IGR2253p6243.blue	900	03:53	22:53:55.1	+62:43:37	1200	90	1.5	#176 Be/X-ray	2	
0065.COMP	10	04:08	22:53:55.1	+62:43:37	1200	89	1.5	0 Calibration	2	
0066.HD19445.blue	30	04:10	03:08:26.3	+26:20:29	1200	89	1.5	#176 Be/X-ray	2	
0067.HD19445.blue	30	04:11	03:08:26.3	+26:20:29	1200	89	1.5	#176 Be/X-ray	2	
0068.COMP	10	04:12	03:08:26.3	+26:20:29	1200	89	1.5	0 Calibration	2	
0069.XPer.blue	15	04:13	03:55:23.0	+31:02:45	1200	89	1.5	#176 Be/X-ray	2	
0070.COMP	10	04:14	03:55:23.0	+31:02:45	1200	89	1.5	0 Calibration	2	
0071-0075.FLAT	100	04:24	03:55:23.0	+31:02:45	1200	89	1.5	0 Calibration	2	
0076.test	10	04:29	04:30:00.0	+32:00:00	300	89	3.0	#176 Be/X-ray	2	
0077.test	10	04:31	04:30:00.0	+32:00:00	300	89	3.0	#176 Be/X-ray	2	
0078.FLAT	7	04:33	04:30:00.0	+32:00:00	300	89	3.0	0 Calibration	2	300-line, 3-sec
0079-0087.FLAT	7	04:36	04:30:00.0	+32:00:00	300	89	3.0	0 Calibration	2	
0088.04243742+1812255	1800	04:38	04:24:37.4	+18:12:25	300	89	3.0	#141 2Mass Red	2	

UT Date 2013-01-05 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.COMP	10	05:08	04:24:37.4	+18:12:25	300	88	3.0	0 Calibration	2	
0090.04174066+2911207	1800	05:10	04:17:40.7	+29:11:21	300	88	3.0	#141 2Mass Red	2	
0091.COMP	10	05:41	04:17:40.7	+29:11:21	300	88	3.0	0 Calibration	2	
0092.04251987+1345222	1500	05:43	04:25:19.9	+13:45:22	300	89	3.0	#141 2Mass Red	2	
0093.COMP	10	06:08	04:25:19.9	+13:45:22	300	89	3.0	0 Calibration	2	
0094.04253042+1422472	900	06:09	04:25:30.4	+14:22:47	300	89	3.0	#141 2Mass Red	2	
0095.COMP	10	06:25	04:25:30.4	+14:22:47	300	90	3.0	0 Calibration	2	
0096.04255716+1343319	1500	06:26	04:25:57.2	+13:43:32	300	90	3.0	#141 2Mass Red	2	
0097.COMP	10	06:52	04:25:57.2	+13:43:32	300	90	3.0	0 Calibration	2	
0098.NGC2719	600	06:57	09:00:15.7	+35:43:40	300	110	3.0	#199 Optical n	2	
0099.NGC2719	600	07:07	09:00:15.7	+35:43:40	300	110	3.0	#199 Optical n	2	
0100.NGC2719	600	07:17	09:00:15.7	+35:43:40	300	110	3.0	#199 Optical n	2	
0101.COMP	10	07:28	09:00:15.7	+35:43:40	300	110	3.0	0 Calibration	2	
0102.NGC2719.companion	600	07:28	09:00:16.1	+35:43:13	300	110	3.0	#199 Optical n	2	
0103.NGC2719.companion	600	07:39	09:00:16.1	+35:43:13	300	110	3.0	#199 Optical n	2	
0104.NGC2719.companion	600	07:49	09:00:16.1	+35:43:13	300	110	3.0	#199 Optical n	2	
0105.COMP	10	07:59	09:00:16.1	+35:43:13	300	109	3.0	0 Calibration	2	
0106.BIAS	0	08:03	08:00:00.0	+32:00:00	600	91	1.5	0 Calibration	4	
0107.COMP	10	08:04	08:00:00.0	+32:00:00	600	91	1.5	0 Calibration	4	
0108.COMP	10	08:05	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	600-line, 1.5-sec, 445

UT Date 2013-01-05 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0109.bhvs028	1500	08:07	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0110.COMP	10	08:32	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0111.bhvs028	1500	08:33	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0112.COMP	10	08:58	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0113.bhvs028	1500	08:59	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0114.COMP	10	09:25	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0115.bhvs028	1500	09:25	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0116.COMP	10	09:51	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0117.bhvs028	1500	09:51	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0118.COMP	10	10:17	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0119.bhvs028	1500	10:17	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0120.COMP	10	10:43	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0121.bhvs028	1500	10:43	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0122.COMP	10	11:09	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0123.bhvs028	1500	11:09	09:36:39.0	-02:23:11	600	91	1.5	#178 Low Mass	4	
0124.COMP	10	11:35	09:36:39.0	-02:23:11	600	91	1.5	0 Calibration	4	
0125.Feige34	180	11:36	10:39:36.7	+43:06:09	600	91	1.5	#178 Low Mass	4	
0126.COMP	10	11:40	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	
0127-0136.FLAT	12	11:47	12:00:00.0	+32:00:00	600	89	1.5	0 Calibration	4	
0137.test	10	11:50	12:00:00.0	+32:00:00	300	89	3.0	#178 Low Mass	2	

UT Date 2013-01-05 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0138.HD84937	30	11:52	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	300-line, 3-sec
0139.HD84937	30	11:53	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0140.COMP	10	11:53	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0141.sn2012ht	900	11:55	10:53:22.8	+16:46:35	300	89	3.0	#2 SN Observat	2	
0142.COMP	10	12:10	10:53:22.8	+16:46:35	300	90	3.0	0 Calibration	2	
0143.Feige34	180	12:12	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0144.COMP	10	12:15	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0145.psn1140	1800	12:18	11:40:15.8	+17:27:22	300	90	3.0	#2 SN Observat	2	
0146.COMP	10	12:48	11:40:15.8	+17:27:22	300	90	3.0	0 Calibration	2	
0147.psn110555p7231	1500	12:51	11:05:55.2	+72:31:20	300	90	3.0	#2 SN Observat	2	
0148.COMP	10	13:16	11:05:55.2	+72:31:20	300	90	3.0	0 Calibration	2	
0149-0158.BIAS	0	13:30	13:30:00.0	+33:00:00	300	90	3.0	0 Calibration	2	
0159-0173.FLAT	7	13:36	13:30:00.0	+33:00:00	300	90	3.0	0 Calibration	2	
0174-0178.DARK	1200	15:01	13:30:00.0	+33:00:00	300	90	3.0	0 Calibration	2	