

UT Date 2013-01-14 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0007.DARK	900	00:47	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	4	
0008-0017.BIAS	0	01:04	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	4	
0018-0037.FLAT	7	01:11	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0038-0047.BIAS	0	01:15	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0048.BDp284211	150	01:49	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	01:52	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0050.BDp174708	60	01:55	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0051.COMP	10	01:56	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0052.M31	60	01:59	00:42:44.3	+41:16:09	300	89	3.0	#57 Velocity S	2	
0053.COMP	10	02:01	00:42:44.3	+41:16:09	300	89	3.0	0 Calibration	2	
0054.01515799+7126330	1800	02:07	01:51:58.0	+71:26:33	300	50	3.0	#141 2Mass Red	2	
0055.COMP	10	02:37	01:51:58.0	+71:26:33	300	51	3.0	0 Calibration	2	
0056.cvso-50673812	240	02:44	05:25:29.1	+01:24:13	300	90	3.0	#112 PMS Orion	2	
0057.COMP	10	02:49	05:25:29.1	+01:24:13	300	89	3.0	0 Calibration	2	
0058.cvso-50679338	240	02:52	05:25:39.9	+01:19:20	300	89	3.0	#112 PMS Orion	2	
0059.COMP	10	02:56	05:25:39.9	+01:19:20	300	89	3.0	0 Calibration	2	
0060.cvso-50677686	240	02:58	05:25:41.1	+02:16:49	300	89	3.0	#112 PMS Orion	2	
0061.COMP	10	03:02	05:25:41.1	+02:16:49	300	89	3.0	0 Calibration	2	
0062.cvso-50679895	360	03:03	05:25:45.5	+02:20:31	300	89	3.0	#112 PMS Orion	2	
0063.COMP	10	03:10	05:25:45.5	+02:20:31	300	90	3.0	0 Calibration	2	

UT Date 2013-01-14 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.cvso-50687537	360	03:12	05:25:56.1	-02:16:02	300	90	3.0	#112 PMS Orion	2	
0065.COMP	10	03:18	05:25:56.1	-02:16:02	300	89	3.0	0 Calibration	2	
0066.cvso-50686867	420	03:19	05:25:59.3	+02:20:12	300	89	3.0	#112 PMS Orion	2	
0067.COMP	10	03:27	05:25:59.3	+02:20:12	300	89	3.0	0 Calibration	2	
0068.sn2012fr	1800	03:29	03:33:36.0	-36:07:38	300	89	3.0	#2 SN Observat	2	
0069.COMP	10	03:59	03:33:36.0	-36:07:38	300	90	3.0	0 Calibration	2	
0070.sn2013D	2700	04:02	03:41:15.1	+15:23:04	300	90	3.0	#2 SN Observat	2	
0071.COMP	10	04:48	03:41:15.1	+15:23:04	300	90	3.0	0 Calibration	2	
0072.cvso-50692858	480	04:50	05:26:11.4	+01:48:05	300	90	3.0	#112 PMS Orion	2	
0073.COMP	10	04:58	05:26:11.4	+01:48:05	300	90	3.0	0 Calibration	2	
0074.cvso-50696659	240	04:59	05:26:18.8	+01:43:21	300	90	3.0	#112 PMS Orion	2	
0075.COMP	10	05:04	05:26:18.8	+01:43:21	300	90	3.0	0 Calibration	2	
0076.cvso-50708503	240	05:05	05:26:42.3	+03:03:07	300	90	3.0	#112 PMS Orion	2	
0077.COMP	10	05:09	05:26:42.3	+03:03:07	300	90	3.0	0 Calibration	2	
0078.cvso-50710931	540	05:11	05:26:47.0	+05:00:23	300	90	3.0	#112 PMS Orion	2	
0079.COMP	10	05:20	05:26:47.0	+05:00:23	300	90	3.0	0 Calibration	2	
0080.cvso-50716810	600	05:21	05:26:58.2	+01:36:08	300	85	3.0	#112 PMS Orion	2	
0081.COMP	10	05:32	05:26:58.2	+01:36:08	300	85	3.0	0 Calibration	2	
0082.cvso-50723885	780	05:33	05:27:11.8	-02:34:28	300	85	3.0	#112 PMS Orion	2	
0083.COMP	10	05:47	05:27:11.8	-02:34:28	300	85	3.0	0 Calibration	2	

UT Date 2013-01-14 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.cvso-50724543	1020	05:48	05:27:14.2	-03:47:47	300	85	3.0	#112 PMS Orion	2	
0085.COMP	10	06:05	05:27:14.2	-03:47:47	300	85	3.0	0 Calibration	2	
0086.cvso-50734464	600	06:07	05:27:27.0	+01:29:23	300	90	3.0	#112 PMS Orion	2	
0087.COMP	10	06:17	05:27:27.0	+01:29:23	300	90	3.0	0 Calibration	2	
0088.cvso-50735866	300	06:18	05:27:29.7	+01:29:03	300	90	3.0	#112 PMS Orion	2	
0089.COMP	10	06:24	05:27:29.7	+01:29:03	300	90	3.0	0 Calibration	2	
0090.cvso-50735361	600	07:51	05:27:33.4	+01:43:32	300	90	3.0	#112 PMS Orion	2	
0091.COMP	10	08:02	05:27:33.4	+01:43:32	300	90	3.0	0 Calibration	2	
0092.cvso-50735603	300	08:04	05:27:33.8	+04:38:50	300	90	3.0	#112 PMS Orion	2	
0093.COMP	10	08:10	05:27:33.8	+04:38:50	300	89	3.0	0 Calibration	2	
0094.cvso-50754883	600	08:11	05:28:10.1	-02:41:45	300	89	3.0	#112 PMS Orion	2	
0095.COMP	10	08:22	05:28:10.1	-02:41:45	300	90	3.0	0 Calibration	2	
0096.HD84937	25	08:59	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0097.COMP	10	09:00	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0098.Feige34	150	09:02	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0099.COMP	10	09:05	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0100.sn2012ht	1500	09:07	10:53:22.8	+16:46:35	300	90	3.0	#2 SN Observat	2	
0101.COMP	10	09:34	10:53:22.8	+16:46:35	300	90	3.0	0 Calibration	2	
0102.sn2013C	1800	09:36	11:05:55.2	+72:31:20	300	90	3.0	#2 SN Observat	2	
0103.COMP	10	10:07	11:05:55.2	+72:31:20	300	89	3.0	0 Calibration	2	

UT Date 2013-01-14 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0104.sn2013E	1800	10:10	10:00:05.5	-34:14:01	300	89	3.0	#2 SN Observat	2	
0105.COMP	10	10:41	10:00:05.5	-34:14:01	300	89	3.0	0 Calibration	2	
0106.sn2012ij	1800	10:50	11:40:15.8	+17:27:22	300	90	3.0	#2 SN Observat	2	
0107.COMP	10	11:21	11:40:15.8	+17:27:22	300	89	3.0	0 Calibration	2	
0108.NGC4688	1800	11:25	12:47:46.5	+04:20:10	300	36	3.0	#199 Optical n	2	
0109.NGC4688	1800	11:56	12:47:46.5	+04:20:10	300	36	3.0	#199 Optical n	2	
0110.NGC4688	1800	12:26	12:47:46.5	+04:20:10	300	36	3.0	#199 Optical n	2	
0111.COMP	10	12:56	12:47:46.5	+04:20:10	300	32	3.0	0 Calibration	2	
0112.psn133644m2950	1020	13:04	13:36:44.3	-29:50:34	300	90	3.0	#2 SN Observat	2	
0113.COMP	10	13:22	13:36:44.3	-29:50:34	300	90	3.0	0 Calibration	2	
0114-0123.BIAS	0	13:26	13:36:44.3	-29:50:34	300	90	3.0	0 Calibration	2	
0124-0143.FLAT	7	13:34	13:36:44.3	-29:50:34	300	90	3.0	0 Calibration	2	
0144-0153.DARK	900	15:54	13:36:44.3	-29:50:34	300	90	3.0	0 Calibration	2	