

UT Date 2013-02-08 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:46	03:33:00.2	+31:27:54	300	91	3.0	0 Calibration	4	
0011-0030.FLAT	7	01:57	03:39:22.1	+31:28:00	300	90	3.0	0 Calibration	2	
0031.NGC1700	300	02:14	04:56:56.3	-04:51:57	300	90	3.0	#57 Velocity S	2	
0032.COMP	10	02:20	04:56:56.3	-04:51:57	300	90	3.0	0 Calibration	2	
0033.sn2012fr	1800	02:22	03:33:36.0	-36:07:38	300	90	3.0	#2 SN Observat	2	
0034.COMP	10	02:53	03:33:36.0	-36:07:38	300	90	3.0	0 Calibration	2	
0035.cvso-50815721	360	02:56	05:30:05.1	-02:15:23	300	90	3.0	#112 PMS Orion	2	
0036.COMP	10	03:02	05:30:05.1	-02:15:23	300	91	3.0	0 Calibration	2	
0037.cvso-50816795	720	03:04	05:30:07.2	+01:28:26	300	91	3.0	#112 PMS Orion	2	
0038.COMP	10	03:16	05:30:07.2	+01:28:26	300	90	3.0	0 Calibration	2	
0039.cvso-50814590	240	03:18	05:30:08.3	+01:48:49	300	90	3.0	#112 PMS Orion	2	
0040.COMP	10	03:24	05:30:08.3	+01:48:49	300	91	3.0	0 Calibration	2	
0041.cvso-50817546	900	03:25	05:30:14.3	+04:56:43	300	91	3.0	#112 PMS Orion	2	
0042.COMP	10	03:41	05:30:14.3	+04:56:43	300	91	3.0	0 Calibration	2	
0043.cvso-50820979	900	03:42	05:30:15.6	-02:14:55	300	91	3.0	#112 PMS Orion	2	
0044.COMP	10	03:58	05:30:15.6	-02:14:55	300	91	3.0	0 Calibration	2	
0045.cvso-50823416	600	03:59	05:30:20.6	-02:03:26	300	91	3.0	#112 PMS Orion	2	
0046.COMP	10	04:10	05:30:20.6	-02:03:26	300	91	3.0	0 Calibration	2	
0047.sn2013S	1800	04:12	03:35:30.3	+38:17:00	300	91	3.0	#2 SN Observat	2	
0048.COMP	10	04:42	03:35:30.3	+38:17:00	300	91	3.0	0 Calibration	2	

UT Date 2013-02-08 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.cvso-50818241	600	04:46	05:30:17.2	+00:10:21	300	91	3.0	#112 PMS Orion	2	
0050.COMP	10	04:56	05:30:17.2	+00:10:21	300	90	3.0	0 Calibration	2	
0051.cvso-50823416	420	04:58	05:30:20.6	-02:03:26	300	90	3.0	#112 PMS Orion	2	
0052.COMP	10	05:05	05:30:20.6	-02:03:26	300	91	3.0	0 Calibration	2	
0053.cvso-50823839	240	05:06	05:30:21.4	-01:47:41	300	91	3.0	#112 PMS Orion	2	
0054.COMP	10	05:11	05:30:21.4	-01:47:41	300	90	3.0	0 Calibration	2	
0055.cvso-50822132	780	05:13	05:30:23.6	+05:59:50	300	90	3.0	#112 PMS Orion	2	
0056.COMP	10	05:28	05:30:23.6	+05:59:50	300	91	3.0	0 Calibration	2	
0057.cvso-50825112	480	05:30	05:30:24.0	-02:15:26	300	80	3.0	#112 PMS Orion	2	
0058.COMP	10	05:39	05:30:24.0	-02:15:26	300	79	3.0	0 Calibration	2	
0059.G191B2B	300	05:41	05:05:30.6	+52:49:52	300	79	3.0	#56 Spectropho	2	
0060.COMP	10	05:47	05:05:30.6	+52:49:52	300	80	3.0	0 Calibration	2	
0061.Hiltner600	120	05:50	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0062.COMP	10	05:52	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0063.psn090841p4448	2400	05:55	09:08:41.5	+44:48:50	300	90	3.0	#2 SN Observat	2	
0064.COMP	10	06:35	09:08:41.5	+44:48:50	300	89	3.0	0 Calibration	2	
0065.LkCa3	300	06:40	04:14:47.9	+27:52:34	300	89	3.0	#215 Grid of W	2	
0066.COMP	10	06:45	04:14:47.9	+27:52:34	300	90	3.0	0 Calibration	2	
0067.LkCa4	600	06:46	04:16:28.1	+28:07:35	300	90	3.0	#215 Grid of W	2	
0068.COMP	10	06:57	04:16:28.1	+28:07:35	300	90	3.0	0 Calibration	2	

UT Date 2013-02-08 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.V827Tau	600	06:58	04:32:14.5	+18:20:14	300	90	3.0	#215 Grid of W	2	
0070.COMP	10	07:08	04:32:14.5	+18:20:14	300	89	3.0	0 Calibration	2	
0071.V826Tau	600	07:09	04:32:15.8	+18:01:38	300	89	3.0	#215 Grid of W	2	
0072.COMP	10	07:20	04:32:15.8	+18:01:38	300	90	3.0	0 Calibration	2	
0073.G191B2B	300	07:21	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0074.COMP	10	07:27	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0075.Hiltner600	120	07:29	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0076.COMP	10	07:32	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0077.UGC5228	1800	07:50	09:46:03.6	+01:40:06	300	110	3.0	#199 Optical n	2	
0078.UGC5228	1800	08:20	09:46:03.6	+01:40:06	300	110	3.0	#199 Optical n	2	
0079.UGC5228	1800	08:58	09:46:03.6	+01:40:06	300	110	3.0	#199 Optical n	2	
0080.COMP	10	09:28	09:46:03.6	+01:40:06	300	111	3.0	0 Calibration	2	
0081.NGC3686	900	09:30	11:27:44.0	+17:13:27	300	91	3.0	#199 Optical n	2	
0082.NGC3686	900	09:45	11:27:44.0	+17:13:27	300	91	3.0	#199 Optical n	2	
0083.NGC3686	900	10:00	11:27:44.0	+17:13:27	300	91	3.0	#199 Optical n	2	
0084.COMP	10	10:16	11:27:44.0	+17:13:27	300	90	3.0	0 Calibration	2	
0085.NGC4014	600	10:17	11:58:35.8	+16:10:38	300	110	3.0	#199 Optical n	2	
0086.NGC4014	600	10:35	11:58:35.8	+16:10:38	300	110	3.0	#199 Optical n	2	
0087.NGC4014	600	10:45	11:58:35.8	+16:10:38	300	110	3.0	#199 Optical n	2	
0088.COMP	10	10:56	11:58:35.8	+16:10:38	300	111	3.0	0 Calibration	2	

UT Date 2013-02-08 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0089.sn2013T	2400	10:59	13:10:19.7	+32:28:26	300	90	3.0	#2 SN Observat	2	
0090.COMP	10	11:39	13:10:19.7	+32:28:26	300	90	3.0	0 Calibration	2	
0091.NGC5100_NED02	600	11:45	13:20:59.6	+08:58:42	300	109	3.0	#199 Optical n	2	
0092.NGC5100_NED02	600	12:23	13:20:59.6	+08:58:42	300	109	3.0	#199 Optical n	2	
0093.NGC5100_NED02	600	12:33	13:20:59.6	+08:58:42	300	109	3.0	#199 Optical n	2	
0094.COMP	10	12:45	13:20:59.6	+08:58:42	300	109	3.0	0 Calibration	2	
0095-0104.BIAS	0	13:23	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	2	
0105-0124.FLAT	7	13:34	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	2	
0125-0129.DARK	900	14:39	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	4	
0130-0134.DARK	900	15:56	16:50:43.4	+42:51:45	300	91	3.0	0 Calibration	2	