

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	20:29	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	4	x10
0002-0010.BIAS	0	20:31	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	4	
0011.DARK	900	20:31	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	4	x7
0012-0017.DARK	900	22:21	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	4	
0018.BIAS	0	22:37	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	x10
0019-0027.BIAS	0	22:38	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0028.DARK	900	22:39	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	x7
0029-0034.DARK	900	00:11	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0035.FLAT	7	01:11	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	x15
0036-0049.FLAT	7	01:16	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0050.Hiltner600	90	02:22	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	photometric
0051.COMP	10	02:24	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0052.GJ1094	90	02:25	07:02:42.9	-06:47:57	300	90	3.0	#215 Grid of W	2	close to sat., doing another
0053.COMP	10	02:27	07:02:42.9	-06:47:57	300	90	3.0	0 Calibration	2	
0054.GJ1094	60	02:27	07:02:42.9	-06:47:57	300	90	3.0	#215 Grid of W	2	
0055.HD65430	30	02:30	07:59:33.9	+20:50:37	300	90	3.0	#215 Grid of W	2	
0056.COMP	10	02:31	07:59:33.9	+20:50:37	300	90	3.0	0 Calibration	2	
0057.GJ9260	90	02:32	08:18:10.7	+30:36:02	300	90	3.0	#215 Grid of W	2	
0058.COMP	10	02:34	08:18:10.7	+30:36:02	300	90	3.0	0 Calibration	2	
0059.LTT11959	45	02:35	07:01:38.5	+48:22:43	300	90	3.0	#215 Grid of W	2	

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0060.COMP	10	02:36	07:01:38.5	+48:22:43	300	90	3.0	0 Calibration	2	
0061.cvso-50873241	300	02:38	05:32:01.0	-01:59:02	300	90	3.0	#112 PMS Orion	2	
0062.COMP	10	02:44	05:32:01.0	-01:59:02	300	90	3.0	0 Calibration	2	
0063.cvso-50869203	1200	02:45	05:31:58.8	-02:52:10	300	90	3.0	#112 PMS Orion	2	
0064.COMP	10	03:05	05:31:58.8	-02:52:10	300	91	3.0	0 Calibration	2	
0065.cvso-50872939	600	03:06	05:32:00.4	-01:40:11	300	90	3.0	#112 PMS Orion	2	
0066.COMP	10	03:17	05:32:00.4	-01:40:11	300	90	3.0	0 Calibration	2	
0067.cvso-50875393	600	03:19	05:32:05.5	-01:50:30	300	90	3.0	#112 PMS Orion	2	
0068.COMP	10	03:30	05:32:05.5	-01:50:30	300	90	3.0	0 Calibration	2	
0069.lmwd034	780	03:31	07:45:11.6	+19:49:27	300	90	3.0	#178 Low Mass	2	
0070.COMP	10	03:44	07:45:11.6	+19:49:27	300	90	3.0	0 Calibration	2	
0071.Feige34	180	03:46	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0072.COMP	10	03:49	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0073.psn0807	900	03:52	08:07:06.7	-28:03:10	300	91	3.0	#2 SN Observat	2	
0074.COMP	10	04:07	08:07:06.7	-28:03:10	300	91	3.0	0 Calibration	2	
0075.lmwd034	990	04:12	07:45:11.6	+19:49:27	600	91	1.5	#178 Low Mass	4	6001
0076.COMP	10	04:29	07:45:11.6	+19:49:27	600	91	1.5	0 Calibration	4	
0077.lmwd034	990	04:30	07:45:11.6	+19:49:27	600	91	1.5	#178 Low Mass	4	
0078.COMP	10	04:47	07:45:11.6	+19:49:27	600	91	1.5	0 Calibration	4	
0079.lmwd034	990	04:47	07:45:11.6	+19:49:27	600	91	1.5	#178 Low Mass	4	

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0080.COMP	10	05:04	07:45:11.6	+19:49:27	600	91	1.5	0 Calibration	4	
0081.lmwd034	990	05:04	07:45:11.6	+19:49:27	600	91	1.5	#178 Low Mass	4	
0082.COMP	10	05:21	07:45:11.6	+19:49:27	600	91	1.5	0 Calibration	4	
0083.lmwd034	990	05:22	07:45:11.6	+19:49:27	600	91	1.5	#178 Low Mass	4	
0084.COMP	10	05:39	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0085.lmwd034	990	05:39	07:45:11.6	+19:49:27	600	90	1.5	#178 Low Mass	4	
0086.COMP	10	05:56	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0087.lmwd034	990	05:57	07:45:11.6	+19:49:27	600	90	1.5	#178 Low Mass	4	
0088.COMP	10	06:14	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0089.lmwd034	990	06:14	07:45:11.6	+19:49:27	600	90	1.5	#178 Low Mass	4	
0090.COMP	10	06:31	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0091.lmwd034	990	06:31	07:45:11.6	+19:49:27	600	90	1.5	#178 Low Mass	4	
0092.COMP	10	06:48	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0093.lmwd034	990	06:49	07:45:11.6	+19:49:27	600	90	1.5	#178 Low Mass	4	
0094.COMP	10	07:06	07:45:11.6	+19:49:27	600	90	1.5	0 Calibration	4	
0095.Feige34	180	07:07	10:39:36.7	+43:06:09	600	90	1.5	#56 Spectropho	4	
0096.COMP	10	07:10	10:39:36.7	+43:06:09	600	90	1.5	0 Calibration	4	
0097.hotwd098	1160	07:12	10:59:59.7	+78:37:40	600	90	1.5	#178 Low Mass	4	
0098.COMP	10	07:32	10:59:59.7	+78:37:40	600	90	1.5	0 Calibration	4	
0099.hotwd103	950	07:33	11:28:05.3	+59:19:58	600	90	1.5	#178 Low Mass	4	

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0100.COMP	10	07:49	11:28:05.3	+59:19:58	600	90	1.5	0 Calibration	4	
0101.hotwd100	1300	07:50	11:10:21.0	+45:18:02	600	90	1.5	#178 Low Mass	4	
0102.COMP	10	08:12	11:10:21.0	+45:18:02	600	90	1.5	0 Calibration	4	
0103.hotwd099	1210	08:14	11:02:02.5	-16:53:28	600	90	1.5	#178 Low Mass	4	
0104.COMP	10	08:35	11:02:02.5	-16:53:28	600	90	1.5	0 Calibration	4	
0105.hotwd104	1130	08:38	11:37:36.9	-05:23:17	600	90	1.5	#178 Low Mass	4	
0106.COMP	10	08:57	11:37:36.9	-05:23:17	600	90	1.5	0 Calibration	4	
0107.hotwd105	1020	08:59	11:55:59.8	+14:00:12	600	90	1.5	#178 Low Mass	4	
0108.COMP	10	09:16	11:55:59.8	+14:00:12	600	90	1.5	0 Calibration	4	
0109.hotwd106	1380	09:18	11:57:15.0	+25:46:17	600	90	1.5	#178 Low Mass	4	
0110.COMP	10	09:41	11:57:15.0	+25:46:17	600	91	1.5	0 Calibration	4	
0111.hotwd107	690	09:42	12:03:59.8	+10:59:38	600	91	1.5	#178 Low Mass	4	
0112.COMP	10	09:54	12:03:59.8	+10:59:38	600	90	1.5	0 Calibration	4	
0113.j1638	900	09:58	16:38:26.3	+35:00:12	600	90	1.5	#178 Low Mass	4	
0114.COMP	10	10:14	16:38:26.3	+35:00:12	600	90	1.5	0 Calibration	4	
0115.hotwd108	1140	10:15	12:41:11.0	+08:11:59	600	90	1.5	#178 Low Mass	4	
0116.COMP	10	10:35	12:41:11.0	+08:11:59	600	90	1.5	0 Calibration	4	
0117.hotwd109	600	10:36	12:46:08.0	-05:17:13	600	90	1.5	#178 Low Mass	4	
0118.COMP	10	10:46	12:46:08.0	-05:17:13	600	90	1.5	0 Calibration	4	
0119.hotwd111	1140	10:48	12:49:02.0	+12:16:13	600	90	1.5	#178 Low Mass	4	

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0120.COMP	10	11:08	12:49:02.0	+12:16:13	600	90	1.5	0 Calibration	4	
0121.hotwd110	1200	11:10	12:48:24.7	+66:39:29	600	90	1.5	#178 Low Mass	4	
0122.COMP	10	11:30	12:48:24.7	+66:39:29	600	90	1.5	0 Calibration	4	
0123.hotwd113	990	11:31	12:55:06.4	+60:51:52	600	90	1.5	#178 Low Mass	4	
0124.COMP	10	11:48	12:55:06.4	+60:51:52	600	90	1.5	0 Calibration	4	
0125.hotwd118	780	11:49	13:57:09.6	+33:48:03	600	90	1.5	#178 Low Mass	4	
0126.COMP	10	12:03	13:57:09.6	+33:48:03	600	90	1.5	0 Calibration	4	
0127.j1638	900	12:04	16:38:26.3	+35:00:12	600	90	1.5	#178 Low Mass	4	
0128.COMP	10	12:19	16:38:26.3	+35:00:12	600	90	1.5	0 Calibration	4	
0129.hotwd119	600	12:21	14:09:18.7	+22:15:29	600	90	1.5	#178 Low Mass	4	
0130.COMP	10	12:31	14:09:18.7	+22:15:29	600	90	1.5	0 Calibration	4	
0131.hotwd112	360	12:32	12:50:23.0	+17:22:17	600	91	1.5	#178 Low Mass	4	
0132.COMP	10	12:38	12:50:23.0	+17:22:17	600	91	1.5	0 Calibration	4	
0133.BDp332642	120	12:40	15:51:59.9	+32:56:54	600	91	1.5	#56 Spectropho	4	
0134.COMP	10	12:42	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0135.FLAT	12	12:43	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	x10
0136-0144.FLAT	12	12:46	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0145.BIAS	0	12:47	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	x10
0146-0154.BIAS	0	12:49	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0155-0164.DARK	900	15:20	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	

UT Date 2013-03-13 Observers BrownColl. Focus 1380 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0165-0174.DARK	900	17:53	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	2	