

UT Date 2013-03-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	02:14	05:27:39.6	+31:30:00	300	87	3.0	0 Calibration	4	
0006-0015.BIAS	0	02:32	05:27:39.6	+31:30:00	300	87	3.0	0 Calibration	4	
0016-0035.FLAT	7	02:38	05:27:39.6	+31:30:00	300	87	3.0	0 Calibration	2	
0036-0045.BIAS	0	02:40	05:27:39.6	+31:30:00	300	87	3.0	0 Calibration	2	
0046.G191B2B	360	02:43	05:05:30.6	+52:49:52	300	87	3.0	#56 Spectropho	2	
0047.COMP	10	02:49	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0048.cvso-50877730	480	02:53	05:32:16.7	-05:57:50	300	90	3.0	#112 PMS Orion	2	
0049.COMP	10	03:01	05:32:16.7	-05:57:50	300	89	3.0	0 Calibration	2	
0050.cvso-50877777	720	03:03	05:32:16.8	-05:31:15	300	89	3.0	#112 PMS Orion	2	
0051.COMP	10	03:16	05:32:16.8	-05:31:15	300	89	3.0	0 Calibration	2	
0052.cvso-50877515	1020	03:17	05:32:17.8	-00:15:08	300	89	3.0	#112 PMS Orion	2	
0053.COMP	10	03:35	05:32:17.8	-00:15:08	300	89	3.0	0 Calibration	2	
0054.cvso-50878630	1080	03:36	05:32:20.1	-04:29:59	300	89	3.0	#112 PMS Orion	2	
0055.COMP	10	03:55	05:32:20.1	-04:29:59	300	90	3.0	0 Calibration	2	
0056.cvso-50882720	600	03:57	05:32:20.8	-02:26:34	300	90	3.0	#112 PMS Orion	2	
0057.COMP	10	04:08	05:32:20.8	-02:26:34	300	90	3.0	0 Calibration	2	
0058.sn2013ak	1200	04:11	08:07:06.7	-28:03:10	300	90	3.0	#2 SN Observat	2	
0059.COMP	10	04:31	08:07:06.7	-28:03:10	300	90	3.0	0 Calibration	2	
0060.cvso-50879968	420	04:35	05:32:23.0	-00:29:32	300	90	3.0	#112 PMS Orion	2	
0061.COMP	10	04:43	05:32:23.0	-00:29:32	300	89	3.0	0 Calibration	2	

UT Date 2013-03-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.07231000+0246223	600	04:46	07:23:10.0	+02:46:22	300	89	3.0	#141 2Mass Red	2	
0063.COMP	10	04:57	07:23:10.0	+02:46:22	300	90	3.0	0 Calibration	2	
0064.07464588-1041200	720	04:59	07:46:45.9	-10:41:20	300	90	3.0	#141 2Mass Red	2	
0065.COMP	10	05:11	07:46:45.9	-10:41:20	300	89	3.0	0 Calibration	2	
0066.07475774-1528425	900	05:13	07:47:57.7	-15:28:43	300	89	3.0	#141 2Mass Red	2	
0067.COMP	10	05:29	07:47:57.7	-15:28:43	300	90	3.0	0 Calibration	2	
0068.07480882-1430025	720	05:32	07:48:08.8	-14:30:03	300	90	3.0	#141 2Mass Red	2	
0069.COMP	10	05:44	07:48:08.8	-14:30:03	300	90	3.0	0 Calibration	2	
0070.07481984-1339438	1200	05:46	07:48:19.8	-13:39:44	300	90	3.0	#141 2Mass Red	2	
0071.COMP	10	06:07	07:48:19.8	-13:39:44	300	90	3.0	0 Calibration	2	
0072.07500033-1451582	600	06:08	07:50:00.3	-14:51:58	300	90	3.0	#141 2Mass Red	2	
0073.COMP	10	06:19	07:50:00.3	-14:51:58	300	90	3.0	0 Calibration	2	
0074.07552442-1115591	720	06:20	07:55:24.4	-11:15:59	300	90	3.0	#141 2Mass Red	2	
0075.COMP	10	06:33	07:55:24.4	-11:15:59	300	90	3.0	0 Calibration	2	
0076.HD84937	20	06:35	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0077.COMP	10	06:36	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0078.Feige34	150	06:38	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0079.COMP	10	06:41	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0080.N3377	180	06:43	10:47:42.4	+13:59:08	300	88	3.0	#57 Velocity S	2	
0081.COMP	10	06:51	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	

UT Date 2013-03-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0082.NGC4234	1800	06:53	12:17:09.1	+03:40:59	300	89	3.0	#199 Optical n	2	
0083.NGC4234	1800	07:23	12:17:09.1	+03:40:59	300	89	3.0	#199 Optical n	2	
0084.NGC4234	1800	07:53	12:17:09.1	+03:40:59	300	89	3.0	#199 Optical n	2	
0085.COMP	10	08:24	12:17:09.1	+03:40:59	300	89	3.0	0 Calibration	2	
0086.lmwd542	1440	08:31	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0087.COMP	10	08:55	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0088.lmwd542	1440	08:56	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0089.COMP	10	09:23	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0090.lmwd542	1440	09:23	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0091.COMP	10	09:48	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0092.lmwd542	1440	09:48	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	10:13	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0094.lmwd542	1440	10:14	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0095.COMP	10	10:38	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0096.lmwd542	1440	10:39	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0097.COMP	10	11:03	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0098.lmwd542	1440	11:04	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0099.COMP	10	11:28	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0100.lmwd542	1440	11:29	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0101.COMP	10	11:54	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	

UT Date 2013-03-17 Observers M CalkinsColl. Focus 1350 Grating/Grism 600

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0102.lmwd542	1440	11:55	14:06:31.0	+34:38:42	600	89	1.5	#178 Low Mass	4	
0103.COMP	10	12:19	14:06:31.0	+34:38:42	600	89	1.5	0 Calibration	4	
0104.BDp332642	150	12:21	15:51:59.9	+32:56:54	600	89	1.5	#178 Low Mass	4	
0105.COMP	10	12:24	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0106.hotwd145	990	12:26	15:58:27.2	+20:31:35	600	89	1.5	#178 Low Mass	4	
0107.COMP	10	12:43	15:58:27.2	+20:31:35	600	90	1.5	0 Calibration	4	
0108-0117.BIAS	0	12:48	15:58:27.2	+20:31:35	600	90	1.5	0 Calibration	4	
0118-0127.FLAT	12	12:53	15:58:27.2	+20:31:35	600	90	1.5	0 Calibration	4	
0128-0137.BIAS	0	12:56	15:58:27.2	+20:31:35	600	90	1.5	0 Calibration	2	
0138-0147.DARK	900	15:17	15:58:27.2	+20:31:35	600	90	1.5	0 Calibration	2	