

UT Date 2013-04-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:43	15:06:29.3	+01:36:20	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:49	15:06:29.3	+01:36:20	300	89	3.0	0 Calibration	2	
0026.cvso-50886538	240	02:52	05:32:36.8	-00:13:39	300	89	3.0	#112 PMS Orion	2	
0027.COMP	10	02:56	05:32:36.8	-00:13:39	300	89	3.0	0 Calibration	2	
0028.cvso-51376650	240	02:58	05:49:20.1	+01:52:05	300	89	3.0	#112 PMS Orion	2	
0029.COMP	10	03:02	05:49:20.1	+01:52:05	300	90	3.0	0 Calibration	2	
0030.cvso-51377497	360	03:03	05:49:21.7	+05:45:54	300	90	3.0	#112 PMS Orion	2	
0031.COMP	10	03:09	05:49:21.7	+05:45:54	300	90	3.0	0 Calibration	2	
0032.HD84937	30	03:12	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0033.HD84937	30	03:13	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0034.HD84937	30	03:13	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0035.COMP	10	03:14	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0036.IRAS11267+1558	1800	03:18	11:29:24.7	+15:41:41	300	74	3.0	#199 Optical n	2	
0037.COMP	10	03:48	11:29:24.7	+15:41:41	300	74	3.0	0 Calibration	2	
0038.IRAS11267+1558	1800	03:49	11:29:24.7	+15:41:41	300	74	3.0	#199 Optical n	2	
0039.COMP	10	04:19	11:29:24.7	+15:41:41	300	74	3.0	0 Calibration	2	
0040.IRAS11267+1558	1800	04:19	11:29:24.7	+15:41:41	300	74	3.0	#199 Optical n	2	
0041.COMP	10	04:50	11:29:24.7	+15:41:41	300	74	3.0	0 Calibration	2	
0042.HD84937	30	04:51	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0043.HD84937	30	04:52	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	

UT Date 2013-04-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.HD84937	30	04:53	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0045.HD84937	30	04:54	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0046.COMP	10	04:55	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0047.Feige34	180	04:56	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0048.COMP	10	05:00	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0049.sn2013be	1800	05:04	12:36:27.7	+11:45:28	300	89	3.0	#2 SN Observat	2	
0050.COMP	10	05:35	12:36:27.7	+11:45:28	300	89	3.0	0 Calibration	2	
0051.HD84937	30	05:37	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0052.HD84937	30	05:37	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0053.HD84937	30	05:38	09:48:56.1	+13:44:39	300	89	3.0	#215 Grid of W	2	
0054.COMP	10	05:39	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0055.MCG6-33-022	1200	05:42	15:08:06.0	+34:23:26	300	46	3.0	#199 Optical n	2	
0056.COMP	10	06:02	15:08:06.0	+34:23:26	300	46	3.0	0 Calibration	2	
0057.MCG6-33-022	1200	06:03	15:08:06.0	+34:23:26	300	46	3.0	#199 Optical n	2	
0058.COMP	10	06:24	15:08:06.0	+34:23:26	300	46	3.0	0 Calibration	2	
0059.MCG6-33-022	1200	06:25	15:08:06.0	+34:23:26	300	46	3.0	#199 Optical n	2	
0060.COMP	10	06:46	15:08:06.0	+34:23:26	300	46	3.0	0 Calibration	2	
0061.HD84937	30	06:49	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	
0062.HD84937	30	06:49	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	
0063.HD84937	30	06:50	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	

UT Date 2013-04-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.COMP	10	06:51	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0065.Feige34	180	06:52	10:39:36.7	+43:06:09	300	90	3.0	#215 Grid of W	2	
0066.COMP	10	06:56	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0067.sn2013aj	1800	06:58	13:54:00.7	-07:55:44	300	89	3.0	#2 SN Observat	2	
0068.COMP	10	07:29	13:54:00.7	-07:55:44	300	90	3.0	0 Calibration	2	
0069.HD84937	30	07:30	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	
0070.HD84937	30	07:31	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	
0071.HD84937	30	07:32	09:48:56.1	+13:44:39	300	90	3.0	#215 Grid of W	2	
0072.COMP	10	07:33	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0073.COMP	10	07:37	15:35:53.9	+38:40:32	300	-10	3.0	0 Calibration	2	
0074.UGC9922_NED02	900	07:39	15:35:53.9	+38:40:32	300	-10	3.0	#199 Optical n	2	
0075.UGC9922_NED02	900	07:54	15:35:53.9	+38:40:32	300	-10	3.0	#199 Optical n	2	
0076.UGC9922_NED02	900	08:09	15:35:53.9	+38:40:32	300	-10	3.0	#199 Optical n	2	
0077.COMP	10	08:25	15:35:53.9	+38:40:32	300	-11	3.0	0 Calibration	2	
0078.BDp262606	90	08:28	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0079.COMP	10	08:30	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0080.Feige34	180	08:32	10:39:36.7	+43:06:09	300	89	3.0	#215 Grid of W	2	
0081.COMP	10	08:35	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0082.sn1sq13vy	1800	08:39	16:06:55.9	+03:00:15	300	90	3.0	#2 SN Observat	2	
0083.COMP	10	09:10	16:06:55.9	+03:00:15	300	90	3.0	0 Calibration	2	

UT Date 2013-04-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0084.Feige34	180	09:13	10:39:36.7	+43:06:09	300	90	3.0	#215 Grid of W	2	
0085.COMP	10	09:16	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0086.BDp332642	120	09:18	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0087.COMP	10	09:21	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0088.hotwd128	900	09:26	14:50:06.6	+40:55:35	600	89	1.5	#178 Low Mass	4	
0089.COMP	10	09:41	14:50:06.6	+40:55:35	600	90	1.5	0 Calibration	4	
0090.hotwd131	1500	09:45	14:56:34.7	+30:04:51	600	90	1.5	#178 Low Mass	4	
0091.COMP	10	10:10	14:56:34.7	+30:04:51	600	89	1.5	0 Calibration	4	
0092.hotwd130	1800	10:12	14:56:33.7	-02:25:46	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	10:43	14:56:33.7	-02:25:46	600	90	1.5	0 Calibration	4	
0094.hotwd132	1800	10:44	15:04:16.6	+07:27:31	600	90	1.5	#178 Low Mass	4	
0095.COMP	10	11:15	15:04:16.6	+07:27:31	600	89	1.5	0 Calibration	4	
0096.hotwd142	1202	11:17	15:46:33.5	+00:46:56	600	89	1.5	#178 Low Mass	4	
0097.COMP	10	11:37	15:46:33.5	+00:46:56	600	90	1.5	0 Calibration	4	
0098.BDp332642	120	11:38	15:51:59.9	+32:56:54	600	90	1.5	#178 Low Mass	4	
0099.COMP	10	11:41	15:51:59.9	+32:56:54	600	90	1.5	0 Calibration	4	
0100-0109.FLAT	12	11:45	19:00:00.0	+32:00:00	600	90	1.5	0 Calibration	4	
0110.test	10	11:47	19:00:00.0	+32:00:00	300	90	3.0	#178 Low Mass	2	
0111.BFCyg	20	11:49	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0112.BFCyg	45	11:50	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-04-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0113.COMP	10	11:51	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0114.CICyg	5	11:52	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0115.CICyg	20	11:52	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0116.CICyg	120	11:53	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0117.COMP	10	11:55	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0118.PUVul	90	11:56	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0119.PUVul	10	11:58	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0120.COMP	10	11:59	20:21:13.0	+21:34:21	300	90	3.0	0 Calibration	2	
0121.CHCyg	2	12:00	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0122.CHCyg	10	12:01	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0123.CHCyg	4	12:01	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0124.COMP	10	12:01	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0125.YYHer	60	12:02	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0126.YYHer	90	12:04	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0127.COMP	10	12:06	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0128-0137.BIAS	0	12:09	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	4	
0138-0147.BIAS	0	12:11	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0148-0162.FLAT	7	12:17	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	