

UT Date 2013-05-10 Observers WBrownColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	21:04	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	300 line
0002.COMP	5	21:15	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0003.BIAS	0	21:47	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	x17
0004-0019.BIAS	0	21:50	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0020.DARK	900	21:54	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	x10
0021-0029.DARK	900	00:12	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0030.FLAT	7	02:15	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	x20
0031-0049.FLAT	7	02:20	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0050.HD84937	30	04:17	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	clouds
0051.COMP	10	04:19	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0052.psn09265	1200	04:22	09:26:56.8	-24:47:00	300	89	3.0	#2 SN Observat	2	
0053.COMP	10	04:42	09:26:56.8	-24:47:00	300	89	3.0	0 Calibration	2	
0054.Pbcg021	1320	04:45	09:17:38.8	+15:23:21	300	88	3.0	#210 Brightest	2	clouds
0055.COMP	10	05:07	09:17:38.8	+15:23:21	300	88	3.0	0 Calibration	2	
0056.Pbcg032	1200	05:21	10:48:42.8	+17:17:32	300	88	3.0	#210 Brightest	2	
0057.COMP	10	05:42	10:48:42.8	+17:17:32	300	88	3.0	0 Calibration	2	
0058.PSNJ13265132	1800	06:44	13:26:51.3	-10:01:32	300	87	3.0	#2 SN Observat	2	clearing
0059.COMP	10	07:14	13:26:51.3	-10:01:32	300	87	3.0	0 Calibration	2	
0060.A00029.2	1200	07:17	13:36:44.0	-03:30:03	300	87	3.0	#216 Local Com	2	
0061.COMP	10	07:37	13:36:44.0	-03:30:03	300	88	3.0	0 Calibration	2	

UT Date 2013-05-10 Observers WBrownColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062.A00205.1	480	07:39	13:35:54.1	-01:21:52	300	88	3.0	#216 Local Com	2	
0063.COMP	10	07:47	13:35:54.1	-01:21:52	300	89	3.0	0 Calibration	2	
0064.A01277.1	780	07:49	13:46:59.8	+23:53:49	300	89	3.0	#216 Local Com	2	
0065.COMP	10	08:03	13:46:59.8	+23:53:49	300	89	3.0	0 Calibration	2	
0066.Pbcg095	900	08:04	13:48:21.4	+25:38:59	300	89	3.0	#210 Brightest	2	
0067.COMP	10	08:19	13:48:21.4	+25:38:59	300	89	3.0	0 Calibration	2	
0068.Pbcg094	540	08:20	13:48:17.6	+25:40:16	300	89	3.0	#210 Brightest	2	
0069.COMP	10	08:29	13:48:17.6	+25:40:16	300	89	3.0	0 Calibration	2	
0070.Pbcg093	780	08:30	13:47:53.5	+25:34:01	300	88	3.0	#210 Brightest	2	
0071.COMP	10	08:44	13:47:53.5	+25:34:01	300	88	3.0	0 Calibration	2	
0072.Pbcg096	900	08:46	13:48:25.6	+26:24:36	300	110	3.0	#210 Brightest	2	
0073.COMP	10	09:01	13:48:25.6	+26:24:36	300	109	3.0	0 Calibration	2	
0074.Pbcg099	780	09:03	13:48:44.5	+27:10:45	300	90	3.0	#210 Brightest	2	
0075.COMP	10	09:16	13:48:44.5	+27:10:45	300	90	3.0	0 Calibration	2	
0076.Pbcg137	1080	09:17	14:34:28.0	+26:20:01	300	90	3.0	#210 Brightest	2	center obj (row=89)
0077.COMP	10	09:36	14:34:28.0	+26:20:01	300	90	3.0	0 Calibration	2	
0078.Pbcg138	1200	09:37	14:34:42.5	+26:20:28	300	90	3.0	#210 Brightest	2	lower obj (row=84)
0079.COMP	10	09:57	14:34:42.5	+26:20:28	300	90	3.0	0 Calibration	2	
0080.Pbcg139	1200	09:58	14:35:06.3	+24:42:41	300	90	3.0	#210 Brightest	2	
0081.COMP	10	10:19	14:35:06.3	+24:42:41	300	90	3.0	0 Calibration	2	

UT Date 2013-05-10 Observers WBrownColl. Focus 1330 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0082.Pbcg140	1320	10:20	14:36:54.7	+22:30:30	300	90	3.0	#210 Brightest	2	
0083.COMP	10	10:42	14:36:54.7	+22:30:30	300	90	3.0	0 Calibration	2	
0084.Pbcg189	1200	10:44	15:38:17.3	+16:53:55	300	90	3.0	#210 Brightest	2	
0085.COMP	10	11:04	15:38:17.3	+16:53:55	300	90	3.0	0 Calibration	2	
0086.Hen1674	600	11:08	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	obj at row=78
0087.COMP	10	11:18	18:20:19.1	-26:22:46	300	89	3.0	0 Calibration	2	
0088.Hen1674	120	11:19	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0089.AS327	300	11:21	18:53:17.0	-24:22:59	300	89	3.0	#12 Symbiotic	2	
0090.COMP	10	11:27	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0091.AS327	30	11:28	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0092.BDp332642	120	11:31	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0093.COMP	10	11:33	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0094-0098.DARK	900	13:02	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	