

UT Date 2013-06-12 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:12	10:01:27.8	+31:34:28	300	88	3.0	0 Calibration	2	
0011-0030.FLAT	7	02:20	10:01:27.8	+31:34:28	300	88	3.0	0 Calibration	2	
0031-0035.sky	1	02:28	10:01:27.8	+31:34:28	300	88	3.0	#57 Velocity S	2	
0036.COMP	10	02:29	10:01:27.8	+31:34:28	300	88	3.0	0 Calibration	2	
0037.BDp262606	90	03:31	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0038.COMP	10	03:33	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0039.BDp332642	120	03:37	15:51:59.9	+32:56:54	300	88	3.0	#56 Spectropho	2	
0040.COMP	10	03:39	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0041.TXCVn	10	03:44	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0042.TXCVn	30	03:45	12:44:42.0	+36:45:48	300	88	3.0	#12 Symbiotic	2	
0043.COMP	10	03:46	12:44:42.0	+36:45:48	300	88	3.0	0 Calibration	2	
0044.sn2013cs	1200	03:54	13:15:14.8	-17:57:56	300	89	3.0	#2 SN Observat	2	
0045.COMP	10	04:17	12:26:29.3	+31:13:38	300	89	3.0	0 Calibration	2	
0046.PSN1226p3113	1200	04:18	12:26:29.3	+31:13:38	300	88	3.0	#2 SN Observat	2	
0047.COMP	10	04:38	12:26:29.3	+31:13:38	300	88	3.0	0 Calibration	2	
0048.PSN1617p3134	1500	04:42	16:17:32.3	+31:34:57	300	88	3.0	#2 SN Observat	2	
0049.COMP	10	05:07	16:17:32.3	+31:34:57	300	88	3.0	0 Calibration	2	
0050.A01995.1	1800	05:11	14:36:18.5	+10:36:02	300	88	3.0	#216 Local Com	2	
0051.COMP	10	05:41	14:36:18.5	+10:36:02	300	88	3.0	0 Calibration	2	
0052.A00901.1	1200	05:44	14:39:33.4	+30:53:05	300	88	3.0	#216 Local Com	2	

UT Date 2013-06-12 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0053.COMP	10	06:05	14:39:33.4	+30:53:05	300	88	3.0	0 Calibration	2	
0054.A01273.1	1200	06:07	14:41:52.4	+38:27:58	300	88	3.0	#216 Local Com	2	
0055.COMP	10	06:28	14:41:52.4	+38:27:58	300	88	3.0	0 Calibration	2	
0056.A01734.1	1200	06:30	14:47:46.7	+32:36:21	300	88	3.0	#216 Local Com	2	
0057.COMP	10	06:50	14:47:46.7	+32:36:21	300	88	3.0	0 Calibration	2	
0058.A01195.1	1200	06:53	14:49:14.7	+55:11:46	300	88	3.0	#216 Local Com	2	
0059.COMP	10	07:14	14:49:14.7	+55:11:46	300	89	3.0	0 Calibration	2	
0060.A01713.1	1200	07:16	14:49:15.9	+36:44:26	300	89	3.0	#216 Local Com	2	
0061.COMP	10	07:37	14:49:15.9	+36:44:26	300	88	3.0	0 Calibration	2	
0062.Pbcg199	1800	07:40	17:03:06.8	+30:29:49	300	88	3.0	#210 Brightest	2	
0063.COMP	10	08:11	17:03:06.8	+30:29:49	300	88	3.0	0 Calibration	2	
0064.Pbcg200	1200	08:12	17:03:29.8	+30:35:36	300	88	3.0	#210 Brightest	2	
0065.COMP	10	08:33	17:03:29.8	+30:35:36	300	88	3.0	0 Calibration	2	
0066.AS289	15	08:36	18:12:22.0	-11:40:08	300	88	3.0	#12 Symbiotic	2	
0067.AS289	420	08:37	18:12:22.0	-11:40:08	300	88	3.0	#12 Symbiotic	2	
0068.COMP	10	08:45	18:12:22.0	-11:40:08	300	89	3.0	0 Calibration	2	
0069.AS296	30	08:47	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0070.AS296	120	08:48	18:15:07.0	-00:18:52	300	88	3.0	#12 Symbiotic	2	
0071.COMP	10	08:51	18:15:07.0	-00:18:52	300	88	3.0	0 Calibration	2	
0072.YYHer	10	08:53	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	

UT Date 2013-06-12 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.YYHer	60	08:53	18:14:34.0	+20:59:19	300	88	3.0	#12 Symbiotic	2	
0074.COMP	10	08:55	18:14:34.0	+20:59:19	300	88	3.0	0 Calibration	2	
0075.N5866	600	08:57	15:06:29.5	+55:45:48	300	88	3.0	#57 Velocity S	2	
0076.COMP	10	09:09	15:06:29.5	+55:45:48	300	89	3.0	0 Calibration	2	
0077.A00573.1	1200	09:12	17:42:37.0	+53:49:46	300	89	3.0	#216 Local Com	2	
0078.COMP	10	09:33	17:42:37.0	+53:49:46	300	89	3.0	0 Calibration	2	
0079.20281636+0203009	1200	09:38	20:28:16.4	+02:03:01	300	110	3.0	#141 2MASS Red	2	
0080.COMP	10	09:59	20:28:16.4	+02:03:01	300	109	3.0	0 Calibration	2	
0081.20145984+5123598	900	10:02	20:14:59.8	+51:24:00	300	88	3.0	#141 2MASS Red	2	
0082.COMP	10	10:18	20:14:59.8	+51:24:00	300	84	3.0	0 Calibration	2	
0083.Pbcg207	1200	10:20	17:10:30.7	+27:28:19	300	84	3.0	#210 Brightest	2	
0084.COMP	10	10:41	17:10:30.7	+27:28:19	300	90	3.0	0 Calibration	2	
0085.K4644922	300	10:44	19:15:12.1	+39:42:50	300	90	3.0	#192 DASCH Lon	2	
0086.COMP	10	10:50	19:15:12.1	+39:42:50	300	89	3.0	0 Calibration	2	
0087.DASCH_J1943+4140	300	10:51	19:43:28.7	+41:40:07	300	89	3.0	#192 DASCH Lon	2	
0088.COMP	10	10:58	19:43:28.7	+41:40:07	300	89	3.0	0 Calibration	2	
0089.ZAnd	1	11:01	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0090.ZAnd	5	11:01	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0091.ZAnd	30	11:02	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0092.COMP	10	11:06	23:33:40.0	+48:49:06	300	89	3.0	0 Calibration	2	

UT Date 2013-06-12 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0093.DASCH_J2021+3218	90	11:08	20:21:33.1	+32:18:51	300	89	3.0	#192 DASCH Lon	2	
0094.DASCH_J2021+3218	45	11:10	20:21:33.1	+32:18:51	300	89	3.0	#192 DASCH Lon	2	
0095.DASCH_J2021+3218	20	11:11	20:21:33.1	+32:18:51	300	89	3.0	#192 DASCH Lon	2	
0096.COMP	10	11:13	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0097-0116.FLAT	7	11:21	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0117-0126.BIAS	0	11:23	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0127-0136.DARK	900	13:52	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:37	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0011-0030.FLAT	7	00:43	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0031.BDp332642	120	03:35	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0032.COMP	10	03:37	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0033.BDp262606	90	03:39	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0034.COMP	10	03:41	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0035.RWHya	2	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0036.RWHya	10	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0037.RWHya	20	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0038.COMP	10	03:45	13:34:18.0	-25:22:51	300	88	3.0	0 Calibration	2	
0039.TCrB	15	03:48	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0040.TCrB	60	03:48	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0041.COMP	10	03:50	15:59:30.0	+25:55:12	300	88	3.0	0 Calibration	2	
0042.AGDra	2	03:53	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0043.AGDra	15	03:53	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0044.AGDra	60	03:54	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0045.COMP	10	03:56	16:01:41.0	+66:48:10	300	88	3.0	0 Calibration	2	
0046.PSN1226p3113	600	04:01	12:26:29.3	+31:13:38	300	90	3.0	#2 SN Observat	2	
0047.COMP	10	04:11	12:26:29.3	+31:13:38	300	90	3.0	0 Calibration	2	
0048.A01202.1	1200	04:14	12:34:08.9	+09:05:42	300	90	3.0	#216 Local Com	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.COMP	10	04:34	12:34:08.9	+09:05:42	300	90	3.0	0 Calibration	2	
0050.A01163.2	1200	04:42	12:48:08.5	+18:00:16	300	91	3.0	#216 Local Com	2	
0051.COMP	10	05:03	12:48:08.5	+18:00:16	300	90	3.0	0 Calibration	2	
0052.A00845.2	1500	05:05	13:21:52.8	+21:43:53	300	90	3.0	#216 Local Com	2	
0053.COMP	10	05:31	13:21:52.8	+21:43:53	300	89	3.0	0 Calibration	2	
0054.A01078.1	1200	05:34	14:11:33.9	+07:15:47	300	89	3.0	#216 Local Com	2	
0055.COMP	10	05:54	14:11:33.9	+07:15:47	300	89	3.0	0 Calibration	2	
0056.mas1646p0627	1500	05:57	16:46:01.9	+06:27:59	300	89	3.0	#2 SN Observat	2	
0057.COMP	10	06:22	16:46:01.9	+06:27:59	300	90	3.0	0 Calibration	2	
0058.N5866	600	06:26	15:06:29.5	+55:45:48	300	90	3.0	#57 Velocity S	2	
0059.COMP	10	06:37	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	2	
0060.Pbcg181	1500	06:43	15:19:40.6	+27:35:07	300	90	3.0	#210 Brightest	2	
0061.COMP	10	07:08	15:19:40.6	+27:35:07	300	90	3.0	0 Calibration	2	
0062.AS210	5	07:11	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0063.AS210	5	07:12	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0064.AS210	300	07:13	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0065.COMP	10	07:19	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0066.Hen1341	12	07:21	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0067.Hen1341	30	07:21	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0068.Hen1341	60	07:22	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.COMP	10	07:24	17:08:36.0	-17:26:30	300	90	3.0	0 Calibration	2	
0070.RSOph	10	07:26	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0071.RSOph	60	07:27	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0072.RSOph	150	07:29	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	07:32	17:50:13.0	-06:42:30	300	89	3.0	0 Calibration	2	
0074.DracoC1	1200	07:35	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0075.COMP	10	07:56	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0076.AS270	60	08:00	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0077.AS270	300	08:02	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0078.COMP	10	08:08	18:05:33.7	-20:20:38	300	90	3.0	0 Calibration	2	
0079.Hen1591	120	08:10	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0080.Hen1591	300	08:12	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0081.COMP	10	08:18	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	
0082.AS281	60	08:20	18:10:44.0	-27:57:57	300	89	3.0	#12 Symbiotic	2	
0083.AS281	360	08:22	18:10:44.0	-27:57:57	300	89	3.0	#12 Symbiotic	2	
0084.AS281	360	08:30	18:10:44.0	-27:57:57	300	90	3.0	#12 Symbiotic	2	
0085.COMP	10	08:36	18:10:44.0	-27:57:57	300	90	3.0	0 Calibration	2	
0086.Hen1674	120	08:39	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	
0087.Hen1674	600	08:41	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	
0088.COMP	10	08:52	18:20:19.1	-26:22:46	300	90	3.0	0 Calibration	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.AS316	30	08:54	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0090.AS316	300	08:55	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0091.COMP	10	09:01	18:42:33.0	-21:17:47	300	90	3.0	0 Calibration	2	
0092.AS327	30	09:03	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0093.AS327	300	09:04	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0094.COMP	10	09:10	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0095.V919Sgr	15	09:11	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0096.V919Sgr	30	09:11	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0097.COMP	10	09:12	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0098.Pbcg202	900	09:15	17:07:51.7	+27:04:03	300	90	3.0	#210 Brightest	2	
0099.COMP	10	09:30	17:07:51.7	+27:04:03	300	90	3.0	0 Calibration	2	
0100.Pbcg203	600	09:32	17:08:44.0	+28:02:36	300	90	3.0	#210 Brightest	2	
0101.COMP	10	09:42	17:08:44.0	+28:02:36	300	90	3.0	0 Calibration	2	
0102.Pbcg204	600	09:44	17:09:22.6	+28:47:54	300	90	3.0	#210 Brightest	2	
0103.COMP	10	09:55	17:09:22.6	+28:47:54	300	90	3.0	0 Calibration	2	
0104.Pbcg205	900	09:56	17:09:25.2	+28:41:04	300	90	3.0	#210 Brightest	2	
0105.COMP	10	10:12	17:09:25.2	+28:41:04	300	90	3.0	0 Calibration	2	
0106.20141806+1920250	600	10:16	20:14:18.1	+19:20:25	300	90	3.0	#141 2MASS Red	2	
0107.COMP	10	10:26	20:14:18.1	+19:20:25	300	90	3.0	0 Calibration	2	
0108.20170396+5017582	800	10:28	20:17:04.0	+50:17:58	300	90	3.0	#141 2MASS Red	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0109.COMP	10	10:42	20:17:04.0	+50:17:58	300	89	3.0	0 Calibration	2	
0110.PUVu1	1	10:45	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0111.PUVu1	10	10:45	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0112.PUVu1	60	10:46	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0113.COMP	10	10:48	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0114.DASCH_J2036+0223	30	10:50	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0115.DASCH_J2036+0223	60	10:51	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0116.COMP	10	10:54	20:36:36.4	+02:23:49	300	89	3.0	0 Calibration	2	
0117.DASCH_J1924+2621	30	10:56	19:24:33.1	+26:21:44	300	89	3.0	#192 DASCH Lon	2	
0118.DASCH_J1924+2621	60	10:57	19:24:33.1	+26:21:44	300	89	3.0	#192 DASCH Lon	2	
0119.COMP	10	10:59	19:24:33.1	+26:21:44	300	89	3.0	0 Calibration	2	
0120.BDp404032	120	11:05	20:08:24.1	+41:15:04	300	89	3.0	#56 Spectropho	2	
0121.COMP	10	11:07	20:08:24.1	+41:15:04	300	90	3.0	0 Calibration	2	
0122.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0123.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0124.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0125.COMP	10	11:10	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0126-0145.FLAT	7	11:21	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0146-0155.BIAS	0	11:24	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0156-0165.DARK	900	13:53	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:11	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0011-0030.FLAT	7	00:18	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0031.BDp332642	120	03:50	15:51:59.9	+32:56:54	300	87	3.0	#56 Spectropho	2	
0032.COMP	10	03:52	15:51:59.9	+32:56:54	300	87	3.0	0 Calibration	2	
0033.BDp262606	90	03:56	14:49:02.4	+25:42:09	300	87	3.0	#56 Spectropho	2	
0034.COMP	10	03:58	14:49:02.4	+25:42:09	300	87	3.0	0 Calibration	2	
0035.N4853	600	04:00	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	
0036.COMP	10	04:10	12:58:35.2	+27:35:47	300	90	3.0	0 Calibration	2	
0037.sn2013cs	900	04:13	13:15:14.8	-17:57:56	300	90	3.0	#2 SN Observat	2	
0038.COMP	10	04:29	13:15:14.8	-17:57:56	300	90	3.0	0 Calibration	2	
0039.sn2013df	900	04:34	12:26:29.3	+31:13:38	300	90	3.0	#2 SN Observat	2	
0040.COMP	10	04:50	12:26:29.3	+31:13:38	300	91	3.0	0 Calibration	2	
0041.A01568.2	900	05:05	14:20:32.7	+47:09:37	300	91	3.0	#216 Local Com	2	
0042.COMP	10	05:20	14:20:32.7	+47:09:37	300	89	3.0	0 Calibration	2	
0043.A00673.2	900	05:22	14:19:23.0	+58:56:54	300	89	3.0	#216 Local Com	2	
0044.COMP	10	05:38	14:19:23.0	+58:56:54	300	89	3.0	0 Calibration	2	
0045.A00119.1	900	05:40	14:23:21.4	+56:40:53	300	89	3.0	#216 Local Com	2	
0046.COMP	10	05:55	14:23:21.4	+56:40:53	300	90	3.0	0 Calibration	2	
0047.A02053.2	900	06:00	14:34:22.9	+57:20:09	300	20	3.0	#216 Local Com	2	
0048.COMP	10	06:16	14:34:22.9	+57:20:09	300	90	3.0	0 Calibration	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.Pbcg166	900	06:19	14:47:39.4	+22:28:00	300	90	3.0	#210 Brightest	2	
0050.COMP	10	06:35	14:47:39.4	+22:28:00	300	90	3.0	0 Calibration	2	
0051.Pbcg170	1000	06:39	15:08:32.5	+05:50:35	300	90	3.0	#210 Brightest	2	
0052.COMP	10	06:56	15:08:32.5	+05:50:35	300	90	3.0	0 Calibration	2	
0053.Pbcg171	900	06:58	15:09:16.4	+07:43:30	300	90	3.0	#210 Brightest	2	
0054.COMP	10	07:13	15:09:16.4	+07:43:30	300	90	3.0	0 Calibration	2	
0055.Pbcg172	1000	07:15	15:09:24.5	+07:51:06	300	90	3.0	#210 Brightest	2	
0056.COMP	10	07:32	15:09:24.5	+07:51:06	300	90	3.0	0 Calibration	2	
0057.Pbcg174	1000	07:34	15:11:18.8	+06:16:46	300	90	3.0	#210 Brightest	2	
0058.COMP	10	07:52	15:11:18.8	+06:16:46	300	90	3.0	0 Calibration	2	
0059.Pbcg175	900	07:53	15:11:43.0	+06:04:42	300	90	3.0	#210 Brightest	2	
0060.COMP	10	08:08	15:11:43.0	+06:04:42	300	90	3.0	0 Calibration	2	
0061.Pbcg190	1000	08:10	15:40:15.9	+17:52:29	300	90	3.0	#210 Brightest	2	
0062.COMP	10	08:27	15:40:15.9	+17:52:29	300	90	3.0	0 Calibration	2	
0063.V4018_Sgr	300	08:30	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0064.V4018_Sgr	600	08:36	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0065.V4018_Sgr	120	08:46	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0066.COMP	10	08:49	18:25:26.8	-28:35:57	300	90	3.0	0 Calibration	2	
0067.V443Her	5	08:52	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0068.V443Her	45	08:53	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.V443Her	90	08:54	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	08:56	18:22:07.0	+23:27:20	300	90	3.0	0 Calibration	2	
0071.AS338	90	08:58	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0072.AS338	600	09:00	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	09:11	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	
0074.DASCH_J1847-1845	15	09:14	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0075.DASCH_J1847-1845	30	09:14	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0076.DASCH_J1847-1845	45	09:15	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0077.COMP	10	09:17	18:47:33.4	-18:45:15	300	89	3.0	0 Calibration	2	
0078.A01292.1	900	09:19	17:37:42.7	+31:43:19	300	89	3.0	#216 Local Com	2	
0079.COMP	10	09:35	17:37:42.7	+31:43:19	300	89	3.0	0 Calibration	2	
0080.Pbcg201	900	09:37	17:05:09.1	+28:28:11	300	89	3.0	#210 Brightest	2	
0081.COMP	10	09:53	17:05:09.1	+28:28:11	300	89	3.0	0 Calibration	2	
0082.A02213.1	600	10:00	21:37:31.5	+00:13:00	300	85	3.0	#216 Local Com	2	
0083.COMP	10	10:12	21:37:31.5	+00:13:00	300	89	3.0	0 Calibration	2	
0084.20211333+2429074	600	10:16	20:21:13.3	+24:29:07	300	61	3.0	#141 2MASS Red	2	
0085.COMP	10	10:27	20:21:13.3	+24:29:07	300	60	3.0	0 Calibration	2	
0086.20231647+2013013	600	10:30	20:23:16.5	+20:13:01	300	90	3.0	#141 2MASS Red	2	
0087.COMP	10	10:40	20:23:16.5	+20:13:01	300	90	3.0	0 Calibration	2	
0088.AS360	60	10:43	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.AS360	300	10:44	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0090.COMP	10	10:50	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0091.CHCyg	1	10:52	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0092.CHCyg	5	10:53	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0093.CHCyg	30	10:53	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0094.COMP	10	10:54	19:24:33.0	+50:14:30	300	89	3.0	0 Calibration	2	
0095.CICyg	4	10:56	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0096.CICyg	15	10:57	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0097.COMP	10	10:58	19:50:12.0	+35:41:02	300	89	3.0	0 Calibration	2	
0098.BFCyg	15	10:59	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0099.BFCyg	15	11:00	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0100.COMP	10	11:01	19:23:53.0	+29:40:27	300	89	3.0	0 Calibration	2	
0101.DASCH_J2123+4115	30	11:04	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0102.DASCH_J2123+4115	60	11:06	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0103.COMP	10	11:07	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0104-0123.FLAT	7	11:22	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0124-0133.BIAS	0	11:25	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0134-0143.DARK	900	13:46	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	