

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:37	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0011-0030.FLAT	7	00:43	20:21:33.1	+32:18:51	300	89	3.0	0 Calibration	2	
0031.BDp332642	120	03:35	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0032.COMP	10	03:37	15:51:59.9	+32:56:54	300	88	3.0	0 Calibration	2	
0033.BDp262606	90	03:39	14:49:02.4	+25:42:09	300	88	3.0	#56 Spectropho	2	
0034.COMP	10	03:41	14:49:02.4	+25:42:09	300	88	3.0	0 Calibration	2	
0035.RWHya	2	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0036.RWHya	10	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0037.RWHya	20	03:44	13:34:18.0	-25:22:51	300	88	3.0	#12 Symbiotic	2	
0038.COMP	10	03:45	13:34:18.0	-25:22:51	300	88	3.0	0 Calibration	2	
0039.TCrB	15	03:48	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0040.TCrB	60	03:48	15:59:30.0	+25:55:12	300	88	3.0	#12 Symbiotic	2	
0041.COMP	10	03:50	15:59:30.0	+25:55:12	300	88	3.0	0 Calibration	2	
0042.AGDra	2	03:53	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0043.AGDra	15	03:53	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0044.AGDra	60	03:54	16:01:41.0	+66:48:10	300	88	3.0	#12 Symbiotic	2	
0045.COMP	10	03:56	16:01:41.0	+66:48:10	300	88	3.0	0 Calibration	2	
0046.PSN1226p3113	600	04:01	12:26:29.3	+31:13:38	300	90	3.0	#2 SN Observat	2	
0047.COMP	10	04:11	12:26:29.3	+31:13:38	300	90	3.0	0 Calibration	2	
0048.A01202.1	1200	04:14	12:34:08.9	+09:05:42	300	90	3.0	#216 Local Com	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.COMP	10	04:34	12:34:08.9	+09:05:42	300	90	3.0	0 Calibration	2	
0050.A01163.2	1200	04:42	12:48:08.5	+18:00:16	300	91	3.0	#216 Local Com	2	
0051.COMP	10	05:03	12:48:08.5	+18:00:16	300	90	3.0	0 Calibration	2	
0052.A00845.2	1500	05:05	13:21:52.8	+21:43:53	300	90	3.0	#216 Local Com	2	
0053.COMP	10	05:31	13:21:52.8	+21:43:53	300	89	3.0	0 Calibration	2	
0054.A01078.1	1200	05:34	14:11:33.9	+07:15:47	300	89	3.0	#216 Local Com	2	
0055.COMP	10	05:54	14:11:33.9	+07:15:47	300	89	3.0	0 Calibration	2	
0056.mas1646p0627	1500	05:57	16:46:01.9	+06:27:59	300	89	3.0	#2 SN Observat	2	
0057.COMP	10	06:22	16:46:01.9	+06:27:59	300	90	3.0	0 Calibration	2	
0058.N5866	600	06:26	15:06:29.5	+55:45:48	300	90	3.0	#57 Velocity S	2	
0059.COMP	10	06:37	15:06:29.5	+55:45:48	300	90	3.0	0 Calibration	2	
0060.Pbcg181	1500	06:43	15:19:40.6	+27:35:07	300	90	3.0	#210 Brightest	2	
0061.COMP	10	07:08	15:19:40.6	+27:35:07	300	90	3.0	0 Calibration	2	
0062.AS210	5	07:11	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0063.AS210	5	07:12	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0064.AS210	300	07:13	16:51:20.3	-26:00:33	300	90	3.0	#12 Symbiotic	2	
0065.COMP	10	07:19	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0066.Hen1341	12	07:21	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0067.Hen1341	30	07:21	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	
0068.Hen1341	60	07:22	17:08:36.0	-17:26:30	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.COMP	10	07:24	17:08:36.0	-17:26:30	300	90	3.0	0 Calibration	2	
0070.RSOph	10	07:26	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0071.RSOph	60	07:27	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0072.RSOph	150	07:29	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	07:32	17:50:13.0	-06:42:30	300	89	3.0	0 Calibration	2	
0074.DracoC1	1200	07:35	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0075.COMP	10	07:56	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0076.AS270	60	08:00	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0077.AS270	300	08:02	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0078.COMP	10	08:08	18:05:33.7	-20:20:38	300	90	3.0	0 Calibration	2	
0079.Hen1591	120	08:10	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0080.Hen1591	300	08:12	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0081.COMP	10	08:18	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	
0082.AS281	60	08:20	18:10:44.0	-27:57:57	300	89	3.0	#12 Symbiotic	2	
0083.AS281	360	08:22	18:10:44.0	-27:57:57	300	89	3.0	#12 Symbiotic	2	
0084.AS281	360	08:30	18:10:44.0	-27:57:57	300	90	3.0	#12 Symbiotic	2	
0085.COMP	10	08:36	18:10:44.0	-27:57:57	300	90	3.0	0 Calibration	2	
0086.Hen1674	120	08:39	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	
0087.Hen1674	600	08:41	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	
0088.COMP	10	08:52	18:20:19.1	-26:22:46	300	90	3.0	0 Calibration	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.AS316	30	08:54	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0090.AS316	300	08:55	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0091.COMP	10	09:01	18:42:33.0	-21:17:47	300	90	3.0	0 Calibration	2	
0092.AS327	30	09:03	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0093.AS327	300	09:04	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0094.COMP	10	09:10	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0095.V919Sgr	15	09:11	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0096.V919Sgr	30	09:11	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0097.COMP	10	09:12	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0098.Pbcg202	900	09:15	17:07:51.7	+27:04:03	300	90	3.0	#210 Brightest	2	
0099.COMP	10	09:30	17:07:51.7	+27:04:03	300	90	3.0	0 Calibration	2	
0100.Pbcg203	600	09:32	17:08:44.0	+28:02:36	300	90	3.0	#210 Brightest	2	
0101.COMP	10	09:42	17:08:44.0	+28:02:36	300	90	3.0	0 Calibration	2	
0102.Pbcg204	600	09:44	17:09:22.6	+28:47:54	300	90	3.0	#210 Brightest	2	
0103.COMP	10	09:55	17:09:22.6	+28:47:54	300	90	3.0	0 Calibration	2	
0104.Pbcg205	900	09:56	17:09:25.2	+28:41:04	300	90	3.0	#210 Brightest	2	
0105.COMP	10	10:12	17:09:25.2	+28:41:04	300	90	3.0	0 Calibration	2	
0106.20141806+1920250	600	10:16	20:14:18.1	+19:20:25	300	90	3.0	#141 2MASS Red	2	
0107.COMP	10	10:26	20:14:18.1	+19:20:25	300	90	3.0	0 Calibration	2	
0108.20170396+5017582	800	10:28	20:17:04.0	+50:17:58	300	90	3.0	#141 2MASS Red	2	

UT Date 2013-06-13 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0109.COMP	10	10:42	20:17:04.0	+50:17:58	300	89	3.0	0 Calibration	2	
0110.PUVu1	1	10:45	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0111.PUVu1	10	10:45	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0112.PUVu1	60	10:46	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0113.COMP	10	10:48	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0114.DASCH_J2036+0223	30	10:50	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0115.DASCH_J2036+0223	60	10:51	20:36:36.4	+02:23:49	300	89	3.0	#192 DASCH Lon	2	
0116.COMP	10	10:54	20:36:36.4	+02:23:49	300	89	3.0	0 Calibration	2	
0117.DASCH_J1924+2621	30	10:56	19:24:33.1	+26:21:44	300	89	3.0	#192 DASCH Lon	2	
0118.DASCH_J1924+2621	60	10:57	19:24:33.1	+26:21:44	300	89	3.0	#192 DASCH Lon	2	
0119.COMP	10	10:59	19:24:33.1	+26:21:44	300	89	3.0	0 Calibration	2	
0120.BDp404032	120	11:05	20:08:24.1	+41:15:04	300	89	3.0	#56 Spectropho	2	
0121.COMP	10	11:07	20:08:24.1	+41:15:04	300	90	3.0	0 Calibration	2	
0122.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0123.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0124.HD192281	5	11:09	20:12:33.1	+40:16:05	300	90	3.0	#56 Spectropho	2	
0125.COMP	10	11:10	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0126-0145.FLAT	7	11:21	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0146-0155.BIAS	0	11:24	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0156-0165.DARK	900	13:53	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	