

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:11	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0011-0030.FLAT	7	00:18	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0031.BDp332642	120	03:50	15:51:59.9	+32:56:54	300	87	3.0	#56 Spectropho	2	
0032.COMP	10	03:52	15:51:59.9	+32:56:54	300	87	3.0	0 Calibration	2	
0033.BDp262606	90	03:56	14:49:02.4	+25:42:09	300	87	3.0	#56 Spectropho	2	
0034.COMP	10	03:58	14:49:02.4	+25:42:09	300	87	3.0	0 Calibration	2	
0035.N4853	600	04:00	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	
0036.COMP	10	04:10	12:58:35.2	+27:35:47	300	90	3.0	0 Calibration	2	
0037.sn2013cs	900	04:13	13:15:14.8	-17:57:56	300	90	3.0	#2 SN Observat	2	
0038.COMP	10	04:29	13:15:14.8	-17:57:56	300	90	3.0	0 Calibration	2	
0039.sn2013df	900	04:34	12:26:29.3	+31:13:38	300	90	3.0	#2 SN Observat	2	
0040.COMP	10	04:50	12:26:29.3	+31:13:38	300	91	3.0	0 Calibration	2	
0041.A01568.2	900	05:05	14:20:32.7	+47:09:37	300	91	3.0	#216 Local Com	2	
0042.COMP	10	05:20	14:20:32.7	+47:09:37	300	89	3.0	0 Calibration	2	
0043.A00673.2	900	05:22	14:19:23.0	+58:56:54	300	89	3.0	#216 Local Com	2	
0044.COMP	10	05:38	14:19:23.0	+58:56:54	300	89	3.0	0 Calibration	2	
0045.A00119.1	900	05:40	14:23:21.4	+56:40:53	300	89	3.0	#216 Local Com	2	
0046.COMP	10	05:55	14:23:21.4	+56:40:53	300	90	3.0	0 Calibration	2	
0047.A02053.2	900	06:00	14:34:22.9	+57:20:09	300	20	3.0	#216 Local Com	2	
0048.COMP	10	06:16	14:34:22.9	+57:20:09	300	90	3.0	0 Calibration	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0049.Pbcg166	900	06:19	14:47:39.4	+22:28:00	300	90	3.0	#210 Brightest	2	
0050.COMP	10	06:35	14:47:39.4	+22:28:00	300	90	3.0	0 Calibration	2	
0051.Pbcg170	1000	06:39	15:08:32.5	+05:50:35	300	90	3.0	#210 Brightest	2	
0052.COMP	10	06:56	15:08:32.5	+05:50:35	300	90	3.0	0 Calibration	2	
0053.Pbcg171	900	06:58	15:09:16.4	+07:43:30	300	90	3.0	#210 Brightest	2	
0054.COMP	10	07:13	15:09:16.4	+07:43:30	300	90	3.0	0 Calibration	2	
0055.Pbcg172	1000	07:15	15:09:24.5	+07:51:06	300	90	3.0	#210 Brightest	2	
0056.COMP	10	07:32	15:09:24.5	+07:51:06	300	90	3.0	0 Calibration	2	
0057.Pbcg174	1000	07:34	15:11:18.8	+06:16:46	300	90	3.0	#210 Brightest	2	
0058.COMP	10	07:52	15:11:18.8	+06:16:46	300	90	3.0	0 Calibration	2	
0059.Pbcg175	900	07:53	15:11:43.0	+06:04:42	300	90	3.0	#210 Brightest	2	
0060.COMP	10	08:08	15:11:43.0	+06:04:42	300	90	3.0	0 Calibration	2	
0061.Pbcg190	1000	08:10	15:40:15.9	+17:52:29	300	90	3.0	#210 Brightest	2	
0062.COMP	10	08:27	15:40:15.9	+17:52:29	300	90	3.0	0 Calibration	2	
0063.V4018_Sgr	300	08:30	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0064.V4018_Sgr	600	08:36	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0065.V4018_Sgr	120	08:46	18:25:26.8	-28:35:57	300	90	3.0	#192 DASCH Lon	2	
0066.COMP	10	08:49	18:25:26.8	-28:35:57	300	90	3.0	0 Calibration	2	
0067.V443Her	5	08:52	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0068.V443Her	45	08:53	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.V443Her	90	08:54	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	08:56	18:22:07.0	+23:27:20	300	90	3.0	0 Calibration	2	
0071.AS338	90	08:58	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0072.AS338	600	09:00	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0073.COMP	10	09:11	19:03:47.0	+16:26:17	300	89	3.0	0 Calibration	2	
0074.DASCH_J1847-1845	15	09:14	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0075.DASCH_J1847-1845	30	09:14	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0076.DASCH_J1847-1845	45	09:15	18:47:33.4	-18:45:15	300	89	3.0	#192 DASCH Lon	2	
0077.COMP	10	09:17	18:47:33.4	-18:45:15	300	89	3.0	0 Calibration	2	
0078.A01292.1	900	09:19	17:37:42.7	+31:43:19	300	89	3.0	#216 Local Com	2	
0079.COMP	10	09:35	17:37:42.7	+31:43:19	300	89	3.0	0 Calibration	2	
0080.Pbcg201	900	09:37	17:05:09.1	+28:28:11	300	89	3.0	#210 Brightest	2	
0081.COMP	10	09:53	17:05:09.1	+28:28:11	300	89	3.0	0 Calibration	2	
0082.A02213.1	600	10:00	21:37:31.5	+00:13:00	300	85	3.0	#216 Local Com	2	
0083.COMP	10	10:12	21:37:31.5	+00:13:00	300	89	3.0	0 Calibration	2	
0084.20211333+2429074	600	10:16	20:21:13.3	+24:29:07	300	61	3.0	#141 2MASS Red	2	
0085.COMP	10	10:27	20:21:13.3	+24:29:07	300	60	3.0	0 Calibration	2	
0086.20231647+2013013	600	10:30	20:23:16.5	+20:13:01	300	90	3.0	#141 2MASS Red	2	
0087.COMP	10	10:40	20:23:16.5	+20:13:01	300	90	3.0	0 Calibration	2	
0088.AS360	60	10:43	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-06-14 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.AS360	300	10:44	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0090.COMP	10	10:50	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0091.CHCyg	1	10:52	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0092.CHCyg	5	10:53	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0093.CHCyg	30	10:53	19:24:33.0	+50:14:30	300	89	3.0	#12 Symbiotic	2	
0094.COMP	10	10:54	19:24:33.0	+50:14:30	300	89	3.0	0 Calibration	2	
0095.CICyg	4	10:56	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0096.CICyg	15	10:57	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0097.COMP	10	10:58	19:50:12.0	+35:41:02	300	89	3.0	0 Calibration	2	
0098.BFCyg	15	10:59	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0099.BFCyg	15	11:00	19:23:53.0	+29:40:27	300	89	3.0	#12 Symbiotic	2	
0100.COMP	10	11:01	19:23:53.0	+29:40:27	300	89	3.0	0 Calibration	2	
0101.DASCH_J2123+4115	30	11:04	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0102.DASCH_J2123+4115	60	11:06	21:23:26.5	+41:15:59	300	89	3.0	#192 DASCH Lon	2	
0103.COMP	10	11:07	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0104-0123.FLAT	7	11:22	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0124-0133.BIAS	0	11:25	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	
0134-0143.DARK	900	13:46	21:23:26.5	+41:15:59	300	89	3.0	0 Calibration	2	