

UT Date 2013-07-04 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	21:35	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0002.COMP	5	21:35	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0003.COMP	5	00:20	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0004.COMP	5	00:23	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0005.COMP	5	00:25	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0006.COMP	5	00:27	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0007-0016.BIAS	0	02:23	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0017-0031.FLAT	7	02:29	08:58:34.3	+31:33:47	300	90	3.0	0 Calibration	2	
0032.BDp332642	120	05:19	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0033.COMP	10	05:22	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0034.BDp262606	90	05:24	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0035.COMP	10	05:26	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0036.iPTF13bvn	900	05:30	15:00:00.2	+01:52:54	300	90	3.0	#56 Spectropho	2	
0037.COMP	10	05:45	15:00:00.2	+01:52:54	300	90	3.0	0 Calibration	2	
0038.TCrB	15	05:49	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0039.TCrB	60	05:50	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0040.COMP	10	05:51	15:59:30.0	+25:55:12	300	90	3.0	0 Calibration	2	
0041.AGDra	2	05:54	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0042.AGDra	15	05:54	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0043.AGDra	60	05:55	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	

UT Date 2013-07-04 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	10	05:56	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	
0045.YYHer	15	07:09	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0046.YYHer	90	07:10	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0047.COMP	10	07:12	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0048.V443Her	3	07:14	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0049.V443Her	60	07:14	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0050.V443Her	120	07:16	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0051.COMP	10	07:18	18:22:07.0	+23:27:20	300	90	3.0	0 Calibration	2	
0052.COMP	10	07:28	18:22:07.0	+23:27:20	1200	90	2.0	0 Calibration	2	
0053.4U1907p09	30	07:33	19:09:38.0	+09:49:47	1200	90	2.0	#176 Be/X-ray	2	
0054.4U1907p09	1800	07:34	19:09:38.0	+09:49:47	1200	90	2.0	#176 Be/X-ray	2	
0055.COMP	10	08:05	19:09:38.0	+09:49:47	1200	90	2.0	0 Calibration	2	
0056.HD192281	300	08:07	20:12:33.1	+40:16:06	1200	90	2.0	#176 Be/X-ray	2	
0057.COMP	10	08:13	20:12:33.1	+40:16:06	1200	90	2.0	0 Calibration	2	
0058.IGRJ2134.2p4738	1800	08:16	21:34:20.4	+47:38:00	1200	90	2.0	#176 Be/X-ray	2	
0059.COMP	10	08:47	21:34:20.4	+47:38:00	1200	90	2.0	0 Calibration	2	
0060.4U2204p543	180	08:49	22:07:57.0	+54:31:06	1200	90	2.0	#176 Be/X-ray	2	
0061.COMP	10	08:52	22:07:57.0	+54:31:06	1200	90	2.0	0 Calibration	2	
0062-0071.FLAT	15	08:58	22:07:57.0	+54:31:06	1200	90	2.0	0 Calibration	2	
0072.COMP	5	09:04	22:07:57.0	+54:31:06	300	90	3.0	0 Calibration	2	

UT Date 2013-07-04 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.COMP	5	09:06	22:07:57.0	+54:31:06	300	90	3.0	0 Calibration	2	
0074.PSNJ2244p0338	1800	09:12	22:44:35.6	+03:38:38	300	90	3.0	#2 SN Observat	2	
0075.COMP	10	09:44	22:44:35.6	+03:38:38	300	90	3.0	0 Calibration	2	
0076.CICyg	5	09:48	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0077.CICyg	18	09:49	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0078.COMP	10	09:50	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0079.PUVu1	1	09:52	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0080.PUVu1	12	09:52	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0081.PUVu1	70	09:53	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0082.COMP	10	09:55	20:21:13.0	+21:34:21	300	90	3.0	0 Calibration	2	
0083.N7331	900	09:59	22:37:04.1	+34:24:56	300	90	3.0	#57 Velocity S	2	
0084.COMP	10	10:15	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0085.DASCH_J1943+4140	15	10:18	19:43:28.7	+41:40:07	300	90	3.0	#192 DASCH Lon	2	
0086.DASCH_J1943+4140	60	10:18	19:43:28.7	+41:40:07	300	90	3.0	#192 DASCH Lon	2	
0087.DASCH_J1943+4140	200	10:20	19:43:28.7	+41:40:07	300	90	3.0	#192 DASCH Lon	2	
0088.COMP	10	10:24	19:43:28.7	+41:40:07	300	90	3.0	0 Calibration	2	
0089.DASCH_J2021+3218	5	10:26	20:21:33.1	+32:18:51	300	90	3.0	#192 DASCH Lon	2	
0090.DASCH_J2021+3218	30	10:27	20:21:33.1	+32:18:51	300	90	3.0	#192 DASCH Lon	2	
0091.DASCH_J2021+3218	60	10:28	20:21:33.1	+32:18:51	300	90	3.0	#192 DASCH Lon	2	
0092.COMP	10	10:29	20:21:33.1	+32:18:51	300	90	3.0	0 Calibration	2	

UT Date 2013-07-04 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.DASCH_J2036+0223	15	10:31	20:36:36.4	+02:23:49	300	90	3.0	#192 DASCH Lon	2	
0094.DASCH_J2036+0223	60	10:32	20:36:36.4	+02:23:49	300	90	3.0	#192 DASCH Lon	2	
0095.DASCH_J2036+0223	200	10:34	20:36:36.4	+02:23:49	300	90	3.0	#192 DASCH Lon	2	
0096.COMP	10	10:39	20:36:36.4	+02:23:49	300	90	3.0	0 Calibration	2	
0097.DASCH_J2123+4115	5	10:43	21:23:26.5	+41:15:59	300	90	3.0	#192 DASCH Lon	2	
0098.DASCH_J2123+4115	30	10:43	21:23:26.5	+41:15:59	300	90	3.0	#192 DASCH Lon	2	
0099.DASCH_J2123+4115	120	10:44	21:23:26.5	+41:15:59	300	90	3.0	#192 DASCH Lon	2	
0100.COMP	10	10:48	21:23:26.5	+41:15:59	300	90	3.0	0 Calibration	2	
0101.ZAnd	2	10:50	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0102.ZAnd	10	10:50	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0103.ZAnd	60	10:51	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0104.COMP	10	10:53	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0105.RAqr	1	10:57	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0106.RAqr	5	10:58	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0107.RAqr	10	10:58	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0108.RAqr	20	10:59	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0109.COMP	10	11:00	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0110-0119.BIAS	0	11:05	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0120-0134.FLAT	7	11:11	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	