

UT Date 2013-07-06 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:46	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	00:51	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0026.BDp284211	100	08:28	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0027.COMP	10	08:30	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0028.BDp174708	100	08:32	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0029.COMP	10	08:34	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0030.PSNJ2244p0338	1800	08:43	22:44:35.6	+03:38:38	300	90	3.0	#2 SN Observat	2	
0031.COMP	10	09:14	22:44:35.6	+03:38:38	300	90	3.0	0 Calibration	2	
0032.sn2013dn	1800	09:19	23:37:45.7	+14:42:37	300	90	3.0	#2 SN Observat	2	
0033.COMP	10	09:49	23:37:45.7	+14:42:37	300	90	3.0	0 Calibration	2	
0034.AS360	60	09:55	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0035.AS360	300	09:56	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0036.COMP	10	10:02	19:45:49.0	+18:36:49	300	90	3.0	0 Calibration	2	
0037.AS338	90	10:04	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0038.AS338	600	10:06	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0039.COMP	10	10:17	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0040.N7331	900	10:20	22:37:04.1	+34:24:56	300	90	3.0	#57 Velocity S	2	
0041.COMP	10	10:36	22:37:04.1	+34:24:56	300	90	3.0	0 Calibration	2	
0042.Feige110	200	10:38	23:19:58.4	-05:09:56	300	90	3.0	#56 Spectropho	2	
0043.COMP	10	10:43	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	

UT Date 2013-07-06 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.BDp174708	100	10:44	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0045.COMP	10	10:47	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0046.K4644922	15	10:49	19:15:12.1	+39:42:50	300	90	3.0	#192 DASCH Lon	2	
0047.K4644922	90	10:50	19:15:12.1	+39:42:50	300	90	3.0	#192 DASCH Lon	2	
0048.K4644922	300	10:52	19:15:12.1	+39:42:50	300	90	3.0	#192 DASCH Lon	2	
0049.COMP	10	10:58	19:15:12.1	+39:42:50	300	90	3.0	0 Calibration	2	
0050.DASCH_J1924+2621	15	11:00	19:24:33.1	+26:21:44	300	90	3.0	#192 DASCH Lon	2	
0051.DASCH_J1924+2621	60	11:01	19:24:33.1	+26:21:44	300	90	3.0	#192 DASCH Lon	2	
0052.COMP	10	11:03	19:24:33.1	+26:21:44	300	90	3.0	0 Calibration	2	
0053-0062.BIAS	0	11:16	19:24:33.1	+26:21:44	300	90	3.0	0 Calibration	2	
0063-0077.FLAT	7	11:22	19:24:33.1	+26:21:44	300	90	3.0	0 Calibration	2	
0078-0087.DARK	900	13:43	19:24:33.1	+26:21:44	300	90	3.0	0 Calibration	2	