

UT Date 2013-07-15 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	03:54	16:17:32.3	+31:34:57	300	87	3.0	0 Calibration	2	
0011-0020.BIAS	0	04:28	16:17:32.3	+31:34:57	300	87	3.0	0 Calibration	2	
0021-0040.FLAT	7	04:35	16:17:32.3	+31:34:57	300	87	3.0	0 Calibration	2	
0041-0050.BIAS	0	04:38	16:17:32.3	+31:34:57	300	87	3.0	0 Calibration	4	
0051.BDp284211	150	08:06	21:51:11.0	+28:51:50	300	87	3.0	#56 Spectropho	2	
0052.COMP	10	08:09	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0053.BDp174708	60	08:12	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0054.COMP	10	08:13	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0055.DASCH_J1822+4434	240	08:16	18:22:47.1	+44:34:43	300	89	3.0	#192 DASCH Lon	2	
0056.COMP	5	08:20	18:22:47.1	+44:34:43	300	89	3.0	0 Calibration	2	
0057.DASCH_J1837+4451	360	08:21	18:37:13.4	+44:51:38	300	90	3.0	#192 DASCH Lon	2	
0058.COMP	10	08:28	18:37:13.4	+44:51:38	300	90	3.0	0 Calibration	2	
0059.IGRJ2134.2p4738	1800	08:41	21:34:20.4	+47:38:00	1200	89	2.0	#176 Be/X-ray	2	
0060.COMP	30	09:12	21:34:20.4	+47:38:00	1200	90	2.0	0 Calibration	2	
0061.IGRJ2134.2p4738	1800	09:15	21:34:20.4	+47:38:00	1200	89	2.0	#176 Be/X-ray	2	
0062.COMP	30	09:45	21:34:20.4	+47:38:00	1200	90	2.0	0 Calibration	2	
0063.IGRJ2134.2p4738	1800	09:46	21:34:20.4	+47:38:00	1200	89	2.0	#176 Be/X-ray	2	
0064.COMP	30	10:17	21:34:20.4	+47:38:00	1200	89	2.0	0 Calibration	2	
0065.BDp284211	240	10:19	21:51:11.0	+28:51:50	1200	89	2.0	#56 Spectropho	2	
0066.COMP	30	10:23	21:51:11.0	+28:51:50	1200	88	2.0	0 Calibration	2	

UT Date 2013-07-15 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067-0071.FLAT	90	10:35	21:51:11.0	+28:51:50	1200	88	2.0	0 Calibration	2	
0072.psn22443	1800	10:47	22:44:35.6	+03:38:38	300	88	3.0	#2 SN Observat	2	
0073.COMP	10	11:17	22:44:35.6	+03:38:38	300	91	3.0	0 Calibration	2	
0074.AXPer	4	11:24	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0075.AXPer	30	11:24	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0076.AXPer	90	11:25	01:36:23.0	+54:15:03	300	91	3.0	#12 Symbiotic	2	
0077.COMP	10	11:27	01:36:23.0	+54:15:03	300	89	3.0	0 Calibration	2	
0078.EGAnd	1	11:28	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0079.EGAnd	5	11:29	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0080.EGAnd	10	11:29	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0081.COMP	10	11:30	00:44:37.0	+40:40:47	300	89	3.0	0 Calibration	2	
0082.RAqr	1	11:32	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0083.RAqr	5	11:33	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0084.RAqr	10	11:33	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0085.COMP	10	11:34	23:43:49.0	-15:17:05	300	89	3.0	0 Calibration	2	
0086.ZAnd	1	11:36	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0087.ZAnd	5	11:36	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0088.ZAnd	30	11:37	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0089.COMP	10	11:38	23:33:40.0	+48:49:06	300	89	3.0	0 Calibration	2	
0090.PUVu1	1	11:40	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	

UT Date 2013-07-15 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0091.PUVul	10	11:40	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0092.PUVul	60	11:41	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0093.COMP	10	11:42	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0094.CICyg	4	11:44	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0095.CICyg	15	11:44	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0096.COMP	10	11:45	19:50:12.0	+35:41:02	300	91	3.0	0 Calibration	2	
0097-0106.BIAS	0	11:49	19:50:12.0	+35:41:02	300	91	3.0	0 Calibration	2	
0107-0126.FLAT	7	11:57	19:50:12.0	+35:41:02	300	91	3.0	0 Calibration	2	
0127-0136.DARK	900	14:20	19:50:12.0	+35:41:02	300	91	3.0	0 Calibration	2	