

UT Date 2013-10-30 Observers Erdogdu/MacriColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BDp284211	150	02:06	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0002.BDp284211	150	02:11	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0003.COMP	10	02:14	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0004.BDp174708	90	02:19	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0005.BDp174708	90	02:21	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0006.COMP	10	02:23	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0007.ZAnd	1	02:39	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0008.ZAnd	5	02:40	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0009.ZAnd	30	02:40	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0010.COMP	10	02:41	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0011.PUVu1	1	02:43	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0012.PUVu1	10	02:44	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0013.PUVu1	60	02:44	20:21:13.0	+21:34:21	300	90	3.0	#12 Symbiotic	2	
0014.COMP	10	02:45	20:21:13.0	+21:34:21	300	90	3.0	0 Calibration	2	
0015.CICyg	4	02:48	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0016.CICyg	15	02:48	19:50:12.0	+35:41:02	300	90	3.0	#12 Symbiotic	2	
0017.COMP	10	02:49	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0018.22301599+5156275	1200	02:56	22:30:16.0	+51:56:27	300	90	3.0	#141 2MASS Red	2	
0019.COMP	10	03:17	22:30:16.0	+51:56:27	300	89	3.0	0 Calibration	2	
0020.22301046+5159085	900	03:21	22:30:10.5	+51:59:09	300	89	3.0	#141 2MASS Red	2	

UT Date 2013-10-30 Observers Erdogdu/MacriColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0021.COMP	10	03:37	22:30:10.5	+51:59:09	300	88	3.0	0 Calibration	2	
0022.22314656+5017245	900	03:46	22:31:46.6	+50:17:25	300	88	3.0	#141 2MASS Red	2	
0023.COMP	10	04:02	22:31:46.6	+50:17:25	300	89	3.0	0 Calibration	2	
0024.22331051+5148557	900	04:07	22:33:10.5	+51:48:56	300	89	3.0	#141 2MASS Red	2	
0025.COMP	10	04:23	22:33:10.5	+51:48:56	300	89	3.0	0 Calibration	2	
0026.22342072+5121446	900	04:25	22:34:20.7	+51:21:45	300	89	3.0	#141 2MASS Red	2	
0027.COMP	10	04:42	22:34:20.7	+51:21:45	300	88	3.0	0 Calibration	2	
0028.22343357+5122187	300	04:47	22:34:33.6	+51:22:19	300	45	3.0	#141 2MASS Red	2	
0029.22343357+5122187	600	04:54	22:34:33.6	+51:22:19	300	45	3.0	#141 2MASS Red	2	
0030.COMP	10	05:05	22:34:33.6	+51:22:19	300	45	3.0	0 Calibration	2	
0031.psn2215	1800	05:14	22:15:28.5	+15:34:04	300	89	3.0	#2 SN Observat	2	
0032.COMP	10	05:50	22:15:28.5	+15:34:04	300	90	3.0	0 Calibration	2	
0033.psn2215	1800	05:51	22:15:28.5	+15:34:04	300	90	3.0	#2 SN Observat	2	
0034.COMP	10	06:21	22:15:28.5	+15:34:04	300	90	3.0	0 Calibration	2	
0035.back02	900	06:28	01:18:02.2	+01:23:09	300	90	3.0	#216 Local Com	2	
0036.COMP	10	06:44	01:18:02.2	+01:23:09	300	90	3.0	0 Calibration	2	
0037.back03	1200	06:46	01:18:33.7	+01:26:25	300	90	3.0	#216 Local Com	2	
0038.COMP	10	07:08	01:18:33.7	+01:26:25	300	90	3.0	0 Calibration	2	
0039.nback23	1800	07:13	03:54:29.0	-00:31:09	300	89	3.0	#216 Local Com	2	
0040.COMP	10	07:44	03:54:29.0	-00:31:09	300	90	3.0	0 Calibration	2	

UT Date 2013-10-30 Observers Erdogdu/MacriColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0041.nback06	1800	07:50	03:55:57.9	-00:10:05	300	90	3.0	#216 Local Com	2	
0042.COMP	10	08:23	03:55:57.9	-00:10:05	300	90	3.0	0 Calibration	2	
0043.nback11	1800	08:26	03:56:22.6	-01:02:05	300	90	3.0	#216 Local Com	2	
0044.COMP	10	08:57	03:56:22.6	-01:02:05	300	90	3.0	0 Calibration	2	
0045.GITau	240	09:04	04:33:34.0	+24:21:18	300	90	3.0	#12 Symbiotic	2	
0046.COMP	10	09:08	04:33:34.0	+24:21:18	300	90	3.0	0 Calibration	2	
0047.GKTau	240	09:11	04:33:34.5	+24:21:07	300	90	3.0	#12 Symbiotic	2	
0048.COMP	10	09:16	04:33:34.5	+24:21:07	300	90	3.0	0 Calibration	2	
0049-0058.BIAS	0	10:50	05:03:35.1	+01:34:17	300	90	3.0	0 Calibration	4	
0059-0068.FLAT	4	10:52	05:03:35.1	+01:34:17	300	90	3.0	0 Calibration	4	
0069-0078.BIAS	0	10:54	05:03:35.1	+01:34:17	300	90	3.0	0 Calibration	2	
0079-0093.FLAT	7	10:59	05:03:35.1	+01:34:17	300	90	3.0	0 Calibration	2	