


UT Date 2013-12-07 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:25	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	00:30	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0026.EGAnd	1	01:25	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0027.EGAnd	5	01:25	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0028.EGAnd	10	01:26	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0029.COMP	5	01:26	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0030.AXPer	4	01:28	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0031.AXPer	30	01:29	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0032.AXPer	90	01:30	01:36:23.0	+54:15:03	300	90	3.0	#12 Symbiotic	2	
0033.COMP	5	01:32	01:36:23.0	+54:15:03	300	90	3.0	0 Calibration	2	
0034.BDp174708	100	01:36	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	
0035.COMP	5	01:38	22:11:31.4	+18:05:34	300	90	3.0	0 Calibration	2	
0036.Feige110	180	01:40	23:19:58.4	-05:09:56	300	90	3.0	#56 Spectropho	2	
0037.COMP	5	01:44	23:19:58.4	-05:09:56	300	90	3.0	0 Calibration	2	
0038.BLLac	600	01:47	22:02:43.3	+42:16:40	300	90	3.0	#2 SN Observat	2	
0039.COMP	5	01:57	22:02:43.3	+42:16:40	300	86	3.0	0 Calibration	2	
0040.sn2013fw	1200	02:01	21:13:44.8	+13:34:33	300	75	3.0	#2 SN Observat	2	
0041.COMP	5	02:21	21:13:44.8	+13:34:33	300	75	3.0	0 Calibration	2	
0042.Kenfill120	1500	02:28	23:10:24.0	+07:27:35	300	88	3.0	#210 Brightest	2	
0043.COMP	5	02:54	23:10:24.0	+07:27:35	300	88	3.0	0 Calibration	2	

UT Date 2013-12-07 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.Kenfill121	1500	02:56	23:09:15.0	+08:07:20	300	88	3.0	#210 Brightest	2	
0045.COMP	5	03:22	23:09:15.0	+08:07:20	300	89	3.0	0 Calibration	2	
0046.Kenfill122	1500	03:24	23:11:26.9	+07:14:00	300	89	3.0	#210 Brightest	2	
0047.COMP	5	03:49	23:11:26.9	+07:14:00	300	88	3.0	0 Calibration	2	
0048.snptf13ebh	1000	03:53	02:22:00.0	+33:16:14	300	88	3.0	#2 SN Observat	2	
0049.COMP	5	04:10	02:22:00.0	+33:16:14	300	87	3.0	0 Calibration	2	
0050-0059.BIAS	0	04:21	02:22:00.0	+33:16:14	600	87	1.5	0 Calibration	4	
0060-0074.FLAT	12	04:27	02:22:00.0	+33:16:14	600	87	1.5	0 Calibration	4	
0075.lamost036	900	04:30	01:57:14.5	+58:44:34	600	87	1.5	#178 Low Mass	4	
0076.COMP	10	04:46	01:57:14.5	+58:44:34	600	86	1.5	0 Calibration	4	
0077.lamost030	900	04:48	02:09:46.9	+58:32:04	600	86	1.5	#178 Low Mass	4	
0078.COMP	10	05:04	02:09:46.9	+58:32:04	600	87	1.5	0 Calibration	4	
0079.lamost031	900	05:05	02:12:23.3	+58:28:01	600	87	1.5	#178 Low Mass	4	
0080.COMP	10	05:21	02:12:23.3	+58:28:01	600	88	1.5	0 Calibration	4	
0081.lamost027	600	05:23	02:14:43.3	+56:22:54	600	88	1.5	#178 Low Mass	4	
0082.COMP	10	05:33	02:14:43.3	+56:22:54	600	88	1.5	0 Calibration	4	
0083.lamost059	600	05:35	02:39:37.1	+53:19:57	600	88	1.5	#178 Low Mass	4	
0084.COMP	10	05:47	02:39:37.1	+53:19:57	600	88	1.5	0 Calibration	4	
0085.lamost060	600	05:48	02:41:34.5	+55:37:53	600	88	1.5	#178 Low Mass	4	
0086.COMP	10	05:59	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	4	

UT Date 2013-12-07 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0087.COMP	5	06:04	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	4	
0088.COMP	5	06:06	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	4	
0089.COMP	5	06:07	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	4	
0090-0099.BIAS	0	06:10	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	2	
0100-0114.FLAT	7	06:15	02:41:34.5	+55:37:53	600	88	1.5	0 Calibration	2	
0115.Kenfill1016	1200	06:21	03:37:38.8	+10:11:33	300	88	3.0	#210 Brightest	2	
0116.COMP	5	06:41	03:37:38.8	+10:11:33	300	89	3.0	0 Calibration	2	
0117.psnJ0342m0443	1800	06:43	03:42:16.9	-04:43:19	300	88	3.0	#2 SN Observat	2	
0118.COMP	5	07:18	03:42:16.9	-04:43:19	300	89	3.0	0 Calibration	2	
0119.GITau	240	07:26	04:33:34.0	+24:21:18	300	88	3.0	#12 Symbiotic	2	
0120.COMP	5	07:31	04:33:34.0	+24:21:18	300	88	3.0	0 Calibration	2	
0121.GKTau	240	07:32	04:33:34.5	+24:21:07	300	88	3.0	#12 Symbiotic	2	
0122.COMP	5	07:36	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	
0123.04473668+2603363	1800	07:42	04:47:36.7	+26:03:36	300	89	3.0	#141 2MASS Red	2	
0124.COMP	5	08:12	04:47:36.7	+26:03:36	300	88	3.0	0 Calibration	2	
0125.2013NJ	900	08:19	05:54:11.0	-04:09:00	300	88	3.0	#141 2MASS Red	2	
0126.COMP	5	08:34	05:54:11.0	-04:09:00	300	88	3.0	0 Calibration	2	
0127.2013NJ	900	08:37	05:54:11.0	-04:09:00	300	88	3.0	#141 2MASS Red	2	
0128.COMP	5	08:52	05:54:11.0	-04:09:00	300	88	3.0	0 Calibration	2	
0129.2013NJ	900	08:53	05:54:11.0	-04:09:00	300	88	3.0	#141 2MASS Red	2	

UT Date 2013-12-07 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0130.COMP	5	09:08	05:54:11.0	-04:09:00	300	88	3.0	0 Calibration	2	
0131.SA97-249	60	09:12	05:57:07.6	+00:01:12	300	88	3.0	#141 2MASS Red	2	
0132.SA97-249	60	09:13	05:57:07.6	+00:01:12	300	88	3.0	#141 2MASS Red	2	
0133.SA97-249	60	09:14	05:57:07.6	+00:01:12	300	88	3.0	#141 2MASS Red	2	
0134.COMP	5	09:16	05:57:07.6	+00:01:12	300	88	3.0	0 Calibration	2	
0135.04533493+2451242	1500	09:20	04:53:34.9	+24:51:24	300	50	3.0	#141 2MASS Red	2	
0136.COMP	5	09:45	04:53:34.9	+24:51:24	300	50	3.0	0 Calibration	2	
0137.04540672+2546178	1200	09:48	04:54:06.7	+25:46:18	300	89	3.0	#141 2MASS Red	2	
0138.COMP	5	10:08	04:54:06.7	+25:46:18	300	88	3.0	0 Calibration	2	
0139.04560731+2700446	1200	10:11	04:56:07.3	+27:00:45	300	88	3.0	#141 2MASS Red	2	
0140.COMP	5	10:31	04:56:07.3	+27:00:45	300	90	3.0	0 Calibration	2	
0141.sn2013gs	1200	10:35	09:31:08.9	+46:23:05	300	90	3.0	#2 SN Observat	2	
0142.COMP	5	10:56	09:31:08.9	+46:23:05	300	86	3.0	0 Calibration	2	
0143.sn2013ge	1000	11:03	10:34:48.5	+21:39:42	300	86	3.0	#2 SN Observat	2	
0144.COMP	5	11:21	10:34:48.5	+21:39:42	300	87	3.0	0 Calibration	2	
0145.DASCH_J0804+5316	200	11:23	08:04:09.1	+53:16:43	300	87	3.0	#192 DASCH Lon	2	
0146.COMP	5	11:26	08:04:09.1	+53:16:43	300	87	3.0	0 Calibration	2	
0147.A02243.1	1200	11:30	08:36:21.0	+50:40:47	300	87	3.0	#216 Local Com	2	
0148.COMP	5	11:50	08:36:21.0	+50:40:47	300	88	3.0	0 Calibration	2	
0149.A01891.1	1200	11:52	08:37:08.2	+55:40:51	300	88	3.0	#216 Local Com	2	

UT Date 2013-12-07 Observers G EsquerdoColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0150.COMP	5	12:12	08:37:08.2	+55:40:51	300	88	3.0	0 Calibration	2	
0151.A00355.3	1200	12:14	08:40:05.4	+25:00:34	300	88	3.0	#216 Local Com	2	
0152.COMP	5	12:35	08:40:05.4	+25:00:34	300	89	3.0	0 Calibration	2	
0153.N3379	600	12:37	10:47:49.6	+12:34:54	300	89	3.0	#57 Velocity S	2	
0154.COMP	5	12:48	10:47:49.6	+12:34:54	300	88	3.0	0 Calibration	2	
0155.Feige34	180	12:50	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0156.COMP	5	12:53	10:39:36.7	+43:06:09	300	75	3.0	0 Calibration	2	
0157.HD84937	30	12:56	09:48:56.1	+13:44:39	300	75	3.0	#56 Spectropho	2	
0158.COMP	5	12:57	09:48:56.1	+13:44:39	300	75	3.0	0 Calibration	2	
0159-0164.DARK	900	14:32	09:48:56.1	+13:44:39	300	75	3.0	0 Calibration	2	