
UT Date 2014-01-05 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:54	23:07:24.0	+31:25:47	300	88	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:12	23:07:24.0	+31:25:47	300	88	3.0	0 Calibration	4	
0021-0040.FLAT	7	02:19	23:07:24.0	+31:25:47	300	88	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:23	23:07:24.0	+31:25:47	300	88	3.0	0 Calibration	2	
0051.GITau	300	05:47	04:33:34.0	+24:21:18	300	88	3.0	#12 Symbiotic	2	thru clouds
0052.COMP	10	05:54	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0053.GKTau	300	05:55	04:33:34.5	+24:21:07	300	89	3.0	#12 Symbiotic	2	
0054.COMP	10	06:01	04:33:34.5	+24:21:07	300	88	3.0	0 Calibration	2	
0055.HD19445	30	06:02	03:08:25.6	+26:19:51	300	88	3.0	#56 Spectropho	2	
0056.COMP	10	06:03	03:08:25.6	+26:19:51	300	88	3.0	0 Calibration	2	
0057.G191B2B	600	06:06	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0058.COMP	10	06:16	05:05:30.6	+52:49:52	300	88	3.0	0 Calibration	2	
0059.BGGem	300	06:18	06:03:31.0	+27:41:50	300	88	3.0	#12 Symbiotic	2	
0060.COMP	5	06:27	06:03:31.0	+27:41:50	300	89	3.0	0 Calibration	2	
0061.A01187.1	1200	07:08	07:33:24.8	+21:08:45	300	89	3.0	#216 Local Com	2	thru murky cirrus
0062.COMP	10	07:29	07:33:24.8	+21:08:45	300	89	3.0	0 Calibration	2	
0063.A00555.1	1800	07:30	07:34:57.3	+23:21:19	300	89	3.0	#216 Local Com	2	
0064.COMP	10	08:01	07:34:57.3	+23:21:19	300	89	3.0	0 Calibration	2	
0065.BXMon	15	08:02	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	
0066.BXMon	180	08:03	07:25:23.0	-03:35:51	300	90	3.0	#12 Symbiotic	2	

UT Date 2014-01-05 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.COMP	10	08:06	07:25:23.0	-03:35:51	300	90	3.0	0 Calibration	2	
0068.SS129	300	08:08	07:32:45.0	-26:49:16	300	81	3.0	#12 Symbiotic	2	clearing....
0069.SS129	300	08:13	07:32:45.0	-26:49:16	300	81	3.0	#12 Symbiotic	2	
0070.COMP	10	08:18	07:32:45.0	-26:49:16	300	81	3.0	0 Calibration	2	
0071.A00561.2	1200	08:21	07:16:11.4	+38:49:38	300	90	3.0	#216 Local Com	2	need more cnts
0072.COMP	10	08:41	07:16:11.4	+38:49:38	300	90	3.0	0 Calibration	2	
0073.A00561.2	1800	08:43	07:16:11.4	+38:49:38	300	90	3.0	#216 Local Com	2	
0074.COMP	10	09:14	07:16:11.4	+38:49:38	300	89	3.0	0 Calibration	2	
0075.TCrB	25	12:48	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0076.TCrB	90	12:49	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0077.COMP	10	12:51	15:59:30.0	+25:55:12	300	90	3.0	0 Calibration	2	
0078.TCrB	420	12:51	15:59:30.0	+25:55:12	300	90	3.0	#12 Symbiotic	2	
0079.COMP	10	12:59	15:59:30.0	+25:55:12	300	90	3.0	0 Calibration	2	
0080.AGDra	5	13:01	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0081.AGDra	45	13:02	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0082.AGDra	180	13:03	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0083.COMP	10	13:06	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	
0084-0093.BIAS	0	13:11	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	
0094-0103.FLAT	7	13:18	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	
0104-0113.DARK	900	15:37	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	