

UT Date 2014-01-28 Observers M CalkinsColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:14	00:28:18.6	+31:25:47	300	89	3.0	0 Calibration	4	
0011-0030.FLAT	7	01:23	00:28:18.6	+31:25:47	300	89	3.0	0 Calibration	2	
0031-0040.BIAS	0	01:27	00:28:18.6	+31:25:47	300	89	3.0	0 Calibration	2	
0041.GITau	240	01:50	04:33:34.0	+24:21:18	300	89	3.0	#12 Symbiotic	2	
0042.COMP	10	01:55	04:33:34.0	+24:21:18	300	89	3.0	0 Calibration	2	
0043.GKTau	240	01:55	04:33:34.5	+24:21:07	300	89	3.0	#12 Symbiotic	2	
0044.COMP	10	02:00	04:33:34.5	+24:21:07	300	89	3.0	0 Calibration	2	
0045.RAqr	1	02:02	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0046.RAqr	5	02:02	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0047.RAqr	10	02:03	23:43:49.0	-15:17:05	300	89	3.0	#12 Symbiotic	2	
0048.COMP	10	02:03	23:43:49.0	-15:17:05	300	89	3.0	0 Calibration	2	
0049.ZAnd	1	02:06	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0050.ZAnd	5	02:06	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0051.ZAnd	30	02:07	23:33:40.0	+48:49:06	300	89	3.0	#12 Symbiotic	2	
0052.COMP	10	02:10	23:33:40.0	+48:49:06	300	89	3.0	0 Calibration	2	
0053.M31	60	02:11	00:42:44.3	+41:16:09	300	89	3.0	#57 Velocity S	2	
0054.COMP	10	02:13	00:42:44.3	+41:16:09	300	89	3.0	0 Calibration	2	
0055.EGAnd	1	02:14	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0056.EGAnd	5	02:14	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	
0057.EGAnd	10	02:14	00:44:37.0	+40:40:47	300	89	3.0	#12 Symbiotic	2	

UT Date 2014-01-28 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.COMP	10	02:15	00:44:37.0	+40:40:47	300	89	3.0	0 Calibration	2	
0059.AXPer	4	02:18	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0060.AXPer	30	02:18	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0061.AXPer	90	02:19	01:36:23.0	+54:15:03	300	89	3.0	#12 Symbiotic	2	
0062.COMP	10	02:21	01:36:23.0	+54:15:03	300	85	3.0	0 Calibration	2	
0063.snJ0305	2400	02:40	03:05:59.9	+04:32:38	300	85	3.0	#2 SN Observat	2	clouds?
0064.COMP	10	03:20	03:05:59.9	+04:32:38	300	85	3.0	0 Calibration	2	
0065.sn2014H	1500	03:23	03:37:01.5	+32:05:02	300	85	3.0	#2 SN Observat	2	
0066.COMP	10	03:49	03:37:01.5	+32:05:02	300	90	3.0	0 Calibration	2	
0067.Kenfil1020	1800	03:52	03:39:58.8	+10:02:46	300	90	3.0	#210 Brightest	2	
0068.COMP	10	04:22	03:39:58.8	+10:02:46	300	90	3.0	0 Calibration	2	
0069.A01637.1	1800	04:33	07:40:40.3	+16:35:17	300	90	3.0	#216 Local Com	2	
0070.COMP	10	05:04	07:40:40.3	+16:35:17	300	88	3.0	0 Calibration	2	
0071.G191B2B	300	05:07	05:05:30.6	+52:49:52	300	88	3.0	#56 Spectropho	2	
0072.COMP	10	05:13	05:05:30.6	+52:49:52	300	89	3.0	0 Calibration	2	
0073.Hiltner600	90	05:15	06:45:13.4	+02:08:15	300	89	3.0	#56 Spectropho	2	
0074.COMP	10	05:18	06:45:13.4	+02:08:15	300	88	3.0	0 Calibration	2	
0075.BGGem	300	05:19	06:03:31.0	+27:41:50	300	88	3.0	#12 Symbiotic	2	
0076.COMP	10	05:25	06:03:31.0	+27:41:50	300	88	3.0	0 Calibration	2	
0077.A00012.2	1200	05:27	07:44:42.4	+16:55:38	300	88	3.0	#216 Local Com	2	

UT Date 2014-01-28 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0078.COMP	10	05:47	07:44:42.4	+16:55:38	300	86	3.0	0 Calibration	2	
0079.A00012.1	1500	05:48	07:44:43.3	+16:55:21	300	86	3.0	#216 Local Com	2	
0080.COMP	10	06:14	07:44:43.3	+16:55:21	300	87	3.0	0 Calibration	2	
0081.A00495.1	1500	06:16	07:47:13.6	+22:10:00	300	87	3.0	#216 Local Com	2	
0082.COMP	10	06:41	07:47:13.6	+22:10:00	300	87	3.0	0 Calibration	2	
0083.BXMon	15	06:43	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0084.BXMon	180	06:44	07:25:23.0	-03:35:51	300	87	3.0	#12 Symbiotic	2	
0085.COMP	10	06:48	07:25:23.0	-03:35:51	300	89	3.0	0 Calibration	2	
0086.SS129	300	06:50	07:32:45.0	-26:49:16	300	89	3.0	#12 Symbiotic	2	row=83
0087.SS129	300	06:55	07:32:45.0	-26:49:16	300	89	3.0	#12 Symbiotic	2	
0088.COMP	10	07:01	07:32:45.0	-26:49:16	300	89	3.0	0 Calibration	2	
0089.A00167.2	480	07:04	08:38:08.9	+00:28:37	300	89	3.0	#216 Local Com	2	
0090.COMP	10	07:12	08:38:08.9	+00:28:37	300	89	3.0	0 Calibration	2	
0091.sn2014J	60	07:15	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0092.sn2014J	150	07:17	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0093.sn2014J	300	07:20	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0094.COMP	10	07:26	09:55:42.1	+69:40:26	300	88	3.0	0 Calibration	2	
0095.sn3013ge	1800	07:28	10:34:48.5	+21:39:42	300	88	3.0	#2 SN Observat	2	
0096.COMP	10	07:59	10:34:48.5	+21:39:42	300	83	3.0	0 Calibration	2	
0097.bhvs028	1800	08:13	09:36:39.0	-02:23:11	600	89	1.5	#178 Low Mass	4	

UT Date 2014-01-28 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0098.COMP	10	08:43	09:36:39.0	-02:23:11	600	89	1.5	0 Calibration	4	
0099.bhvs028	1800	08:45	09:36:39.0	-02:23:11	600	89	1.5	#178 Low Mass	4	
0100.COMP	10	09:16	09:36:39.0	-02:23:11	600	89	1.5	0 Calibration	4	
0101.bhvs028	1800	09:25	09:36:39.0	-02:23:11	600	90	1.5	#178 Low Mass	4	
0102.COMP	10	09:55	09:36:39.0	-02:23:11	600	89	1.5	0 Calibration	4	
0103.bcand853	600	10:00	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0104.COMP	10	10:11	10:06:42.4	+69:41:50	600	88	1.5	0 Calibration	4	
0105.bcand853	600	10:12	10:06:42.4	+69:41:50	600	88	1.5	#178 Low Mass	4	
0106.COMP	10	10:22	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0107.bcand853	600	10:23	10:06:42.4	+69:41:50	600	88	1.5	#178 Low Mass	4	
0108.COMP	10	10:33	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0109.bcand853	600	10:34	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0110.COMP	10	10:44	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0111.bcand853	600	10:45	10:06:42.4	+69:41:50	600	89	1.5	#178 Low Mass	4	
0112.COMP	10	10:56	10:06:42.4	+69:41:50	600	90	1.5	0 Calibration	4	
0113.bcand853	600	10:56	10:06:42.4	+69:41:50	600	90	1.5	#178 Low Mass	4	
0114.COMP	10	11:07	10:06:42.4	+69:41:50	600	89	1.5	0 Calibration	4	
0115.Feige34	180	11:09	10:39:36.7	+43:06:09	600	88	1.5	#178 Low Mass	4	
0116.COMP	10	11:12	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	
0117-0126.FLAT	12	11:17	10:39:36.7	+43:06:09	600	89	1.5	0 Calibration	4	

UT Date 2014-01-28 Observers M CalkinsColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0127.SN-14ad	1800	11:26	12:40:11.1	+18:03:33	300	89	3.0	#2 SN Observat	2	
0128.COMP	10	11:57	12:40:11.1	+18:03:33	300	88	3.0	0 Calibration	2	
0129.HD84937	30	11:59	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0130.COMP	10	12:00	09:48:56.1	+13:44:39	300	88	3.0	0 Calibration	2	
0131.Feige34	180	12:02	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0132.COMP	10	12:05	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0133.A00086.1	1200	12:07	12:58:36.0	+06:22:46	300	89	3.0	#216 Local Com	2	
0134.COMP	10	12:28	12:58:36.0	+06:22:46	300	87	3.0	0 Calibration	2	
0135.A01636.1	1800	12:31	13:38:38.4	+63:19:45	300	87	3.0	#216 Local Com	2	
0136.COMP	10	13:03	13:38:38.4	+63:19:45	300	87	3.0	0 Calibration	2	
0137.N4853	360	13:06	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	
0138.COMP	10	13:12	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0139-0148.BIAS	0	13:20	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0149-0168.FLAT	7	13:27	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0169-0173.DARK	900	14:30	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	4	
0174-0176.DARK	900	15:16	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	