


UT Date 2014-01-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:11	02:18:25.0	+31:26:38	300	90	3.0	0 Calibration	2	
0011.FLAT	7	01:12	02:18:25.0	+31:26:38	300	90	3.0	0 Calibration	2	300-line, 3-sec, combo
0012-0025.FLAT	7	01:16	02:18:25.0	+31:26:38	300	90	3.0	0 Calibration	2	
0026.COMP	10	01:22	02:18:25.0	+31:26:38	300	90	3.0	0 Calibration	2	
0027.HD19445	20	01:57	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0028.HD19445	20	01:58	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0029.HD19445	20	01:59	03:08:25.6	+26:19:51	300	90	3.0	#56 Spectropho	2	
0030.COMP	10	01:59	03:08:25.6	+26:19:51	300	90	3.0	0 Calibration	2	
0031.04504506+2451509	1800	02:02	04:50:45.1	+24:51:51	300	90	3.0	#141 2MASS Red	2	
0032.COMP	10	02:33	04:50:45.1	+24:51:51	300	89	3.0	0 Calibration	2	
0033.05043462+6834556	900	02:35	05:04:34.6	+68:34:56	300	89	3.0	#141 2MASS Red	2	
0034.COMP	10	02:51	05:04:34.6	+68:34:56	300	90	3.0	0 Calibration	2	
0035.05292370+7644474	1322	04:09	05:29:23.7	+76:44:47	300	90	3.0	#141 2MASS Red	2	
0036.COMP	10	04:31	05:29:23.7	+76:44:47	300	90	3.0	0 Calibration	2	
0037.05574608+5414285	900	04:37	05:57:46.1	+54:14:29	300	90	3.0	#141 2MASS Red	2	
0038.COMP	10	04:52	05:57:46.1	+54:14:29	300	89	3.0	0 Calibration	2	
0039.sn2014J	30	04:54	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0040.sn2014J	180	04:55	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0041.sn2014J	180	04:58	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0042.sn2014J	180	05:02	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	

UT Date 2014-01-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.COMP	10	05:06	09:55:42.1	+69:40:26	300	89	3.0	0 Calibration	2	
0044.05594532+4223345	1800	05:10	05:59:45.3	+42:23:34	300	89	3.0	#141 2MASS Red	2	
0045.COMP	10	05:40	05:59:45.3	+42:23:34	300	89	3.0	0 Calibration	2	
0051.sn2014J.1200	1200	06:02	09:55:42.1	+69:40:26	1200	89	1.1	#2 SN Observat	2	1200gpm, 1.1 slit, NaD
0052.COMP	10	06:22	09:55:42.1	+69:40:26	1200	89	1.1	0 Calibration	2	
0053.sn2014J.1200	600	06:23	09:55:42.1	+69:40:26	1200	89	1.1	#2 SN Observat	2	
0054.COMP	10	06:34	09:55:42.1	+69:40:26	1200	89	1.1	0 Calibration	2	
0055.sn2014J.1200	1200	06:34	09:55:42.1	+69:40:26	1200	89	1.1	#2 SN Observat	2	
0056.COMP	10	06:55	09:55:42.1	+69:40:26	1200	89	1.1	0 Calibration	2	
0057.HD84937	180	06:57	09:48:56.1	+13:44:39	1200	89	1.1	#56 Spectropho	2	
0058.HD84937	180	07:01	09:48:56.1	+13:44:39	1200	89	1.1	#56 Spectropho	2	
0059.COMP	10	07:04	09:48:56.1	+13:44:39	1200	89	1.1	0 Calibration	2	
0060-0069.FLAT	30	07:13	08:45:00.0	+32:00:00	1200	89	1.1	0 Calibration	2	
0070.test	10	07:35	09:15:00.0	+32:00:00	300	89	3.0	#56 Spectropho	2	
0071.HD84937	30	08:21	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	300-line, 3-sec, combo
0072.COMP	10	08:23	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0073.sn2013gs	1800	08:25	09:31:08.9	+46:23:05	300	89	3.0	#2 SN Observat	2	
0074.COMP	10	08:56	09:31:08.9	+46:23:05	300	89	3.0	0 Calibration	2	
0075.Feige34	200	08:57	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0076.COMP	10	09:01	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	

UT Date 2014-01-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0077.sn3013ge	1800	09:02	10:34:48.5	+21:39:42	300	89	3.0	#2 SN Observat	2	
0078.COMP	10	09:33	10:34:48.5	+21:39:42	300	89	3.0	0 Calibration	2	
0079.psnj1218	1505	09:36	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0080.COMP	10	10:01	12:18:48.7	+14:24:44	300	86	3.0	0 Calibration	2	
0081.SN-14ad	1800	10:03	12:40:11.1	+18:03:33	300	86	3.0	#2 SN Observat	2	
0082.COMP	10	10:34	12:40:11.1	+18:03:33	300	86	3.0	0 Calibration	2	
0083.A01390.4	1200	10:37	10:15:23.2	+60:08:32	300	89	3.0	#216 Local Com	2	target at row 80, companion at row 73
0084.COMP	10	10:58	10:15:23.2	+60:08:32	300	89	3.0	0 Calibration	2	
0085.A00441.1	900	10:59	10:34:03.0	+61:37:19	300	89	3.0	#216 Local Com	2	
0086.COMP	10	11:14	10:34:03.0	+61:37:19	300	89	3.0	0 Calibration	2	
0087.a14back39	720	11:16	10:15:11.9	+60:09:53	300	89	3.0	#216 Local Com	2	
0088.COMP	10	11:29	10:15:11.9	+60:09:53	300	89	3.0	0 Calibration	2	
0089.A02160.3	1500	11:30	11:54:23.0	+49:32:51	300	89	3.0	#216 Local Com	2	
0090.COMP	10	11:56	11:54:23.0	+49:32:51	300	90	3.0	0 Calibration	2	
0091.A00790.2	900	11:58	13:44:24.3	+41:22:34	300	90	3.0	#216 Local Com	2	
0092.COMP	10	12:13	13:44:24.3	+41:22:34	300	89	3.0	0 Calibration	2	
0093.A00456.1	1200	12:15	14:20:37.2	+54:49:01	300	89	3.0	#216 Local Com	2	
0094.COMP	10	12:35	14:20:37.2	+54:49:01	300	89	3.0	0 Calibration	2	
0095.A00539.1	900	12:37	14:23:42.6	+18:48:59	300	89	3.0	#216 Local Com	2	
0096.COMP	10	12:52	14:23:42.6	+18:48:59	300	89	3.0	0 Calibration	2	

UT Date 2014-01-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0097.a14back19	200	12:54	14:20:36.6	+58:52:31	300	89	3.0	#216 Local Com	2	
0098.COMP	10	12:58	14:20:36.6	+58:52:31	300	89	3.0	0 Calibration	2	
0099.AGDra	10	12:59	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0100.AGDra	30	13:00	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0101.AGDra	120	13:01	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0102.COMP	10	13:03	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0103.TCrB	60	13:06	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0104.TCrB	60	13:07	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0105.TCrB	60	13:08	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0106.COMP	10	13:09	15:59:30.0	+25:55:12	300	89	3.0	0 Calibration	2	
0107.BDp332642	120	13:11	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0108.COMP	10	13:13	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0109.BDp262606	90	13:15	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0110.COMP	10	13:17	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0111-0120.BIAS	0	13:20	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0121-0135.FLAT	7	13:26	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0136-0140.DARK	1200	14:51	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	