

UT Date 2014-01-31 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:03	01:00:00.0	+24:00:00	300	89	3.0	0 Calibration	2	
0011.FLAT	7	01:03	01:00:00.0	+24:00:00	300	89	3.0	0 Calibration	2	300-line, 3-sec, combo
0012-0025.FLAT	7	01:08	01:00:00.0	+24:00:00	300	89	3.0	0 Calibration	2	
0026.HD19445	30	01:56	03:08:25.6	+26:19:51	300	89	3.0	#56 Spectropho	2	
0027.HD19445	30	01:56	03:08:25.6	+26:19:51	300	89	3.0	#56 Spectropho	2	
0028.HD19445	30	01:57	03:08:25.6	+26:19:51	300	89	3.0	#56 Spectropho	2	
0029.COMP	10	01:58	03:08:25.6	+26:19:51	300	89	3.0	0 Calibration	2	
0030.03310757+6806544	1800	02:01	03:31:07.6	+68:06:54	300	89	3.0	#141 2MASS Red	2	
0031.COMP	10	02:32	03:31:07.6	+68:06:54	300	89	3.0	0 Calibration	2	
0032.03435654+4456315	1200	02:34	03:43:56.5	+44:56:31	300	89	3.0	#141 2MASS Red	2	
0033.COMP	10	02:55	03:43:56.5	+44:56:31	300	88	3.0	0 Calibration	2	
0034.03444712+4559150	1200	02:56	03:44:47.1	+45:59:15	300	88	3.0	#141 2MASS Red	2	
0035.COMP	10	03:17	03:44:47.1	+45:59:15	300	88	3.0	0 Calibration	2	
0036.03460623+4621443	1341	03:20	03:46:06.2	+46:21:44	300	88	3.0	#141 2MASS Red	2	
0037.COMP	10	03:42	03:46:06.2	+46:21:44	300	88	3.0	0 Calibration	2	
0038.03472525+4213515	1500	04:07	03:47:25.2	+42:13:51	300	89	3.0	#141 2MASS Red	2	
0039.COMP	10	04:40	03:47:25.2	+42:13:51	300	89	3.0	0 Calibration	2	
0040.T37966671	20	04:49	08:04:09.1	+53:16:43	300	89	3.0	#192 DASCH Lon	2	
0041.T37966671	120	04:50	08:04:09.1	+53:16:43	300	89	3.0	#192 DASCH Lon	2	
0042.T37966671	120	04:53	08:04:09.1	+53:16:43	300	89	3.0	#192 DASCH Lon	2	

UT Date 2014-01-31 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0043.COMP	10	04:55	08:04:09.1	+53:16:43	300	89	3.0	0 Calibration	2	
0044.sn2014J	120	04:57	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0045.sn2014J	120	04:59	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0046.sn2014J	120	05:02	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0047.sn2014J	120	05:04	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0048.COMP	10	05:07	09:55:42.1	+69:40:26	300	89	3.0	0 Calibration	2	
0049.BIAS	0	05:16	07:30:00.0	+32:00:00	1200	89	1.1	0 Calibration	2	
0050.sn2014J.1200	600	05:18	09:55:42.1	+69:40:26	1200	89	1.1	#2 SN Observat	2	
0051.COMP	10	05:29	09:55:42.1	+69:40:26	1200	90	1.1	0 Calibration	2	
0052.sn2014J.1200	600	05:29	09:55:42.1	+69:40:26	1200	90	1.1	#2 SN Observat	2	
0053.COMP	10	05:40	09:55:42.1	+69:40:26	1200	90	1.1	0 Calibration	2	
0054.sn2014J.1200	600	05:41	09:55:42.1	+69:40:26	1200	90	1.1	#2 SN Observat	2	
0055.COMP	10	05:52	09:55:42.1	+69:40:26	1200	89	1.1	0 Calibration	2	
0056.HD84937	300	05:54	09:48:56.1	+13:44:39	1200	89	1.1	#56 Spectropho	2	
0057.COMP	10	06:00	09:48:56.1	+13:44:39	1200	89	1.1	0 Calibration	2	
0058-0067.FLAT	30	06:09	07:30:00.0	+32:00:00	1200	89	1.1	0 Calibration	2	
0068.test	10	06:14	08:15:00.0	+32:00:00	300	89	3.0	#2 SN Observat	2	
0069.test	10	06:15	08:15:00.0	+32:00:00	300	89	3.0	#2 SN Observat	2	
0070.a14back09	300	06:18	08:56:37.3	+21:45:51	300	89	3.0	#216 Local Com	2	300-line, 3-sec, combo
0071.COMP	10	06:24	08:56:37.3	+21:45:51	300	89	3.0	0 Calibration	2	

UT Date 2014-01-31 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0072.A02146.1	300	06:25	09:07:55.8	+08:01:31	300	89	3.0	#216 Local Com	2	
0073.COMP	10	06:31	09:07:55.8	+08:01:31	300	89	3.0	0 Calibration	2	
0074.sn3013ge	1800	07:23	10:34:48.5	+21:39:42	300	89	3.0	#2 SN Observat	2	
0075.COMP	10	07:53	10:34:48.5	+21:39:42	300	89	3.0	0 Calibration	2	
0076.sn2014L	574	07:55	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0077.COMP	10	08:05	12:18:48.7	+14:24:44	300	88	3.0	0 Calibration	2	
0078-0087.BIAS	0	08:15	12:18:48.7	+14:24:44	300	88	3.0	0 Calibration	2	
0088-0102.FLAT	7	08:20	12:18:48.7	+14:24:44	300	88	3.0	0 Calibration	2	
0103-0107.DARK	1200	13:09	12:18:48.7	+14:24:44	300	88	3.0	0 Calibration	2	