

UT Date 2014-02-24 Observers K Rines, J KroppColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	23:09	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	thick clouds
0002-0010.BIAS	0	23:11	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:16	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0026-0030.DARK	900	00:20	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0031-0035.DARK	1800	03:19	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0036.DARK	1800	05:40	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	4	
0037.HD84937	30	06:18	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0038.COMP	10	06:18	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0039.Feige34	180	06:21	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0040.COMP	10	06:24	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0041.sn2014J	1200	06:25	09:55:42.1	+69:40:26	300	90	3.0	#2 SN Observat	2	thru clouds
0042.COMP	10	06:46	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0043.A00080.1	600	06:48	08:35:28.1	+39:54:58	300	90	3.0	#216 Local Com	2	
0044.COMP	10	06:59	08:35:28.1	+39:54:58	300	90	3.0	0 Calibration	2	
0045.A00499.1	600	07:24	09:44:01.1	-02:37:58	300	90	3.0	#216 Local Com	2	no
0046.A00499.1	900	07:35	09:44:01.1	-02:37:58	300	90	3.0	#216 Local Com	2	
0047.COMP	10	07:50	09:44:01.1	-02:37:58	300	90	3.0	0 Calibration	2	
0048.A00499.4	805	07:53	09:43:55.9	-02:37:36	300	87	3.0	#216 Local Com	2	499.4=row143,499.3=row56
0049.COMP	10	08:06	09:43:55.9	-02:37:36	300	87	3.0	0 Calibration	2	
0050.A00499.2	600	08:21	09:43:56.2	-02:36:32	300	87	3.0	#216 Local Com	2	very weak

UT Date 2014-02-24 Observers K Rines, J KroppColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0051-0052.DARK	1800	10:07	09:43:56.2	-02:36:32	300	87	3.0	0 Calibration	4	
0053.BIAS	0	10:56	14:23:37.0	+25:49:28	300	87	3.0	0 Calibration	2	
0054.BIAS	360	10:56	14:23:37.0	+25:49:28	300	87	3.0	0 Calibration	2	object is Pbcg123, star to E
0055.COMP	10	11:03	14:23:37.0	+25:49:28	300	87	3.0	0 Calibration	2	
0056.Pbcg109	240	11:04	14:00:00.9	+28:30:00	300	87	3.0	#210 Brightest	2	
0057.COMP	10	11:08	14:00:00.9	+28:30:00	300	87	3.0	0 Calibration	2	
0058.Pbcg110	360	11:09	14:01:19.3	+28:31:08	300	87	3.0	#210 Brightest	2	
0059.COMP	10	11:15	14:01:19.3	+28:31:08	300	87	3.0	0 Calibration	2	
0060.Pbcg111	420	11:17	14:02:03.0	+26:53:44	300	87	3.0	#210 Brightest	2	
0061.COMP	10	11:24	14:02:03.0	+26:53:44	300	87	3.0	0 Calibration	2	
0062.Pbcg112	420	11:25	14:05:17.5	+26:37:43	300	87	3.0	#210 Brightest	2	
0063.COMP	10	11:33	14:05:17.5	+26:37:43	300	87	3.0	0 Calibration	2	
0064.A00163.1	720	11:35	13:47:52.6	+21:15:07	300	87	3.0	#216 Local Com	2	
0065.COMP	10	11:47	13:47:52.6	+21:15:07	300	87	3.0	0 Calibration	2	
0066.A00835.1	900	11:49	14:02:45.6	+27:51:31	300	87	3.0	#216 Local Com	2	
0067.COMP	10	12:04	14:02:45.6	+27:51:31	300	88	3.0	0 Calibration	2	
0068.A00276.2	720	12:07	14:23:39.2	+06:13:40	300	88	3.0	#216 Local Com	2	
0069.COMP	10	12:19	14:23:39.2	+06:13:40	300	88	3.0	0 Calibration	2	
0070.A00184.1	720	12:20	15:08:32.5	+05:50:35	300	88	3.0	#216 Local Com	2	
0071.COMP	10	12:33	15:08:32.5	+05:50:35	300	88	3.0	0 Calibration	2	

UT Date 2014-02-24 Observers K Rines, J KroppColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.a14back33	720	12:40	16:11:30.1	+52:45:03	300	88	3.0	#216 Local Com	2	
0073.COMP	10	12:52	16:11:30.1	+52:45:03	300	88	3.0	0 Calibration	2	
0074.Hen1341	12	13:00	17:08:36.0	-17:26:30	300	88	3.0	#12 Symbiotic	2	
0075.Hen1341	30	13:00	17:08:36.0	-17:26:30	300	88	3.0	#12 Symbiotic	2	
0076.Hen1341	60	13:01	17:08:36.0	-17:26:30	300	88	3.0	#12 Symbiotic	2	
0077.COMP	10	13:02	17:08:36.0	-17:26:30	300	88	3.0	0 Calibration	2	
0078.RSOph	10	13:05	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	WRONG STAR
0079.RSOph	10	13:07	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	correct star
0080.RSOph	60	13:07	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	
0081.RSOph	150	13:08	17:50:13.0	-06:42:30	300	88	3.0	#12 Symbiotic	2	
0082.COMP	10	13:11	17:50:13.0	-06:42:30	300	88	3.0	0 Calibration	2	
0083-0092.BIAS	0	13:21	17:50:13.0	-06:42:30	300	88	3.0	0 Calibration	2	
0093-0107.FLAT	7	13:26	17:50:13.0	-06:42:30	300	88	3.0	0 Calibration	2	
0108-0112.DARK	900	14:31	17:50:13.0	-06:42:30	300	88	3.0	0 Calibration	2	