

UT Date 2014-03-07 Observers M CalkinsColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	01:54	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:51	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	4	
0021-0040.FLAT	7	03:01	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0041-0050.BIAS	0	03:07	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0051.G191B2B	720	04:15	05:05:30.6	+52:49:52	300	89	3.0	#56 Spectropho	2	
0052.COMP	10	04:28	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0053.Hiltner600	240	04:30	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	04:35	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0055.sn2014J	780	04:38	09:55:42.1	+69:40:26	300	89	3.0	#2 SN Observat	2	
0056.COMP	10	04:52	09:55:42.1	+69:40:26	300	89	3.0	0 Calibration	2	
0057.sn2013gs	2700	04:56	09:31:08.9	+46:23:05	300	89	3.0	#2 SN Observat	2	
0058.COMP	10	05:41	09:31:08.9	+46:23:05	300	88	3.0	0 Calibration	2	
0059.back27	1500	05:44	08:19:07.1	+56:32:51	300	88	3.0	#216 Local Com	2	
0060.COMP	10	06:09	08:19:07.1	+56:32:51	300	86	3.0	0 Calibration	2	
0061.back24	1500	06:11	08:20:09.9	+56:38:55	300	86	3.0	#216 Local Com	2	
0062.COMP	10	06:39	08:20:09.9	+56:38:55	300	85	3.0	0 Calibration	2	
0063.back57	1500	06:41	08:20:19.6	+05:58:11	300	85	3.0	#216 Local Com	2	
0064.COMP	10	07:13	08:20:19.6	+05:58:11	300	90	3.0	0 Calibration	2	
0065.A00080.2	1800	07:15	08:35:27.6	+39:55:06	300	89	3.0	#216 Local Com	2	
0066.COMP	10	07:45	08:35:27.6	+39:55:06	300	89	3.0	0 Calibration	2	

UT Date 2014-03-07 Observers M CalkinsColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.back47	1200	07:47	08:20:28.0	+56:44:56	300	89	3.0	#216 Local Com	2	
0068.COMP	10	08:08	08:20:28.0	+56:44:56	300	90	3.0	0 Calibration	2	
0069.back35	1800	08:10	08:23:23.9	+19:31:01	300	90	3.0	#216 Local Com	2	
0070.COMP	10	08:41	08:23:23.9	+19:31:01	300	90	3.0	0 Calibration	2	
0071.back50	1500	08:42	08:40:10.5	+08:59:53	300	90	3.0	#216 Local Com	2	
0072.COMP	10	09:07	08:40:10.5	+08:59:53	300	89	3.0	0 Calibration	2	
0073.sn2013ge	2700	09:18	10:34:48.5	+21:39:42	300	89	3.0	#2 SN Observat	2	
0074.COMP	10	10:06	10:34:48.5	+21:39:42	300	89	3.0	0 Calibration	2	
0075.sn2014L	2100	10:08	12:18:48.7	+14:24:44	300	89	3.0	#2 SN Observat	2	
0076.COMP	10	10:44	12:18:48.7	+14:24:44	300	89	3.0	0 Calibration	2	
0077.SN-14ad	2700	10:47	12:40:11.1	+18:03:33	300	89	3.0	#2 SN Observat	2	
0078.COMP	10	11:33	12:40:11.1	+18:03:33	300	89	3.0	0 Calibration	2	
0079.a14back36	1500	11:35	14:51:55.4	+46:44:54	300	89	3.0	#216 Local Com	2	
0080.COMP	10	12:00	14:51:55.4	+46:44:54	300	89	3.0	0 Calibration	2	
0081.A00737.1	2100	12:02	16:12:32.6	+15:14:01	300	89	3.0	#216 Local Com	2	row=90
0082.COMP	10	12:38	16:12:32.6	+15:14:01	300	89	3.0	0 Calibration	2	
0083.BDp262606	40	12:41	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0084.COMP	10	12:43	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0085.BDp332642	120	12:45	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0086.COMP	10	12:48	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	

UT Date 2014-03-07 Observers M CalkinsColl. Focus 1330 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0087.N5866	300	12:51	15:06:29.5	+55:45:48	300	90	3.0	#57 Velocity S	2	
0088.COMP	10	12:57	15:06:29.5	+55:45:48	300	88	3.0	0 Calibration	2	
0089-0098.BIAS	0	13:04	15:06:29.5	+55:45:48	300	88	3.0	0 Calibration	2	
0099-0118.FLAT	7	13:12	15:06:29.5	+55:45:48	300	88	3.0	0 Calibration	2	
0119-0128.DARK	900	15:32	15:06:29.5	+55:45:48	300	88	3.0	0 Calibration	2	