

UT Date 2014-04-03 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	19:52	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	1	
0002.COMP	10	19:53	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	1	
0003.COMP	10	19:59	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	1	
0004.COMP	5	20:01	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0005-0014.BIAS	0	01:08	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0015-0029.FLAT	7	01:13	19:50:12.0	+35:41:02	300	90	3.0	0 Calibration	2	
0030.G191B2B	300	02:41	05:05:30.6	+52:49:52	300	90	3.0	#56 Spectropho	2	
0031.COMP	10	02:47	05:05:30.6	+52:49:52	300	90	3.0	0 Calibration	2	
0032.Hiltner600	90	02:51	06:45:13.4	+02:08:15	300	90	3.0	#56 Spectropho	2	
0033.COMP	10	02:53	06:45:13.4	+02:08:15	300	90	3.0	0 Calibration	2	
0034.A00499.2	1800	02:57	09:43:56.2	-02:36:32	300	90	3.0	#216 Local Com	2	
0035.COMP	10	03:28	09:43:56.2	-02:36:32	300	90	3.0	0 Calibration	2	
0036.sn2014ai	1200	03:31	09:19:44.2	+33:45:50	300	90	3.0	#2 SN Observat	2	
0037.COMP	10	03:52	09:19:44.2	+33:45:50	300	90	3.0	0 Calibration	2	
0038.sn2014J	1200	03:55	09:55:42.1	+69:40:26	300	90	3.0	#2 SN Observat	2	
0039.sn2014J	1200	04:15	09:55:42.1	+69:40:26	300	90	3.0	#2 SN Observat	2	
0040.COMP	10	04:36	09:55:42.1	+69:40:26	300	90	3.0	0 Calibration	2	
0041.A01390.4	1800	04:39	10:15:23.2	+60:08:32	300	90	3.0	#216 Local Com	2	
0042.COMP	10	05:10	10:15:23.2	+60:08:32	300	90	3.0	0 Calibration	2	
0043.A00441.1	1800	05:18	10:34:03.0	+61:37:19	300	90	3.0	#216 Local Com	2	

UT Date 2014-04-03 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	10	05:53	10:34:03.0	+61:37:19	300	90	3.0	0 Calibration	2	
0045.TXCVn	30	06:05	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0046.TXCVn	60	06:07	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0047.TXCVn	60	06:10	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0048.TXCVn	60	06:12	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0049.TXCVn	60	06:13	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0050.TXCVn	60	06:15	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0051.TXCVn	60	06:16	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0052.TXCVn	60	06:17	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0053.TXCVn	120	06:19	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0054.TXCVn	120	06:22	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0055.TXCVn	120	06:24	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0056.TXCVn	120	06:26	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0057.TXCVn	120	06:28	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0058.TXCVn	120	06:30	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0059.COMP	10	06:35	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0060.psnJ1145	1800	06:40	11:45:03.6	+19:58:25	300	1	3.0	#2 SN Observat	2	
0061.COMP	10	07:11	11:45:03.6	+19:58:25	300	1	3.0	0 Calibration	2	
0062.sn14ad	1800	07:16	11:57:44.4	-10:10:16	300	90	3.0	#2 SN Observat	2	
0063.COMP	10	07:47	11:57:44.4	-10:10:16	300	90	3.0	0 Calibration	2	

UT Date 2014-04-03 Observers S WillisColl. Focus 1330 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0064.SDSSJ1522p3913	1800	09:49	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0065.COMP	10	10:21	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0066.A00183.2	1800	10:24	15:12:18.5	+27:50:41	300	90	3.0	#216 Local Com	2	
0067.COMP	10	10:55	15:12:18.5	+27:50:41	300	90	3.0	0 Calibration	2	
0068.IRAS16052+5334	600	10:59	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	
0069.IRAS16052+5334	900	11:10	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	
0070.IRAS16052+5334	900	11:25	16:06:33.0	+53:26:32	300	90	3.0	#199 Optical n	2	
0071.COMP	10	11:41	16:06:33.0	+53:26:32	300	90	3.0	0 Calibration	2	
0072.SDSSJ1522p3913	1800	11:44	15:22:38.8	+39:13:52	300	90	3.0	#192 DASCH Lon	2	
0073.COMP	10	12:16	15:22:38.8	+39:13:52	300	90	3.0	0 Calibration	2	
0074.CHCyg	1	12:18	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0075.CHCyg	5	12:19	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0076.CHCyg	30	12:19	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0077.COMP	10	12:22	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0078.COMP	10	12:23	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0079-0088.BIAS	0	12:38	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0089-0103.FLAT	7	12:43	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	
0104-0108.DARK	1200	14:06	16:51:20.3	-26:00:33	300	90	3.0	0 Calibration	2	