

UT Date 2014-05-07 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:30	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:36	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0026-0030.DARK	1200	03:52	20:12:33.1	+40:16:05	300	90	3.0	0 Calibration	2	
0031.HD134854	5	06:56	15:11:47.7	+10:12:59	300	90	3.0	#219 Disk Dete	2	
0032.HD134854	5	06:56	15:11:47.7	+10:12:59	300	90	3.0	#219 Disk Dete	2	
0033.HD134854	5	06:57	15:11:47.7	+10:12:59	300	90	3.0	#219 Disk Dete	2	
0034.COMP	10	06:57	15:11:47.7	+10:12:59	300	90	3.0	0 Calibration	2	
0035.HD138422	5	06:59	15:30:46.1	+34:27:56	300	90	3.0	#219 Disk Dete	2	
0036.HD138422	5	06:59	15:30:46.1	+34:27:56	300	90	3.0	#219 Disk Dete	2	
0037.HD138422	5	06:59	15:30:46.1	+34:27:56	300	90	3.0	#219 Disk Dete	2	
0038.COMP	10	07:00	15:30:46.1	+34:27:56	300	90	3.0	0 Calibration	2	
0039.HD138214	10	07:01	15:29:54.1	+23:49:01	300	90	3.0	#219 Disk Dete	2	
0040.HD138214	10	07:02	15:29:54.1	+23:49:01	300	90	3.0	#219 Disk Dete	2	
0041.HD138214	10	07:02	15:29:54.1	+23:49:01	300	90	3.0	#219 Disk Dete	2	
0042.COMP	10	07:03	15:29:54.1	+23:49:01	300	90	3.0	0 Calibration	2	
0043.AWI0000qxd	480	07:04	15:25:27.2	+28:49:14	300	90	3.0	#219 Disk Dete	2	
0044.COMP	10	07:13	15:25:27.2	+28:49:14	300	90	3.0	0 Calibration	2	
0045.BDp262606	100	07:14	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0046.BDp262606	100	07:16	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0047.BDp262606	100	07:18	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	

UT Date 2014-05-07 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0048.COMP	10	07:20	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0049.MCL1307+6155	480	07:23	13:07:50.9	+61:55:43	300	90	3.0	#218 M dwarfs	2	
0050.MCL1307+6155	480	07:32	13:07:50.9	+61:55:43	300	90	3.0	#218 M dwarfs	2	
0051.MCL1307+6155	480	07:40	13:07:50.9	+61:55:43	300	90	3.0	#218 M dwarfs	2	
0052.COMP	10	07:48	13:07:50.9	+61:55:43	300	90	3.0	0 Calibration	2	
0053.MCL1335+5213	720	07:50	13:35:44.1	+52:13:24	300	90	3.0	#218 M dwarfs	2	
0054.COMP	10	08:03	13:35:44.1	+52:13:24	300	90	3.0	0 Calibration	2	
0055.SDSSJ1522p3913	1800	08:05	15:22:38.8	+39:13:52	300	86	3.0	#192 DASCH Lon	2	
0056.COMP	10	08:35	15:22:38.8	+39:13:52	300	86	3.0	0 Calibration	2	
0057.BDp332642	150	09:09	15:51:59.9	+32:56:54	300	86	3.0	#56 Spectropho	2	
0058.COMP	10	09:12	15:51:59.9	+32:56:54	300	86	3.0	0 Calibration	2	
0059.snj1400	1800	09:14	14:00:54.5	+40:59:00	300	86	3.0	#2 SN Observat	2	
0060.COMP	10	09:44	14:00:54.5	+40:59:00	300	86	3.0	0 Calibration	2	
0061.SNJ1652	1800	09:47	16:52:57.6	+02:23:37	300	86	3.0	#2 SN Observat	2	
0062.COMP	10	10:18	16:52:57.6	+02:23:37	300	89	3.0	0 Calibration	2	
0063.MCL1645+2954	900	10:20	16:45:38.0	+29:54:57	300	89	3.0	#218 M dwarfs	2	
0064.MCL1645+2954	900	10:35	16:45:38.0	+29:54:57	300	89	3.0	#218 M dwarfs	2	
0065.MCL1645+2954	900	10:51	16:45:38.0	+29:54:57	300	89	3.0	#218 M dwarfs	2	
0066.COMP	10	11:06	16:45:38.0	+29:54:57	300	90	3.0	0 Calibration	2	
0067.AGDra	45	11:08	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	

UT Date 2014-05-07 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.AGDra	90	11:09	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0069.AGDra	10	11:11	16:01:41.0	+66:48:10	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	11:11	16:01:41.0	+66:48:10	300	90	3.0	0 Calibration	2	
0071.CHCyg	5	11:13	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0072.CHCyg	2	11:13	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0073.CHCyg	15	11:14	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0074.COMP	10	11:14	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0075.UGC11037	900	11:16	17:55:05.4	+18:15:27	300	90	3.0	#99 Other Falc	2	
0076.COMP	10	11:31	17:55:05.4	+18:15:27	300	87	3.0	0 Calibration	2	
0077.BDp404032	120	11:33	20:08:24.1	+41:15:04	300	87	3.0	#56 Spectropho	2	
0078.COMP	10	11:35	20:08:24.1	+41:15:04	300	87	3.0	0 Calibration	2	
0079.HD192281	10	11:37	20:12:33.1	+40:16:05	300	87	3.0	#56 Spectropho	2	
0080.HD192281	10	11:37	20:12:33.1	+40:16:05	300	87	3.0	#56 Spectropho	2	
0081.HD192281	10	11:37	20:12:33.1	+40:16:05	300	87	3.0	#56 Spectropho	2	
0082.COMP	10	11:38	20:12:33.1	+40:16:05	300	87	3.0	0 Calibration	2	
0083-0092.BIAS	0	11:42	20:12:33.1	+40:16:05	300	87	3.0	0 Calibration	2	
0093-0107.FLAT	7	11:48	20:12:33.1	+40:16:05	300	87	3.0	0 Calibration	2	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	