


UT Date 2014-07-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:45	00:48:48.0	+18:18:50	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	9	02:51	00:48:48.0	+18:18:50	300	89	3.0	0 Calibration	2	
0026.BDp262606	90	03:30	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0027.BDp262606	90	03:33	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0028.COMP	10	03:35	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0029.BDp332642	120	03:36	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0030.COMP	10	03:39	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0031.AWI00006p0	900	03:42	16:01:25.8	-00:59:58	300	89	3.0	#219 Disk Dete	2	
0032.COMP	10	03:58	16:01:25.8	-00:59:58	300	90	3.0	0 Calibration	2	
0033.AS289	60	04:01	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0034.AS289	720	04:02	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0035.COMP	10	04:15	18:12:22.0	-11:40:08	300	89	3.0	0 Calibration	2	
0036.AS270	120	04:19	18:05:33.7	-20:20:38	300	89	3.0	#12 Symbiotic	2	
0037.AS270	600	04:21	18:05:33.7	-20:20:38	300	89	3.0	#12 Symbiotic	2	
0038.COMP	10	04:32	18:05:33.7	-20:20:38	300	89	3.0	0 Calibration	2	
0039.Hen1591	120	04:33	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0040.Hen1591	265	04:36	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	stopped by clouds redo
0041.COMP	10	04:41	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	
0042.test	10	04:46	18:00:00.0	+32:00:00	1200	89	2.0	#176 Be/X-ray	2	
0043.test	10	04:47	18:00:00.0	+32:00:00	1200	89	2.0	#176 Be/X-ray	2	1200-line, 2-sec

UT Date 2014-07-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.4U1907p09	1387	04:49	19:09:38.0	+09:49:47	1200	89	2.0	#176 Be/X-ray	2	clouds
0045.COMP	10	05:13	19:09:38.0	+09:49:47	1200	89	2.0	0 Calibration	2	
0046.KS1947p300	1800	05:48	19:49:35.5	+30:12:32	1200	90	2.0	#176 Be/X-ray	2	
0047.COMP	10	06:18	19:49:35.5	+30:12:32	1200	90	2.0	0 Calibration	2	
0048.BDp404032	270	06:19	20:08:24.1	+41:15:04	1200	90	2.0	#176 Be/X-ray	2	red end is falling off pretty hard
0049.COMP	10	06:24	20:08:24.1	+41:15:04	1200	90	2.0	0 Calibration	2	
0050.BDp404032	60	06:25	20:08:24.1	+41:15:04	1200	90	2.0	#176 Be/X-ray	2	
0051.BDp404032	60	06:27	20:08:24.1	+41:15:04	1200	90	2.0	#176 Be/X-ray	2	focus tests
0052.BDp404032	60	06:28	20:08:24.1	+41:15:04	1200	90	2.0	#176 Be/X-ray	2	
0053-0062.FLAT	20	06:38	20:00:21.9	+32:11:23	1200	90	2.0	0 Calibration	2	
0063.4U2204p543	240	07:08	22:07:57.0	+54:31:06	1200	90	2.0	#176 Be/X-ray	2	
0064.COMP	10	07:12	22:07:57.0	+54:31:06	1200	90	2.0	0 Calibration	2	
0065.IGRJ2134.2p4738	1800	07:15	21:34:20.4	+47:38:00	1200	86	2.0	#176 Be/X-ray	2	
0066.COMP	10	07:45	21:34:20.4	+47:38:00	1200	86	2.0	0 Calibration	2	
0067.SAXJ2239p6116	1800	07:47	22:39:20.9	+61:16:27	1200	86	2.0	#176 Be/X-ray	2	
0068.COMP	10	08:18	22:39:20.9	+61:16:27	1200	89	2.0	0 Calibration	2	
0069.MWC656	420	08:19	22:42:57.1	+44:43:13	1200	89	2.0	#176 Be/X-ray	2	
0070.COMP	10	08:26	22:42:57.1	+44:43:13	1200	89	2.0	0 Calibration	2	
0071.BDp174708	120	08:29	22:11:31.5	+18:05:34	1200	89	2.0	#176 Be/X-ray	2	
0072.COMP	10	08:32	22:11:31.5	+18:05:34	1200	89	2.0	0 Calibration	2	

UT Date 2014-07-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.test	10	08:36	22:10:00.0	+30:00:00	300	89	3.0	#176 Be/X-ray	2	
0074.test	10	08:38	22:10:00.0	+30:00:00	300	89	3.0	#176 Be/X-ray	2	
0075.test	10	08:39	22:10:00.0	+30:00:00	300	89	3.0	#176 Be/X-ray	2	
0076.BDp174708	120	08:41	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	300-line, 3-sec
0077.BDp174708	120	08:44	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0078.COMP	10	08:46	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0079.BDp284211	180	08:48	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0080.COMP	10	08:51	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0081.AWI0005aap	960	08:54	22:15:13.2	+71:11:42	300	89	3.0	#219 Disk Dete	2	
0082.COMP	10	09:10	22:15:13.2	+71:11:42	300	89	3.0	0 Calibration	2	
0083.AWI0002cu6	1200	09:12	22:29:06.5	+63:10:46	300	89	3.0	#219 Disk Dete	2	
0084.COMP	10	09:33	22:29:06.5	+63:10:46	300	89	3.0	0 Calibration	2	
0085.AWI00023d1	1200	09:34	22:48:36.3	+62:48:09	300	89	3.0	#219 Disk Dete	2	
0086.AWI00023d1	1200	09:56	22:48:36.3	+62:48:09	300	89	3.0	#219 Disk Dete	2	
0087.COMP	10	10:17	22:48:36.3	+62:48:09	300	89	3.0	0 Calibration	2	
0088.LP586-65	1800	10:19	01:06:48.9	+01:48:45	300	89	3.0	#218 M dwarfs	2	
0089.LP586-65	1800	10:50	01:06:48.9	+01:48:45	300	89	3.0	#218 M dwarfs	2	
0090.COMP	10	11:22	01:06:48.9	+01:48:45	300	89	3.0	0 Calibration	2	
0091.AWI0000aoc	600	11:23	00:50:08.7	-02:23:22	300	89	3.0	#219 Disk Dete	2	
0092.COMP	10	11:34	00:50:08.7	-02:23:22	300	89	3.0	0 Calibration	2	

UT Date 2014-07-30 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0093.HD5543	90	11:35	00:57:14.2	+01:21:50	300	89	3.0	#219 Disk Dete	2	
0094.COMP	10	11:37	00:57:14.2	+01:21:50	300	89	3.0	0 Calibration	2	
0095-0104.BIAS	0	11:40	00:57:14.2	+01:21:50	300	89	3.0	0 Calibration	2	
0105-0119.FLAT	9	11:46	00:57:14.2	+01:21:50	300	89	3.0	0 Calibration	2	
0120.test	10	11:48	00:57:14.2	+01:21:50	300	89	3.0	#219 Disk Dete	2	
0121-0125.DARK	1200	13:10	00:57:14.2	+01:21:50	300	89	3.0	0 Calibration	2	