


UT Date 2014-09-20 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	23:17	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	4	
0002.COMP	10	23:27	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2	
0003.COMP	5	23:33	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2	
0004.BIAS	0	23:42	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2x10	
0005-0013.BIAS	0	23:44	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2	
0014.FLAT	7	23:47	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2x15	
0015-0028.FLAT	7	23:53	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2	
0029.fastfoc	10	23:59	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	foc=1360
0030.fastfoc	10	00:00	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0031.fastfoc	10	00:00	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0032.fastfoc	10	00:01	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0033.fastfoc	10	00:01	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0034.fastfoc	10	00:01	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0035.fastfoc	10	00:02	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0036.fastfoc	10	00:02	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0037.fastfoc	10	00:03	20:18:36.7	+31:27:24	300	89	3.0	#219 Disk Dete	2	
0038.DARK	900	00:08	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2x5	
0039-0042.DARK	900	01:09	20:18:36.7	+31:27:24	300	89	3.0	0 Calibration	2	
0043.HIP88794	5	01:52	18:07:32.5	+28:45:45	300	89	3.0	#57 Velocity S	2	pointing test
0044.HIP88794	5	01:54	18:07:32.5	+28:45:45	300	89	3.0	#57 Velocity S	2	

UT Date 2014-09-20 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0045.BDp262606	120	02:18	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	photometric
0046.COMP	10	02:20	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0047.BDp332642	150	02:25	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0048.COMP	10	02:28	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0049.TCrB	15	02:32	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0050.COMP	10	02:33	15:59:30.0	+25:55:12	300	89	3.0	0 Calibration	2	
0051.TCrB	60	02:34	15:59:30.0	+25:55:12	300	89	3.0	#12 Symbiotic	2	
0052.AGDra	2	02:44	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0053.AGDra	15	02:45	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0054.AGDra	60	02:45	16:01:41.0	+66:48:10	300	89	3.0	#12 Symbiotic	2	
0055.COMP	10	02:47	16:01:41.0	+66:48:10	300	89	3.0	0 Calibration	2	
0056.DracoC1	1200	02:53	17:19:58.0	+57:50:06	300	89	3.0	#12 Symbiotic	2	
0057.COMP	10	03:14	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0058.rmbcg026	1020	03:17	15:49:48.6	+29:10:34	300	90	3.0	#210 Brightest	2	
0059.COMP	10	03:34	15:49:48.6	+29:10:34	300	91	3.0	0 Calibration	2	
0060.WHSS220044+162126	1500	03:39	22:00:44.0	+16:21:26	300	91	3.0	#221 Bright Hi	2	
0061.COMP	10	04:05	22:00:44.0	+16:21:26	300	90	3.0	0 Calibration	2	
0062.WHSS220105+260326	600	04:09	22:01:05.6	+26:03:27	300	90	3.0	#221 Bright Hi	2	
0063.COMP	10	04:19	22:01:05.6	+26:03:27	300	90	3.0	0 Calibration	2	
0064.BDp284211	150	04:30	21:51:11.0	+28:51:50	600	90	1.5	#56 Spectropho	4	

UT Date 2014-09-20 Observers E MorgansonColl. Focus 1360 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0065.COMP	10	04:33	21:51:11.0	+28:51:50	600	90	1.5	0 Calibration	4	
0066.bb205	462	04:38	19:09:09.6	+62:52:03	600	71	1.5	#178 Low Mass	4	
0067.COMP	10	04:46	19:09:09.6	+62:52:03	600	71	1.5	0 Calibration	4	
0068.bb206	640	04:49	21:13:51.2	-04:13:53	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	05:01	21:13:51.2	-04:13:53	600	90	1.5	0 Calibration	4	
0070.bb207	1200	05:02	21:19:55.4	-04:03:31	600	90	1.5	#178 Low Mass	4	
0071.COMP	10	05:23	21:19:55.4	-04:03:31	600	90	1.5	0 Calibration	4	
0072.bb208	660	05:28	21:27:00.9	-02:16:36	600	90	1.5	#178 Low Mass	4	
0073.COMP	10	05:39	21:27:00.9	-02:16:36	600	90	1.5	0 Calibration	4	
0074.bb209	500	05:42	21:32:49.9	+06:57:57	600	90	1.5	#178 Low Mass	4	
0075.COMP	10	05:51	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	closed to humidity
0076.BIAS	0	06:26	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	x10
0077-0085.BIAS	0	06:27	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	
0086.FLAT	12	06:28	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	x10
0087-0095.FLAT	12	06:32	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	
0096-0097.DARK	900	06:49	21:32:49.9	+06:57:57	600	90	1.5	0 Calibration	4	
0098.bb210	840	07:06	21:34:05.9	-01:31:04	600	90	1.5	#178 Low Mass	4	
0099.COMP	10	07:21	21:34:05.9	-01:31:04	600	90	1.5	0 Calibration	4	
0100.bb220	900	07:22	22:02:55.1	+17:50:21	600	90	1.5	#178 Low Mass	4	
0101.COMP	10	07:37	22:02:55.1	+17:50:21	600	90	1.5	0 Calibration	4	

UT Date 2014-09-20 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0102.bb235	960	07:39	22:38:13.6	-05:44:31	600	90	1.5	#178 Low Mass	4	
0103.COMP	10	07:55	22:38:13.6	-05:44:31	600	90	1.5	0 Calibration	4	
0104.bb238	900	07:56	22:47:49.2	-02:05:00	600	90	1.5	#178 Low Mass	4	
0105.COMP	10	08:12	22:47:49.2	-02:05:00	600	90	1.5	0 Calibration	4	shut to clouds
0106-0108.DARK	900	08:50	02:02:54.0	-16:53:04	600	90	1.5	0 Calibration	4	
0109.wd0200	600	09:09	02:02:54.0	-16:53:04	600	90	1.5	#178 Low Mass	4	
0110.COMP	10	09:19	02:02:54.0	-16:53:04	600	90	1.5	0 Calibration	4	
0111.wd0200	600	09:20	02:02:54.0	-16:53:04	600	90	1.5	#178 Low Mass	4	
0112.COMP	10	09:30	02:02:54.0	-16:53:04	600	90	1.5	0 Calibration	4	
0113.wd0200	600	09:38	02:02:54.0	-16:53:04	600	90	1.5	#178 Low Mass	4	
0114.COMP	10	09:56	02:02:54.0	-16:53:04	600	90	1.5	0 Calibration	4	
0117.COMP	5	10:56	02:02:54.0	-16:53:04	300	90	3.0	0 Calibration	4	testing 300l grating
0118.FLAT	7	11:11	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	x15
0119-0132.FLAT	7	11:15	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0133.BIAS	0	11:16	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	x10
0134-0142.BIAS	0	11:18	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0143.snj034819	660	11:45	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	heavy clouds
0144.COMP	10	11:57	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0145-0154.DARK	900	14:54	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	4	
0155-0164.DARK	900	17:27	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	20:56	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0011.fastfoc	10	21:00	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0012.fastfoc	10	21:00	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0013.fastfoc	10	21:01	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0014.fastfoc	10	21:01	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0015.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0016.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0017.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0018.fastfoc	10	21:03	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0019.fastfoc	10	21:03	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0020.FLAT	7	21:08	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0021-0034.FLAT	0	21:08	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0035-0049.FLAT	7	21:17	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0050.COMP	10	01:05	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0051.HIP90139	5	01:59	18:23:41.8	+21:46:13	300	90	3.0	#57 Velocity S	2	
0052.COMP	10	01:59	18:23:41.8	+21:46:13	300	90	3.0	0 Calibration	2	
0053.BDp262606	120	02:04	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	02:07	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0055.BDp332642	150	02:10	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0056.COMP	10	02:13	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0057.RSOph	10	02:23	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0058.COMP	10	02:24	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0059.RSOph	60	02:25	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0060.COMP	10	02:26	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0061.AS289	15	02:29	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0062.COMP	10	02:30	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0063.AS289	100	02:30	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	02:32	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0065.YYHer	10	02:40	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0066.COMP	10	02:40	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0067.YYHer	60	02:41	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0068.COMP	10	02:42	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0069.AS296	30	02:47	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	02:48	18:15:07.0	-00:18:52	300	90	3.0	0 Calibration	2	
0071.AS296	120	02:49	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0072.WHSS220116+233549	600	03:07	22:01:16.7	+23:35:50	300	90	3.0	#221 Bright Hi	2	
0073.COMP	10	03:18	22:01:16.7	+23:35:50	300	90	3.0	0 Calibration	2	
0074.WHSS220105-074925	300	03:25	22:01:05.5	-07:49:25	300	89	3.0	#221 Bright Hi	2	
0075.COMP	10	03:30	22:01:05.5	-07:49:25	300	89	3.0	0 Calibration	2	
0076.WHSS220118+233703	500	03:34	22:01:18.3	+23:37:03	300	89	3.0	#221 Bright Hi	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0077.COMP	10	03:43	22:01:18.3	+23:37:03	300	89	3.0	0 Calibration	2	
0078.WHSS220121+172336	300	03:46	22:01:21.4	+17:23:37	300	89	3.0	#221 Bright Hi	2	
0079.COMP	10	03:52	22:01:21.4	+17:23:37	300	89	3.0	0 Calibration	2	
0080.WHSS220126+213301	600	03:57	22:01:26.8	+21:33:02	300	87	3.0	#221 Bright Hi	2	
0081.COMP	10	04:07	22:01:26.8	+21:33:02	300	87	3.0	0 Calibration	2	
0082.WHSS220132+170912	600	04:11	22:01:32.3	+17:09:13	300	89	3.0	#221 Bright Hi	2	
0083.COMP	10	04:21	22:01:32.3	+17:09:13	300	89	3.0	0 Calibration	2	
0084.BDp284211	150	04:25	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0085.COMP	10	04:28	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0086.BDp174708	120	04:31	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0087.COMP	10	04:34	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0088.WHSS220138+281948	600	04:37	22:01:39.0	+28:19:48	300	89	3.0	#221 Bright Hi	2	
0089.COMP	10	04:47	22:01:39.0	+28:19:48	300	89	3.0	0 Calibration	2	
0090.WHSS220151+271448	1200	04:52	22:01:51.8	+27:14:49	300	90	3.0	#221 Bright Hi	2	
0091.COMP	10	05:12	22:01:51.8	+27:14:49	300	90	3.0	0 Calibration	2	
0092.WHSS230020+252019	1200	05:15	23:00:20.1	+25:20:20	300	89	3.0	#221 Bright Hi	2	
0093.COMP	10	05:36	23:00:20.1	+25:20:20	300	89	3.0	0 Calibration	2	
0094.WHSS230139+223448	1200	05:38	23:01:39.1	+22:34:49	300	89	3.0	#221 Bright Hi	2	
0095.WHSS230139+223448	1200	07:50	23:01:39.1	+22:34:49	300	89	3.0	#221 Bright Hi	2	
0096.COMP	10	08:10	23:01:39.1	+22:34:49	300	89	3.0	0 Calibration	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0097.WHSS230155-080849	1200	08:14	23:01:55.2	-08:08:49	300	90	3.0	#221 Bright Hi	2	
0098.COMP	10	08:34	23:01:55.2	-08:08:49	300	90	3.0	0 Calibration	2	
0099.WHSS230339+293054	1200	08:36	23:03:39.5	+29:30:55	300	90	3.0	#221 Bright Hi	2	
0100.COMP	10	08:57	23:03:39.5	+29:30:55	300	90	3.0	0 Calibration	2	
0101.WHSS230345+333630	1200	09:01	23:03:46.0	+33:36:31	300	90	3.0	#221 Bright Hi	2	
0102.COMP	10	09:21	23:03:46.0	+33:36:31	300	90	3.0	0 Calibration	2	
0103-0112.DARK	900	13:34	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	4	
0113-0122.DARK	900	16:07	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	

UT Date 2014-09-22 Observers E MorgansonColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0015.FLAT	7	21:57	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	
0016-0025.BIAS	0	21:59	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	
0026-0040.FLAT	7	22:06	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	
0041.COMP	10	22:07	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	
0042.COMP	10	22:11	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	
0043.BDp284211	150	03:21	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0044.BDp284211	600	03:33	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0045.COMP	10	03:43	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0046.BDp174708	300	03:45	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0047.COMP	10	03:51	22:11:31.4	+18:05:34	300	86	3.0	0 Calibration	2	
0048.V443Her	10	03:56	18:22:07.0	+23:27:20	300	86	3.0	#12 Symbiotic	2	
0049.COMP	10	03:56	18:22:07.0	+23:27:20	300	86	3.0	0 Calibration	2	
0050.V443Her	90	03:57	18:22:07.0	+23:27:20	300	86	3.0	#12 Symbiotic	2	
0051.V443Her	180	03:59	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0052.AS338	180	04:06	19:03:47.0	+16:26:17	300	89	3.0	#12 Symbiotic	2	
0053.AS338	180	06:08	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0054.COMP	10	06:11	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0055.AS338	1200	06:12	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0056.BFCyg	60	06:41	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0057.COMP	10	06:42	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	

UT Date 2014-09-22 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0058.BFCyg	120	06:43	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0059.ZAnd	4	07:04	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0060.ZAnd	20	07:04	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0061.COMP	10	07:05	23:33:40.0	+48:49:06	300	90	3.0	0 Calibration	2	
0062.ZAnd	120	07:06	23:33:40.0	+48:49:06	300	90	3.0	#12 Symbiotic	2	
0063.RAqr	2	07:10	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	07:11	23:43:49.0	-15:17:05	300	90	3.0	0 Calibration	2	
0065.RAqr	10	07:11	23:43:49.0	-15:17:05	300	90	3.0	#12 Symbiotic	2	
0066.EGAnd	2	07:18	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0067.EGAnd	10	07:18	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0068.EGAnd	20	07:19	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0069.EGAnd	20	07:20	00:44:37.0	+40:40:47	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	07:21	00:44:37.0	+40:40:47	300	90	3.0	0 Calibration	2	
0071.AXPer	8	07:28	01:36:23.0	+54:15:03	300	88	3.0	#12 Symbiotic	2	
0072.AXPer	60	07:28	01:36:23.0	+54:15:03	300	88	3.0	#12 Symbiotic	2	
0073.AXPer	180	07:29	01:36:23.0	+54:15:03	300	88	3.0	#12 Symbiotic	2	
0074.COMP	10	07:33	01:36:23.0	+54:15:03	300	88	3.0	0 Calibration	2	
0075.rmbcg035	900	07:38	22:31:28.8	-08:29:06	300	89	3.0	#210 Brightest	2	
0076.COMP	10	07:53	22:31:28.8	-08:29:06	300	89	3.0	0 Calibration	2	
0077.AWI000621o	600	08:10	00:31:40.8	-01:47:37	300	89	3.0	#219 Disk Dete	2	

UT Date 2014-09-22 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0078.COMP	10	08:22	00:31:40.8	-01:47:37	300	89	3.0	0 Calibration	2	
0079.AWI0005mry	30	08:26	00:34:12.7	+54:03:59	300	89	3.0	#219 Disk Dete	2	
0080.AWI0005mry	300	08:26	00:34:12.7	+54:03:59	300	89	3.0	#219 Disk Dete	2	
0081.COMP	10	08:34	00:34:12.7	+54:03:59	300	90	3.0	0 Calibration	2	
0082.AWI0005yiv	300	08:37	00:59:26.3	+40:09:18	300	88	3.0	#219 Disk Dete	2	
0083.COMP	10	08:43	00:59:26.3	+40:09:18	300	88	3.0	0 Calibration	2	
0084.AWI0005yiz	150	08:44	01:07:22.6	+38:01:43	300	88	3.0	#219 Disk Dete	2	
0085.COMP	10	08:47	01:07:22.6	+38:01:43	300	88	3.0	0 Calibration	2	
0086.W0052-1039	120	08:50	00:52:15.1	-10:39:46	300	89	3.0	#219 Disk Dete	2	
0087.COMP	10	08:52	00:52:15.1	-10:39:46	300	89	3.0	0 Calibration	2	
0088.W0052-1039	150	08:54	00:52:15.1	-10:39:46	300	90	3.0	#219 Disk Dete	2	
0089.W0052-1039	600	08:58	00:52:15.1	-10:39:46	300	89	3.0	#219 Disk Dete	2	
0090.AWI0005w6c	150	09:11	01:26:50.3	+45:40:38	300	90	3.0	#219 Disk Dete	2	
0091.COMP	10	09:14	01:26:50.3	+45:40:38	300	88	3.0	0 Calibration	2	
0092.AWI0004ne5	100	09:18	01:35:25.9	+56:02:37	300	88	3.0	#219 Disk Dete	2	
0093.COMP	10	09:20	01:35:25.9	+56:02:37	300	88	3.0	0 Calibration	2	
0094.AWI00062a8	200	09:22	01:37:56.2	+21:15:39	300	88	3.0	#219 Disk Dete	2	
0095.COMP	10	09:26	01:37:56.2	+21:15:39	300	88	3.0	0 Calibration	2	
0096.AWI0000qox	500	09:28	02:03:59.5	+14:11:32	300	89	3.0	#219 Disk Dete	2	
0097.AWI0000qox	500	09:37	02:03:59.5	+14:11:32	300	89	3.0	#219 Disk Dete	2	

UT Date 2014-09-22 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0098.COMP	10	09:46	02:03:59.5	+14:11:32	300	89	3.0	0 Calibration	2	
0099.AWI0000b9g	1200	10:01	02:31:16.0	-09:48:45	300	89	3.0	#219 Disk Dete	2	
0100.COMP	10	10:22	02:31:16.0	-09:48:45	300	89	3.0	0 Calibration	2	
0101.AWI0004nfn	100	10:32	03:15:51.6	+49:52:40	300	89	3.0	#219 Disk Dete	2	
0102.COMP	10	10:35	03:15:51.6	+49:52:40	300	89	3.0	0 Calibration	2	
0103.AWI0005ylv	200	10:38	03:39:00.6	+29:41:45	300	88	3.0	#219 Disk Dete	2	
0104.COMP	10	10:41	03:39:00.6	+29:41:45	300	88	3.0	0 Calibration	2	
0105.AWI0005w9s	200	10:44	03:59:58.8	+31:29:01	300	88	3.0	#219 Disk Dete	2	
0106.COMP	10	10:48	03:59:58.8	+31:29:01	300	88	3.0	0 Calibration	2	
0107.AWI0005ymk	600	10:50	04:19:18.2	+19:45:39	300	87	3.0	#219 Disk Dete	2	
0108.COMP	10	11:01	04:19:18.2	+19:45:39	300	87	3.0	0 Calibration	2	
0109.AWI00055vx	200	11:07	04:06:49.3	+70:27:37	300	87	3.0	#219 Disk Dete	2	
0110.COMP	10	11:12	04:06:49.3	+70:27:37	300	87	3.0	0 Calibration	2	
0111.AWI0002ozm	100	11:14	04:15:17.5	+50:51:24	300	90	3.0	#219 Disk Dete	2	
0112.COMP	10	11:16	04:15:17.5	+50:51:24	300	90	3.0	0 Calibration	2	
0113.AWI0005zgj	100	11:18	04:07:54.7	+16:31:50	300	90	3.0	#219 Disk Dete	2	
0114.COMP	10	11:21	04:07:54.7	+16:31:50	300	90	3.0	0 Calibration	2	
0115.AWI0005zgj	60	11:25	04:07:54.7	+16:31:50	300	90	3.0	#219 Disk Dete	2	
0116.AWI0005zz5	60	11:29	04:02:38.5	-00:48:03	300	90	3.0	#219 Disk Dete	2	
0117.COMP	10	11:30	04:02:38.5	-00:48:03	300	90	3.0	0 Calibration	2	

UT Date 2014-09-22 Observers E MorgansonColl. Focus 1350 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0118.AWI0005ylz	100	11:32	03:44:00.3	+24:33:24	300	90	3.0	#219 Disk Dete	2	
0119.COMP	10	11:34	03:44:00.3	+24:33:24	300	90	3.0	0 Calibration	2	
0120.AWI0005ylw	60	11:35	03:39:06.7	+24:42:09	300	90	3.0	#219 Disk Dete	2	
0121.COMP	10	11:37	03:39:06.7	+24:42:09	300	90	3.0	0 Calibration	2	
0122.AWI0005ym9	60	11:39	03:51:57.4	+25:59:55	300	90	3.0	#219 Disk Dete	2	
0123.COMP	10	11:40	03:51:57.4	+25:59:55	300	90	3.0	0 Calibration	2	
0124.AWI0005ym7	60	11:42	03:49:21.8	+24:22:51	300	90	3.0	#219 Disk Dete	2	
0125.COMP	10	11:44	03:49:21.8	+24:22:51	300	90	3.0	0 Calibration	2	
0126.AWI0002d6a	60	11:52	03:35:49.4	+64:13:24	300	90	3.0	#219 Disk Dete	2	
0127.COMP	10	11:53	03:35:49.4	+64:13:24	300	90	3.0	0 Calibration	2	
0128.AWI0000xcq	1200	11:58	03:24:21.2	+56:43:43	300	90	3.0	#219 Disk Dete	2	
0129.COMP	10	12:19	03:24:21.2	+56:43:43	300	90	3.0	0 Calibration	2	
0130.AWI00062b1	120	12:23	03:33:37.9	-07:24:53	300	88	3.0	#219 Disk Dete	2	
0131.COMP	10	12:25	03:33:37.9	-07:24:53	300	88	3.0	0 Calibration	2	
0132.AWI0004nfu	120	12:28	03:28:53.7	+49:04:12	300	88	3.0	#219 Disk Dete	2	
0133.COMP	10	12:30	03:28:53.7	+49:04:12	300	88	3.0	0 Calibration	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:21	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:27	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0026-0033.DARK	900	01:31	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0034.COMP	10	02:00	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0035.AS270	60	02:23	18:05:33.7	-20:20:38	300	89	3.0	#12 Symbiotic	2	
0036.AS270	300	02:24	18:05:33.7	-20:20:38	300	88	3.0	#12 Symbiotic	2	
0037.COMP	10	02:30	18:05:33.7	-20:20:38	300	88	3.0	0 Calibration	2	
0038.Hen1591	120	02:34	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0039.Hen1591	360	02:36	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0040.COMP	10	02:42	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	
0041.rmbcg006	1200	02:50	22:16:22.7	+30:26:13	300	89	3.0	#210 Brightest	2	
0042.COMP	10	03:10	22:16:22.7	+30:26:13	300	89	3.0	0 Calibration	2	
0043.rmbcg007	1200	03:15	23:49:16.8	+35:27:10	300	89	3.0	#210 Brightest	2	
0044.COMP	10	03:36	23:49:16.8	+35:27:10	300	89	3.0	0 Calibration	2	
0045.rmbcg001	1200	03:44	23:07:07.5	+16:32:46	300	88	3.0	#210 Brightest	2	
0046.COMP	10	04:04	23:07:07.5	+16:32:46	300	88	3.0	0 Calibration	2	
0047.BDp284211	150	04:09	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0048.COMP	10	04:12	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0049.BDp174708	120	04:14	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0050.COMP	10	04:16	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0051.WHSS220151-081426	1200	04:20	22:01:52.0	-08:14:27	300	88	3.0	#221 Bright Hi	2	
0052.COMP	10	04:40	22:01:52.0	-08:14:27	300	88	3.0	0 Calibration	2	
0053.V919Sgr	30	04:51	19:03:45.0	-16:59:56	300	88	3.0	#12 Symbiotic	2	
0054.V919Sgr	60	04:51	19:03:45.0	-16:59:56	300	88	3.0	#12 Symbiotic	2	
0055.COMP	10	04:53	19:03:45.0	-16:59:56	300	88	3.0	0 Calibration	2	
0056.CHCyg	2	04:55	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0057.CHCyg	10	04:56	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0058.CHCyg	60	04:56	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0059.COMP	10	04:58	19:24:33.0	+50:14:30	300	88	3.0	0 Calibration	2	
0060.AS360	60	05:02	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0061.AS360	300	05:03	19:45:49.0	+18:36:49	300	89	3.0	#12 Symbiotic	2	
0062.COMP	10	05:08	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0063.CICyg	30	05:17	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0064.AWI00062gs	10	06:16	23:05:33.0	+14:57:32	300	88	3.0	#219 Disk Dete	2	
0065.AWI00062gs	30	06:16	23:05:33.0	+14:57:32	300	88	3.0	#219 Disk Dete	2	
0066.COMP	10	06:17	23:05:33.0	+14:57:32	300	88	3.0	0 Calibration	2	
0067.AWI0005w41	30	06:21	23:08:17.2	+51:11:46	300	88	3.0	#219 Disk Dete	2	
0068.AWI0005w41	30	06:25	23:08:17.2	+51:11:46	300	88	3.0	#219 Disk Dete	2	
0069.COMP	10	06:26	23:08:17.2	+51:11:46	300	88	3.0	0 Calibration	2	
0070.AWI00019pi	50	06:33	23:51:35.4	+63:13:23	300	88	3.0	#219 Disk Dete	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0071.COMP	10	06:34	23:51:35.4	+63:13:23	300	88	3.0	0 Calibration	2	
0072.WHSS230352+321126	1200	06:39	23:03:52.5	+32:11:26	300	88	3.0	#221 Bright Hi	2	
0073.COMP	10	06:59	23:03:52.5	+32:11:26	300	88	3.0	0 Calibration	2	
0074.WHSS230352+333604	600	07:02	23:03:52.7	+33:36:04	300	89	3.0	#221 Bright Hi	2	
0075.COMP	10	07:13	23:03:52.7	+33:36:04	300	89	3.0	0 Calibration	2	
0076.WHSS230353+091351	600	07:16	23:03:53.8	+09:13:51	300	89	3.0	#221 Bright Hi	2	
0077.COMP	10	07:26	23:03:53.8	+09:13:51	300	89	3.0	0 Calibration	2	
0078.WHSS230504+253628	1200	07:42	23:05:04.8	+25:36:28	300	89	3.0	#221 Bright Hi	2	
0079.COMP	10	08:02	23:05:04.8	+25:36:28	300	89	3.0	0 Calibration	2	
0080.rmbcg005	1200	08:10	23:26:26.2	+29:21:53	300	89	3.0	#210 Brightest	2	
0081.COMP	10	08:30	23:26:26.2	+29:21:53	300	89	3.0	0 Calibration	2	
0082.rmbcg002	1200	08:37	00:51:05.2	+26:17:17	300	90	3.0	#210 Brightest	2	
0083.COMP	10	08:58	00:51:05.2	+26:17:17	300	90	3.0	0 Calibration	2	
0084.rmbcg003	1200	09:03	00:50:54.6	+26:20:08	300	90	3.0	#210 Brightest	2	
0085.COMP	10	09:23	00:50:54.6	+26:20:08	300	90	3.0	0 Calibration	2	
0086.rmbcg008	1200	09:29	00:32:47.0	+12:13:03	300	89	3.0	#210 Brightest	2	
0087.COMP	10	09:49	00:32:47.0	+12:13:03	300	89	3.0	0 Calibration	2	
0088.rmbcg010	1200	09:58	02:30:54.9	+02:47:20	300	89	3.0	#210 Brightest	2	
0089.COMP	10	10:19	02:30:54.9	+02:47:20	300	89	3.0	0 Calibration	2	
0090.GITau	360	10:22	04:33:34.0	+24:21:18	300	85	3.0	#12 Symbiotic	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0091.COMP	10	10:28	04:33:34.0	+24:21:18	300	85	3.0	0 Calibration	2	
0092.GKTau	360	10:30	04:33:34.5	+24:21:07	300	85	3.0	#12 Symbiotic	2	
0093.COMP	10	10:36	04:33:34.5	+24:21:07	300	85	3.0	0 Calibration	2	
0094.BGGem	450	10:41	06:03:31.0	+27:41:50	300	99	3.0	#12 Symbiotic	2	
0095.COMP	10	10:49	06:03:31.0	+27:41:50	300	99	3.0	0 Calibration	2	
0096.WHSS025953+042845	300	10:52	02:59:53.8	+04:28:45	300	91	3.0	#221 Bright Hi	2	
0097.COMP	10	10:57	02:59:53.8	+04:28:45	300	91	3.0	0 Calibration	2	
0098.WHSS025839+333139	400	11:00	02:58:39.7	+33:31:40	300	90	3.0	#221 Bright Hi	2	
0099.COMP	10	11:07	02:58:39.7	+33:31:40	300	90	3.0	0 Calibration	2	
0100.WHSS025753+333302	500	11:10	02:57:53.7	+33:33:03	300	90	3.0	#221 Bright Hi	2	
0101.COMP	10	11:19	02:57:53.7	+33:33:03	300	90	3.0	0 Calibration	2	
0102.WHSS025724+353523	400	11:22	02:57:24.7	+35:35:24	300	90	3.0	#221 Bright Hi	2	
0103.COMP	10	11:29	02:57:24.7	+35:35:24	300	90	3.0	0 Calibration	2	
0104.WHSS025617-043122	500	11:31	02:56:17.8	-04:31:23	300	90	3.0	#221 Bright Hi	2	
0105.COMP	10	11:40	02:56:17.8	-04:31:23	300	90	3.0	0 Calibration	2	
0106.WHSS025424+363959	400	11:42	02:54:24.8	+36:40:00	300	90	3.0	#221 Bright Hi	2	
0107.COMP	10	11:49	02:54:24.8	+36:40:00	300	90	3.0	0 Calibration	2	
0108-0112.DARK	900	13:27	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	2	
0113-0117.DARK	900	14:43	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	4	

UT Date 2014-09-24 Observers E MorgansonColl. Focus 1337 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0002-0012.BIAS	0	00:00	16:41:40.8	+31:31:51	300	89	3.0	0 Calibration	2	
0013-0027.FLAT	7	00:05	16:41:40.8	+31:31:51	300	89	3.0	0 Calibration	2	
0028.COMP	10	00:06	16:41:40.8	+31:31:51	300	89	3.0	0 Calibration	2	
0029.AWI0005bk2	100	02:00	17:29:12.4	+00:56:05	300	89	3.0	#219 Disk Dete	2	
0030.BDp174708	180	02:16	22:11:31.4	+18:05:34	300	89	3.0	#56 Spectropho	2	
0031.COMP	10	02:19	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0032.COMP	10	02:45	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	4	
0033.fastfoc	10	02:57	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0034.fastfoc	10	02:58	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0035.fastfoc	10	02:58	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0036.fastfoc	10	02:59	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0037.fastfoc	10	02:59	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0038.fastfoc	10	03:00	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0039.fastfoc	10	03:00	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0040.fastfoc	10	03:00	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0041.fastfoc	10	03:01	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0042.COMP	10	03:04	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	
0043-0052.BIAS	0	03:12	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	
0053-0067.FLAT	12	03:18	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	
0068.COMP	10	03:27	22:11:31.4	+18:05:34	600	89	1.5	0 Calibration	2	

UT Date 2014-09-24 Observers E MorgansonColl. Focus 1337 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0069.BDp284211	200	03:39	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0070.COMP	10	03:43	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	
0071.bb211	1500	03:47	21:36:06.8	+08:28:19	600	90	1.5	#178 Low Mass	2	
0072.COMP	10	04:13	21:36:06.8	+08:28:19	600	90	1.5	0 Calibration	2	
0073.bb212	1000	04:19	21:37:49.3	-01:16:13	600	90	1.5	#178 Low Mass	2	
0074.COMP	10	04:36	21:37:49.3	-01:16:13	600	90	1.5	0 Calibration	2	
0075.bb213	1000	04:43	21:41:57.3	+08:45:37	600	90	1.5	#178 Low Mass	2	
0076.COMP	10	05:00	21:41:57.3	+08:45:37	600	90	1.5	0 Calibration	2	
0077.bb221	1200	05:04	22:07:59.1	+20:45:06	600	90	1.5	#178 Low Mass	2	
0078.COMP	10	05:25	22:07:59.1	+20:45:06	600	90	1.5	0 Calibration	2	
0079.bb222	1000	05:27	22:08:49.3	+14:08:04	600	90	1.5	#178 Low Mass	2	
0080.COMP	10	05:44	22:08:49.3	+14:08:04	600	90	1.5	0 Calibration	2	
0081.bb224	1100	05:47	22:16:19.4	+19:39:49	600	90	1.5	#178 Low Mass	2	
0082.COMP	10	06:06	22:16:19.4	+19:39:49	600	90	1.5	0 Calibration	2	
0083.bb228	1200	06:10	22:24:08.4	+19:20:19	600	90	1.5	#178 Low Mass	2	
0084.COMP	10	06:31	22:24:08.4	+19:20:19	600	90	1.5	0 Calibration	2	
0085.bb251	1000	06:33	23:56:56.1	+19:13:24	600	90	1.5	#178 Low Mass	2	
0086.COMP	10	06:50	23:56:56.1	+19:13:24	600	90	1.5	0 Calibration	2	
0087.bb253	1300	06:55	23:59:39.6	+29:07:55	600	90	1.5	#178 Low Mass	2	
0088.COMP	10	07:17	23:59:39.6	+29:07:55	600	90	1.5	0 Calibration	2	

UT Date 2014-09-24 Observers E MorgansonColl. Focus 1337 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0089.Feige110	180	07:19	23:19:58.4	-05:09:56	600	90	1.5	#56 Spectropho	2	
0090.COMP	10	07:22	23:19:58.4	-05:09:56	600	90	1.5	0 Calibration	2	
0091.lmwd504	600	07:26	01:08:30.0	+44:10:24	600	87	1.5	#178 Low Mass	2	
0092.COMP	10	07:36	01:08:30.0	+44:10:24	600	87	1.5	0 Calibration	2	
0093.lmwd504	600	07:38	01:08:30.0	+44:10:24	600	89	1.5	#178 Low Mass	2	
0094.lmwd504	600	07:48	01:08:30.0	+44:10:24	600	89	1.5	#178 Low Mass	2	
0095.COMP	10	07:58	01:08:30.0	+44:10:24	600	87	1.5	0 Calibration	2	
0096.wd0113	300	08:01	01:15:47.3	-24:06:51	600	87	1.5	#178 Low Mass	2	
0097.COMP	10	08:06	01:15:47.3	-24:06:51	600	87	1.5	0 Calibration	2	
0098.wd0113	300	08:07	01:15:47.3	-24:06:51	600	87	1.5	#178 Low Mass	2	
0099.wd0113	300	08:12	01:15:47.3	-24:06:51	600	87	1.5	#178 Low Mass	2	
0100.COMP	10	08:17	01:15:47.3	-24:06:51	600	87	1.5	0 Calibration	2	
0101.wd0200	360	08:21	02:02:58.8	-16:52:45	600	91	1.5	#178 Low Mass	2	
0102.COMP	10	08:28	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0103.wd0200	360	08:28	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0104.wd0200	360	08:35	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0105.COMP	10	08:41	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0106.wd0200	360	08:42	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0107.wd0200	360	08:51	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0108.COMP	10	08:57	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	

UT Date 2014-09-24 Observers E MorgansonColl. Focus 1337 Grating/Grism 600


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0109.wd0200	360	08:58	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0110.wd0200	360	09:04	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0111.COMP	10	09:11	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0112.wd0200	360	09:11	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0113.wd0200	360	09:18	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0114.COMP	10	09:24	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0115.wd0200	360	09:25	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0116.wd0200	360	09:31	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0117.COMP	10	09:37	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0118.wd0200	360	09:38	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0119.wd0200	360	09:45	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0120.COMP	10	09:51	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0121.wd0200	360	09:52	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0122.wd0200	360	09:58	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0123.COMP	10	10:05	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0124.wd0200	360	10:08	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0125.wd0200	360	10:14	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0126.COMP	10	10:20	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0127.wd0200	360	10:22	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0128.wd0200	360	10:28	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	

UT Date 2014-09-24 Observers E MorgansonColl. Focus 1337 Grating/Grism 600

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0129.COMP	10	10:35	02:02:58.8	-16:52:45	600	90	1.5	0 Calibration	2	
0130.wd0200	360	10:36	02:02:58.8	-16:52:45	600	90	1.5	#178 Low Mass	2	
0131.wd0525	600	11:05	05:29:06.5	+27:12:58	600	90	1.5	#178 Low Mass	2	
0132.COMP	10	11:16	05:29:06.5	+27:12:58	600	90	1.5	0 Calibration	2	
0133.wd0525	600	11:16	05:29:06.5	+27:12:58	600	90	1.5	#178 Low Mass	2	
0134.wd0525	600	11:27	05:29:06.5	+27:12:58	600	90	1.5	#178 Low Mass	2	
0135.COMP	10	11:37	05:29:06.5	+27:12:58	600	90	1.5	0 Calibration	2	
0136.wd0529	400	11:41	05:32:44.8	+26:12:00	600	105	1.5	#178 Low Mass	2	
0137.COMP	10	11:48	05:32:44.8	+26:12:00	600	105	1.5	0 Calibration	2	
0138.wd0529	400	11:50	05:32:44.8	+26:12:00	600	105	1.5	#178 Low Mass	2	
0139.wd0529	400	11:57	05:32:44.8	+26:12:00	600	105	1.5	#178 Low Mass	2	
0140.COMP	10	12:04	05:32:44.8	+26:12:00	600	105	1.5	0 Calibration	2	
0141.bb144	800	12:06	04:33:33.8	-05:15:45	600	91	1.5	#178 Low Mass	2	
0142.COMP	10	12:21	04:33:33.8	-05:15:45	600	91	1.5	0 Calibration	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	23:58	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0006-0010.DARK	900	01:15	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	4	
0011.fastfoc	10	01:36	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0012.fastfoc	10	01:36	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0013.fastfoc	10	01:37	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0014.fastfoc	10	01:37	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0015.fastfoc	10	01:38	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0016.fastfoc	10	01:38	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0017.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0018.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0019.fastfoc	10	01:39	04:33:33.8	-05:15:45	600	90	1.5	#178 Low Mass	2	
0020-0029.BIAS	0	01:43	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0030-0044.FLAT	7	01:48	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0045.COMP	10	01:49	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0046.COMP	10	01:52	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0047.COMP	10	01:53	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0048.COMP	10	01:55	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0049.COMP	10	01:57	04:33:33.8	-05:15:45	600	90	1.5	0 Calibration	2	
0050.AWI0005bk2	100	02:04	17:29:12.4	+00:56:05	600	90	1.5	#219 Disk Dete	2	
0051.COMP	10	02:06	17:29:12.4	+00:56:05	600	90	1.5	0 Calibration	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0052.dc163718p274026	1800	02:17	16:37:18.6	+27:40:27	300	90	3.0	#188 Dwarf Car	2	
0053.COMP	10	02:48	16:37:18.6	+27:40:27	300	90	3.0	0 Calibration	2	
0054.AS281	60	02:52	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0055.COMP	10	02:54	18:10:44.0	-27:57:51	300	90	3.0	0 Calibration	2	
0056.AS281	360	02:55	18:10:44.0	-27:57:51	300	90	3.0	#12 Symbiotic	2	
0057.Hen1674	120	03:04	18:20:19.1	-26:22:46	300	71	3.0	#12 Symbiotic	2	
0058.COMP	10	03:06	18:20:19.1	-26:22:46	300	71	3.0	0 Calibration	2	
0059.Hen1674	600	03:07	18:20:19.1	-26:22:46	300	71	3.0	#12 Symbiotic	2	
0060.AS316	30	03:21	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0061.COMP	10	03:22	18:42:33.0	-21:17:47	300	89	3.0	0 Calibration	2	
0062.AS316	300	03:23	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0063.AS327	30	03:29	18:53:17.0	-24:22:59	300	89	3.0	#12 Symbiotic	2	
0064.COMP	10	03:30	18:53:17.0	-24:22:59	300	89	3.0	0 Calibration	2	
0065.AS327	300	03:33	18:53:17.0	-24:22:59	300	90	3.0	#12 Symbiotic	2	
0066.dc184735p405944	900	03:43	18:47:35.6	+40:59:44	300	89	3.0	#188 Dwarf Car	2	
0067.COMP	10	03:59	18:47:35.6	+40:59:44	300	89	3.0	0 Calibration	2	
0068.PUVu1	1	04:01	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0069.COMP	10	04:02	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0070.PUVu1	10	04:03	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	
0071.PUVu1	60	04:03	20:21:13.0	+21:34:21	300	89	3.0	#12 Symbiotic	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0072.COMP	10	04:05	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0073.BDp284211	150	04:10	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0074.COMP	10	04:13	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0075.BDp174708	90	04:15	22:11:31.4	+18:05:34	300	86	3.0	#56 Spectropho	2	
0076.COMP	10	04:23	22:11:31.4	+18:05:34	300	86	3.0	0 Calibration	2	
0077.WHSS220208-071341	900	04:25	22:02:08.3	-07:13:41	300	88	3.0	#221 Bright Hi	2	
0078.COMP	10	04:41	22:02:08.3	-07:13:41	300	88	3.0	0 Calibration	2	
0079.WHSS220211-093654	700	04:44	22:02:11.2	-09:36:54	300	90	3.0	#221 Bright Hi	2	
0080.COMP	10	04:56	22:02:11.2	-09:36:54	300	90	3.0	0 Calibration	2	
0081.WHSS220253+044725	800	05:00	22:02:53.1	+04:47:26	300	89	3.0	#221 Bright Hi	2	
0082.COMP	10	05:14	22:02:53.1	+04:47:26	300	89	3.0	0 Calibration	2	
0083.WHSS220255+140942	1000	05:18	22:02:55.5	+14:09:43	300	90	3.0	#221 Bright Hi	2	
0084.COMP	10	05:35	22:02:55.5	+14:09:43	300	90	3.0	0 Calibration	2	
0085.WHSS220309+195844	1100	05:42	22:03:09.7	+19:58:45	300	100	3.0	#221 Bright Hi	2	
0086.COMP	10	06:01	22:03:09.7	+19:58:45	300	100	3.0	0 Calibration	2	
0087.WHSS220357-042001	800	06:11	22:03:56.1	-04:18:58	300	100	3.0	#221 Bright Hi	2	
0088.COMP	10	06:25	22:03:56.1	-04:18:58	300	99	3.0	0 Calibration	2	
0089.WHSS220417+123052	600	06:28	22:04:17.9	+12:30:53	300	90	3.0	#221 Bright Hi	2	
0090.COMP	10	06:38	22:04:17.9	+12:30:53	300	90	3.0	0 Calibration	2	
0091.WHSS234509-040807	800	06:40	23:45:09.0	-04:08:08	300	90	3.0	#221 Bright Hi	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0092.COMP	10	06:54	23:45:09.0	-04:08:08	300	90	3.0	0 Calibration	2	
0093.WHSS234631-014341	800	07:01	23:46:31.0	-01:43:42	300	90	3.0	#221 Bright Hi	2	
0094.COMP	10	07:14	23:46:31.0	-01:43:42	300	90	3.0	0 Calibration	2	
0095.rmbcg009	1800	07:45	00:09:20.7	+06:49:23	300	91	3.0	#210 Brightest	2	
0096.COMP	10	08:15	00:09:20.7	+06:49:23	300	91	3.0	0 Calibration	2	
0097.rmbcg004	1800	08:22	01:08:19.0	+27:58:02	300	90	3.0	#210 Brightest	2	
0098.COMP	10	08:52	01:08:19.0	+27:58:02	300	90	3.0	0 Calibration	2	
0099.WHSS020207-081614	700	08:55	02:02:07.9	-08:16:15	300	90	3.0	#221 Bright Hi	2	
0100.COMP	10	09:07	02:02:07.9	-08:16:15	300	90	3.0	0 Calibration	2	
0101.WHSS020250+020928	1000	09:13	02:02:50.5	+02:09:29	300	90	3.0	#221 Bright Hi	2	
0102.COMP	10	09:30	02:02:50.5	+02:09:29	300	90	3.0	0 Calibration	2	
0103.WHSS020348+295925	700	09:37	02:03:48.6	+29:59:26	300	90	3.0	#221 Bright Hi	2	
0104.COMP	10	09:49	02:03:48.6	+29:59:26	300	90	3.0	0 Calibration	2	
0105.WHSS020609-053331	800	09:52	02:06:09.0	-05:33:31	300	90	3.0	#221 Bright Hi	2	
0106.COMP	10	10:06	02:06:09.0	-05:33:31	300	90	3.0	0 Calibration	2	
0107.WHSS020633+205707	1000	10:11	02:06:33.5	+20:57:07	300	90	3.0	#221 Bright Hi	2	
0108.COMP	10	10:28	02:06:33.5	+20:57:07	300	90	3.0	0 Calibration	2	
0109.WHSS020637-054742	900	10:37	02:06:38.7	-05:45:29	300	90	3.0	#221 Bright Hi	2	
0109.WHSS020637-054742q.ms	900	10:37	02:06:38.7	-05:45:29	300	90	3.0	#221 Bright Hi	1	
0110.COMP	10	10:52	02:06:38.7	-05:45:29	300	90	3.0	0 Calibration	2	

UT Date 2014-09-25 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0111.WHSS020645+031320	1200	10:55	02:06:45.2	+03:13:20	300	90	3.0	#221 Bright Hi	2	
0112.COMP	10	11:15	02:06:45.2	+03:13:20	300	90	3.0	0 Calibration	2	
0113.AWI0005yjq	2	11:21	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	2	
0113.AWI0005yjq.ms	2	11:21	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	1	
0114.COMP	10	11:21	02:30:47.4	+36:07:01	300	90	3.0	0 Calibration	2	
0115.AWI0005yjq	20	11:22	02:30:47.4	+36:07:01	300	90	3.0	#219 Disk Dete	2	
0116.AWI0005w77	2	11:24	02:37:20.8	+39:53:45	300	90	3.0	#219 Disk Dete	2	
0117.COMP	10	11:24	02:37:20.8	+39:53:45	300	90	3.0	0 Calibration	2	
0118.AWI000425z	2	11:28	02:47:55.4	+55:36:48	300	90	3.0	#219 Disk Dete	2	
0119.COMP	10	11:28	02:47:55.4	+55:36:48	300	90	3.0	0 Calibration	2	
0120.AWI0005zfw	10	11:30	02:44:30.0	+28:00:53	300	90	3.0	#219 Disk Dete	2	
0121-0125.DARK	900	13:02	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	2	
0126-0130.DARK	900	14:18	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	4	
comp300+600.ms	10	05:47	10:39:36.9	+43:06:11	300	90	3.0	#56 Spectropho	1	