

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	20:56	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0011.fastfoc	10	21:00	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0012.fastfoc	10	21:00	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0013.fastfoc	10	21:01	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0014.fastfoc	10	21:01	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0015.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0016.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0017.fastfoc	10	21:02	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0018.fastfoc	10	21:03	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0019.fastfoc	10	21:03	03:48:19.8	+70:07:54	300	90	3.0	#2 SN Observat	2	
0020.FLAT	7	21:08	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0021-0034.FLAT	0	21:08	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0035-0049.FLAT	7	21:17	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0050.COMP	10	01:05	03:48:19.8	+70:07:54	300	90	3.0	0 Calibration	2	
0051.HIP90139	5	01:59	18:23:41.8	+21:46:13	300	90	3.0	#57 Velocity S	2	
0052.COMP	10	01:59	18:23:41.8	+21:46:13	300	90	3.0	0 Calibration	2	
0053.BDp262606	120	02:04	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	02:07	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0055.BDp332642	150	02:10	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0056.COMP	10	02:13	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0057.RS0ph	10	02:23	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0058.COMP	10	02:24	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0059.RS0ph	60	02:25	17:50:13.0	-06:42:30	300	90	3.0	#12 Symbiotic	2	
0060.COMP	10	02:26	17:50:13.0	-06:42:30	300	90	3.0	0 Calibration	2	
0061.AS289	15	02:29	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0062.COMP	10	02:30	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0063.AS289	100	02:30	18:12:22.0	-11:40:08	300	90	3.0	#12 Symbiotic	2	
0064.COMP	10	02:32	18:12:22.0	-11:40:08	300	90	3.0	0 Calibration	2	
0065.YYHer	10	02:40	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0066.COMP	10	02:40	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0067.YYHer	60	02:41	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0068.COMP	10	02:42	18:14:34.0	+20:59:19	300	90	3.0	0 Calibration	2	
0069.AS296	30	02:47	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0070.COMP	10	02:48	18:15:07.0	-00:18:52	300	90	3.0	0 Calibration	2	
0071.AS296	120	02:49	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0072.WHSS220116+233549	600	03:07	22:01:16.7	+23:35:50	300	90	3.0	#221 Bright Hi	2	
0073.COMP	10	03:18	22:01:16.7	+23:35:50	300	90	3.0	0 Calibration	2	
0074.WHSS220105-074925	300	03:25	22:01:05.5	-07:49:25	300	89	3.0	#221 Bright Hi	2	
0075.COMP	10	03:30	22:01:05.5	-07:49:25	300	89	3.0	0 Calibration	2	
0076.WHSS220118+233703	500	03:34	22:01:18.3	+23:37:03	300	89	3.0	#221 Bright Hi	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0077.COMP	10	03:43	22:01:18.3	+23:37:03	300	89	3.0	0 Calibration	2	
0078.WHSS220121+172336	300	03:46	22:01:21.4	+17:23:37	300	89	3.0	#221 Bright Hi	2	
0079.COMP	10	03:52	22:01:21.4	+17:23:37	300	89	3.0	0 Calibration	2	
0080.WHSS220126+213301	600	03:57	22:01:26.8	+21:33:02	300	87	3.0	#221 Bright Hi	2	
0081.COMP	10	04:07	22:01:26.8	+21:33:02	300	87	3.0	0 Calibration	2	
0082.WHSS220132+170912	600	04:11	22:01:32.3	+17:09:13	300	89	3.0	#221 Bright Hi	2	
0083.COMP	10	04:21	22:01:32.3	+17:09:13	300	89	3.0	0 Calibration	2	
0084.BDp284211	150	04:25	21:51:11.0	+28:51:50	300	89	3.0	#56 Spectropho	2	
0085.COMP	10	04:28	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0086.BDp174708	120	04:31	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0087.COMP	10	04:34	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0088.WHSS220138+281948	600	04:37	22:01:39.0	+28:19:48	300	89	3.0	#221 Bright Hi	2	
0089.COMP	10	04:47	22:01:39.0	+28:19:48	300	89	3.0	0 Calibration	2	
0090.WHSS220151+271448	1200	04:52	22:01:51.8	+27:14:49	300	90	3.0	#221 Bright Hi	2	
0091.COMP	10	05:12	22:01:51.8	+27:14:49	300	90	3.0	0 Calibration	2	
0092.WHSS230020+252019	1200	05:15	23:00:20.1	+25:20:20	300	89	3.0	#221 Bright Hi	2	
0093.COMP	10	05:36	23:00:20.1	+25:20:20	300	89	3.0	0 Calibration	2	
0094.WHSS230139+223448	1200	05:38	23:01:39.1	+22:34:49	300	89	3.0	#221 Bright Hi	2	
0095.WHSS230139+223448	1200	07:50	23:01:39.1	+22:34:49	300	89	3.0	#221 Bright Hi	2	
0096.COMP	10	08:10	23:01:39.1	+22:34:49	300	89	3.0	0 Calibration	2	

UT Date 2014-09-21 Observers E MorgansonColl. Focus 1360 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0097.WHSS230155-080849	1200	08:14	23:01:55.2	-08:08:49	300	90	3.0	#221 Bright Hi	2	
0098.COMP	10	08:34	23:01:55.2	-08:08:49	300	90	3.0	0 Calibration	2	
0099.WHSS230339+293054	1200	08:36	23:03:39.5	+29:30:55	300	90	3.0	#221 Bright Hi	2	
0100.COMP	10	08:57	23:03:39.5	+29:30:55	300	90	3.0	0 Calibration	2	
0101.WHSS230345+333630	1200	09:01	23:03:46.0	+33:36:31	300	90	3.0	#221 Bright Hi	2	
0102.COMP	10	09:21	23:03:46.0	+33:36:31	300	90	3.0	0 Calibration	2	
0103-0112.DARK	900	13:34	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	4	
0113-0122.DARK	900	16:07	23:03:52.5	+32:11:26	300	90	3.0	0 Calibration	2	