

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	23:21	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	23:27	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0026-0033.DARK	900	01:31	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0034.COMP	10	02:00	03:28:53.7	+49:04:12	300	89	3.0	0 Calibration	2	
0035.AS270	60	02:23	18:05:33.7	-20:20:38	300	89	3.0	#12 Symbiotic	2	
0036.AS270	300	02:24	18:05:33.7	-20:20:38	300	88	3.0	#12 Symbiotic	2	
0037.COMP	10	02:30	18:05:33.7	-20:20:38	300	88	3.0	0 Calibration	2	
0038.Hen1591	120	02:34	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0039.Hen1591	360	02:36	18:07:32.0	-25:53:43	300	89	3.0	#12 Symbiotic	2	
0040.COMP	10	02:42	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	
0041.rmbcg006	1200	02:50	22:16:22.7	+30:26:13	300	89	3.0	#210 Brightest	2	
0042.COMP	10	03:10	22:16:22.7	+30:26:13	300	89	3.0	0 Calibration	2	
0043.rmbcg007	1200	03:15	23:49:16.8	+35:27:10	300	89	3.0	#210 Brightest	2	
0044.COMP	10	03:36	23:49:16.8	+35:27:10	300	89	3.0	0 Calibration	2	
0045.rmbcg001	1200	03:44	23:07:07.5	+16:32:46	300	88	3.0	#210 Brightest	2	
0046.COMP	10	04:04	23:07:07.5	+16:32:46	300	88	3.0	0 Calibration	2	
0047.BDp284211	150	04:09	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0048.COMP	10	04:12	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0049.BDp174708	120	04:14	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0050.COMP	10	04:16	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0051.WHSS220151-081426	1200	04:20	22:01:52.0	-08:14:27	300	88	3.0	#221 Bright Hi	2	
0052.COMP	10	04:40	22:01:52.0	-08:14:27	300	88	3.0	0 Calibration	2	
0053.V919Sgr	30	04:51	19:03:45.0	-16:59:56	300	88	3.0	#12 Symbiotic	2	
0054.V919Sgr	60	04:51	19:03:45.0	-16:59:56	300	88	3.0	#12 Symbiotic	2	
0055.COMP	10	04:53	19:03:45.0	-16:59:56	300	88	3.0	0 Calibration	2	
0056.CHCyg	2	04:55	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0057.CHCyg	10	04:56	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0058.CHCyg	60	04:56	19:24:33.0	+50:14:30	300	88	3.0	#12 Symbiotic	2	
0059.COMP	10	04:58	19:24:33.0	+50:14:30	300	88	3.0	0 Calibration	2	
0060.AS360	60	05:02	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0061.AS360	300	05:03	19:45:49.0	+18:36:49	300	89	3.0	#12 Symbiotic	2	
0062.COMP	10	05:08	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0063.CICyg	30	05:17	19:50:12.0	+35:41:02	300	89	3.0	#12 Symbiotic	2	
0064.AWI00062gs	10	06:16	23:05:33.0	+14:57:32	300	88	3.0	#219 Disk Dete	2	
0065.AWI00062gs	30	06:16	23:05:33.0	+14:57:32	300	88	3.0	#219 Disk Dete	2	
0066.COMP	10	06:17	23:05:33.0	+14:57:32	300	88	3.0	0 Calibration	2	
0067.AWI0005w41	30	06:21	23:08:17.2	+51:11:46	300	88	3.0	#219 Disk Dete	2	
0068.AWI0005w41	30	06:25	23:08:17.2	+51:11:46	300	88	3.0	#219 Disk Dete	2	
0069.COMP	10	06:26	23:08:17.2	+51:11:46	300	88	3.0	0 Calibration	2	
0070.AWI00019pi	50	06:33	23:51:35.4	+63:13:23	300	88	3.0	#219 Disk Dete	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0071.COMP	10	06:34	23:51:35.4	+63:13:23	300	88	3.0	0 Calibration	2	
0072.WHSS230352+321126	1200	06:39	23:03:52.5	+32:11:26	300	88	3.0	#221 Bright Hi	2	
0073.COMP	10	06:59	23:03:52.5	+32:11:26	300	88	3.0	0 Calibration	2	
0074.WHSS230352+333604	600	07:02	23:03:52.7	+33:36:04	300	89	3.0	#221 Bright Hi	2	
0075.COMP	10	07:13	23:03:52.7	+33:36:04	300	89	3.0	0 Calibration	2	
0076.WHSS230353+091351	600	07:16	23:03:53.8	+09:13:51	300	89	3.0	#221 Bright Hi	2	
0077.COMP	10	07:26	23:03:53.8	+09:13:51	300	89	3.0	0 Calibration	2	
0078.WHSS230504+253628	1200	07:42	23:05:04.8	+25:36:28	300	89	3.0	#221 Bright Hi	2	
0079.COMP	10	08:02	23:05:04.8	+25:36:28	300	89	3.0	0 Calibration	2	
0080.rmbcg005	1200	08:10	23:26:26.2	+29:21:53	300	89	3.0	#210 Brightest	2	
0081.COMP	10	08:30	23:26:26.2	+29:21:53	300	89	3.0	0 Calibration	2	
0082.rmbcg002	1200	08:37	00:51:05.2	+26:17:17	300	90	3.0	#210 Brightest	2	
0083.COMP	10	08:58	00:51:05.2	+26:17:17	300	90	3.0	0 Calibration	2	
0084.rmbcg003	1200	09:03	00:50:54.6	+26:20:08	300	90	3.0	#210 Brightest	2	
0085.COMP	10	09:23	00:50:54.6	+26:20:08	300	90	3.0	0 Calibration	2	
0086.rmbcg008	1200	09:29	00:32:47.0	+12:13:03	300	89	3.0	#210 Brightest	2	
0087.COMP	10	09:49	00:32:47.0	+12:13:03	300	89	3.0	0 Calibration	2	
0088.rmbcg010	1200	09:58	02:30:54.9	+02:47:20	300	89	3.0	#210 Brightest	2	
0089.COMP	10	10:19	02:30:54.9	+02:47:20	300	89	3.0	0 Calibration	2	
0090.GITau	360	10:22	04:33:34.0	+24:21:18	300	85	3.0	#12 Symbiotic	2	

UT Date 2014-09-23 Observers E MorgansonColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0091.COMP	10	10:28	04:33:34.0	+24:21:18	300	85	3.0	0 Calibration	2	
0092.GKTau	360	10:30	04:33:34.5	+24:21:07	300	85	3.0	#12 Symbiotic	2	
0093.COMP	10	10:36	04:33:34.5	+24:21:07	300	85	3.0	0 Calibration	2	
0094.BGGem	450	10:41	06:03:31.0	+27:41:50	300	99	3.0	#12 Symbiotic	2	
0095.COMP	10	10:49	06:03:31.0	+27:41:50	300	99	3.0	0 Calibration	2	
0096.WHSS025953+042845	300	10:52	02:59:53.8	+04:28:45	300	91	3.0	#221 Bright Hi	2	
0097.COMP	10	10:57	02:59:53.8	+04:28:45	300	91	3.0	0 Calibration	2	
0098.WHSS025839+333139	400	11:00	02:58:39.7	+33:31:40	300	90	3.0	#221 Bright Hi	2	
0099.COMP	10	11:07	02:58:39.7	+33:31:40	300	90	3.0	0 Calibration	2	
0100.WHSS025753+333302	500	11:10	02:57:53.7	+33:33:03	300	90	3.0	#221 Bright Hi	2	
0101.COMP	10	11:19	02:57:53.7	+33:33:03	300	90	3.0	0 Calibration	2	
0102.WHSS025724+353523	400	11:22	02:57:24.7	+35:35:24	300	90	3.0	#221 Bright Hi	2	
0103.COMP	10	11:29	02:57:24.7	+35:35:24	300	90	3.0	0 Calibration	2	
0104.WHSS025617-043122	500	11:31	02:56:17.8	-04:31:23	300	90	3.0	#221 Bright Hi	2	
0105.COMP	10	11:40	02:56:17.8	-04:31:23	300	90	3.0	0 Calibration	2	
0106.WHSS025424+363959	400	11:42	02:54:24.8	+36:40:00	300	90	3.0	#221 Bright Hi	2	
0107.COMP	10	11:49	02:54:24.8	+36:40:00	300	90	3.0	0 Calibration	2	
0108-0112.DARK	900	13:27	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	2	
0113-0117.DARK	900	14:43	03:28:47.8	+57:55:56	300	90	3.0	0 Calibration	4	