

UT Date 2014-11-22 Observers C WesthuesColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	04:54	12:44:42.0	+36:45:48	300	91	3.0	0 Calibration	2	
0002-0011.BIAS	0	04:57	12:44:42.0	+36:45:48	300	91	3.0	0 Calibration	2	
0012-0026.FLAT	7	05:03	12:44:42.0	+36:45:48	300	91	3.0	0 Calibration	2	
0027.Feige110	180	05:06	23:19:58.4	-05:09:56	300	91	3.0	#56 Spectropho	2	
0028.COMP	5	05:09	23:19:58.4	-05:09:56	300	91	3.0	0 Calibration	2	
0029.HD19445	10	05:11	03:08:25.6	+26:19:51	300	91	3.0	#56 Spectropho	2	
0030.COMP	5	05:11	03:08:25.6	+26:19:51	300	91	3.0	0 Calibration	2	
0031.ASASSN-14kd	1800	05:14	22:53:24.9	+04:47:57	300	91	3.0	#220 ASASSN Tr	2	
0032.COMP	5	05:45	22:53:24.9	+04:47:57	300	91	3.0	0 Calibration	2	
0033.MARK335	300	05:50	00:06:19.5	+20:12:10	300	90	3.0	#99 BH-Mass	2	
0034.COMP	5	05:55	00:06:19.5	+20:12:10	300	90	3.0	0 Calibration	2	
0035.NGC985	300	06:00	02:34:37.8	-08:47:15	300	71	3.0	#99 BH-Mass	2	
0036.COMP	5	06:05	02:34:37.8	-08:47:15	300	71	3.0	0 Calibration	2	
0037.NGC1019	300	06:09	02:38:27.4	+01:54:28	300	90	3.0	#99 BH-Mass	2	
0038.COMP	5	06:15	02:38:27.4	+01:54:28	300	90	3.0	0 Calibration	2	
0039.Kenfil1047	1800	06:19	03:37:06.5	+10:01:16	300	89	3.0	#210 Brightest	2	
0040.COMP	5	06:50	03:37:06.5	+10:01:16	300	90	3.0	0 Calibration	2	
0041.Kenfil1051	1800	07:04	03:40:43.1	+09:51:38	300	90	3.0	#210 Brightest	2	
0042.COMP	5	07:35	03:40:43.1	+09:51:38	300	90	3.0	0 Calibration	2	
0043.3C120	400	07:37	04:33:11.1	+05:21:16	300	90	3.0	#99 BH-Mass	2	

UT Date 2014-11-22 Observers C WesthuesColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.COMP	5	07:44	04:33:11.1	+05:21:16	300	90	3.0	0 Calibration	2	
0045.MARK618	300	07:46	04:36:22.2	-10:22:34	300	90	3.0	#99 BH-Mass	2	
0046.COMP	5	07:52	04:36:22.2	-10:22:34	300	90	3.0	0 Calibration	2	
0047.MCG-02_12_050	300	07:53	04:38:14.2	-10:47:45	300	90	3.0	#99 BH-Mass	2	
0048.COMP	5	07:59	04:38:14.2	-10:47:45	300	90	3.0	0 Calibration	2	
0049.05044352+2759497	1800	08:02	05:04:43.5	+27:59:50	300	90	3.0	#141 2MASS Red	2	
0050.COMP	5	08:36	05:04:43.5	+27:59:50	300	90	3.0	0 Calibration	2	
0051.06090684+3142403	1800	08:40	06:09:06.8	+31:42:40	300	90	3.0	#141 2MASS Red	2	
0052.COMP	5	09:10	06:09:06.8	+31:42:40	300	90	3.0	0 Calibration	2	
0053.snJ02262331	1800	09:14	02:26:23.3	+27:39:35	300	86	3.0	#2 SN Observat	2	
0054.COMP	5	09:44	02:26:23.3	+27:39:35	300	86	3.0	0 Calibration	2	
0055.06002222+0627070	1800	09:50	06:00:22.2	+06:27:07	300	110	3.0	#141 2MASS Red	2	
0056.COMP	5	10:20	06:00:22.2	+06:27:07	300	110	3.0	0 Calibration	2	
0057.RXSJ06225-2317	1200	10:23	06:22:33.4	-23:17:42	300	109	3.0	#99 BH-Mass	2	
0058.COMP	5	10:45	06:22:33.4	-23:17:42	300	109	3.0	0 Calibration	2	
0059.ASASSN-14kn	600	10:51	08:05:53.3	+78:44:00	300	90	3.0	#220 ASASSN Tr	2	
0060.COMP	5	11:01	08:05:53.3	+78:44:00	300	90	3.0	0 Calibration	2	
0061.07092106-2224245	1800	11:06	07:09:21.1	-22:24:24	300	90	3.0	#141 2MASS Red	2	
0062.COMP	5	11:36	07:09:21.1	-22:24:24	300	90	3.0	0 Calibration	2	
0063.07113684-2207005	1800	11:38	07:11:36.8	-22:07:00	300	90	3.0	#141 2MASS Red	2	

UT Date 2014-11-22 Observers C WesthuesColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064.COMP	5	12:09	07:11:36.8	-22:07:00	300	90	3.0	0 Calibration	2	
0065.snJ09204691	1200	12:11	09:20:46.9	-08:03:34	300	90	3.0	#2 SN Observat	2	
0066.COMP	5	12:32	09:20:46.9	-08:03:34	300	90	3.0	0 Calibration	2	
0067.snJ09475974	1800	12:36	09:47:59.7	+50:31:08	300	90	3.0	#2 SN Observat	2	
0068.COMP	5	13:07	09:47:59.7	+50:31:08	300	90	3.0	0 Calibration	2	
0069-0078.BIAS	0	13:19	09:47:59.7	+50:31:08	300	89	3.0	0 Calibration	2	
0079-0093.FLAT	7	13:24	09:47:59.7	+50:31:08	300	89	3.0	0 Calibration	2	
0094-0098.DARK	900	14:28	09:47:59.7	+50:31:08	300	89	3.0	0 Calibration	2	