

UT Date 2014-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	04:12	02:15:03.5	+31:26:21	300	88	3.0	0 Calibration	2	
0011-0025.FLAT	7	04:17	02:15:03.5	+31:26:21	300	88	3.0	0 Calibration	2	
0026.163m217	1200	04:27	00:43:17.7	+41:27:46	300	90	3.0	#57 Velocity S	2	
0027.COMP	10	04:48	00:43:17.7	+41:27:46	300	90	3.0	0 Calibration	2	
0028.WHSS012744+375703	1800	04:51	01:27:44.5	+37:57:04	300	90	3.0	#221 Bright Hi	2	
0029.COMP	10	05:21	01:27:44.5	+37:57:04	300	90	3.0	0 Calibration	2	
0030.snASASSN-141t	1200	05:24	03:11:02.5	-13:06:39	300	90	3.0	#220 ASASSN Tr	2	
0031.snASASSN-141t	1200	05:44	03:11:02.5	-13:06:39	300	90	3.0	#220 ASASSN Tr	2	
0032.snASASSN-141t	1200	06:05	03:11:02.5	-13:06:39	300	90	3.0	#220 ASASSN Tr	2	
0033.COMP	10	06:25	03:11:02.5	-13:06:39	300	90	3.0	0 Calibration	2	
0034.WHSS015821-025802	1800	06:27	01:58:21.9	-02:58:03	300	90	3.0	#221 Bright Hi	2	
0035.COMP	10	06:58	01:58:21.9	-02:58:03	300	90	3.0	0 Calibration	2	
0036.WHSS015857+153117	1200	07:00	01:58:57.9	+15:31:18	300	90	3.0	#221 Bright Hi	2	
0037.COMP	10	07:21	01:58:57.9	+15:31:18	300	90	3.0	0 Calibration	2	
0038.WHSS015907+255756	1200	07:22	01:59:07.4	+25:57:57	300	90	3.0	#221 Bright Hi	2	
0039.COMP	10	07:43	01:59:07.4	+25:57:57	300	90	3.0	0 Calibration	2	
0040.WHSS021732+153729	1800	07:45	02:17:32.1	+15:37:30	300	90	3.0	#221 Bright Hi	2	
0041.COMP	10	08:16	02:17:32.1	+15:37:30	300	91	3.0	0 Calibration	2	
0042.WHSS021416+260537	1731	08:18	02:14:16.3	+26:05:38	300	91	3.0	#221 Bright Hi	2	
0043.COMP	10	08:48	02:14:16.3	+26:05:38	300	90	3.0	0 Calibration	2	

UT Date 2014-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.08120442-1842171	900	09:36	08:12:04.4	-18:42:17	300	90	3.0	#141 2MASS Red	2	
0045.COMP	10	09:52	08:12:04.4	-18:42:17	300	90	3.0	0 Calibration	2	
0046.08100245-2132346	900	09:54	08:10:02.5	-21:32:35	300	90	3.0	#141 2MASS Red	2	target galaxy at row 80
0047.COMP	10	10:10	08:10:02.5	-21:32:35	300	90	3.0	0 Calibration	2	
0048.08133774-2059470	900	10:12	08:13:37.7	-20:59:47	300	90	3.0	#141 2MASS Red	2	
0049.COMP	10	10:28	08:13:37.7	-20:59:47	300	90	3.0	0 Calibration	2	
0050.08145018-2246150	720	10:29	08:14:50.2	-22:46:15	300	90	3.0	#141 2MASS Red	2	
0051.COMP	10	10:41	08:14:50.2	-22:46:15	300	90	3.0	0 Calibration	2	
0052.08164547-2036118	720	10:43	08:16:45.5	-20:36:12	300	90	3.0	#141 2MASS Red	2	
0053.COMP	10	10:55	08:16:45.5	-20:36:12	300	90	3.0	0 Calibration	2	
0054.snASASSN-141o	902	10:57	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	
0055.snASASSN-141o	902	11:13	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	
0056.COMP	10	11:28	11:51:53.2	+18:32:31	300	86	3.0	0 Calibration	2	
0057.snASASSN-141i	900	11:30	12:48:15.2	+17:46:26	300	86	3.0	#220 ASASSN Tr	2	
0058.snASASSN-141i	900	11:46	12:48:15.2	+17:46:26	300	86	3.0	#220 ASASSN Tr	2	
0059.snASASSN-141i	900	12:01	12:48:15.2	+17:46:26	300	86	3.0	#220 ASASSN Tr	2	
0060.COMP	10	12:16	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	
0061.HD84937	30	12:19	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0062.COMP	10	12:20	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0063.Feige34	180	12:22	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	

UT Date 2014-12-14 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064.COMP	10	12:26	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0065.snASASSN-141p	180	12:28	12:45:09.1	-00:27:33	300	89	3.0	#220 ASASSN Tr	2	
0066.snASASSN-141p	180	12:31	12:45:09.1	-00:27:33	300	89	3.0	#220 ASASSN Tr	2	
0067.snASASSN-141p	180	12:34	12:45:09.1	-00:27:33	300	89	3.0	#220 ASASSN Tr	2	
0068.COMP	10	12:38	12:45:09.1	-00:27:33	300	89	3.0	0 Calibration	2	
0069.IRAS09595-0755	900	12:50	10:02:00.0	-08:09:42	300	45	3.0	#99 BH-Mass	2	
0070.COMP	10	13:06	10:02:00.0	-08:09:42	300	45	3.0	0 Calibration	2	
0071-0080.BIAS	0	13:19	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	2	
0081-0095.FLAT	7	13:25	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	2	
0096-0100.DARK	1200	14:47	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	2	