

UT Date 2014-12-15 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	1200	22:33	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	4	
0006-0015.BIAS	0	00:06	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	4	
0016-0025.BIAS	0	00:08	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	2	
0026-0040.FLAT	7	00:14	10:02:00.0	-08:09:42	300	90	3.0	0 Calibration	2	
0041.BDp174708	90	01:13	22:11:31.4	+18:05:34	300	90	3.0	#56 Spectropho	2	300-line, 3-sec
0042.BDp284211	150	01:17	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0043.COMP	10	01:20	21:51:11.0	+28:51:50	300	90	3.0	0 Calibration	2	
0044.snASASSN-141q	900	01:23	22:57:19.4	-20:58:01	300	90	3.0	#220 ASASSN Tr	2	
0045.snASASSN-141q	900	01:38	22:57:19.4	-20:58:01	300	90	3.0	#220 ASASSN Tr	2	
0046.COMP	10	01:53	22:57:19.4	-20:58:01	300	90	3.0	0 Calibration	2	
0047.BIAS	0	01:57	21:51:11.0	+28:51:50	600	90	1.5	0 Calibration	4	
0048.BDp284211	150	01:59	21:51:11.0	+28:51:50	600	90	1.5	#56 Spectropho	4	600-line, 1.5 sec
0049.COMP	10	02:02	21:51:11.0	+28:51:50	600	90	1.5	0 Calibration	4	
0050.lamost109	900	02:05	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0051.COMP	10	02:20	03:08:18.2	+51:40:12	600	89	1.5	0 Calibration	4	
0052.bb218	760	02:22	21:50:40.6	+18:26:20	600	89	1.5	#178 Low Mass	4	
0053.COMP	10	02:36	21:50:40.6	+18:26:20	600	90	1.5	0 Calibration	4	
0054.bb226	1200	02:37	22:18:36.0	+16:02:01	600	90	1.5	#178 Low Mass	4	
0055.COMP	10	02:58	22:18:36.0	+16:02:01	600	90	1.5	0 Calibration	4	
0056.bb233	600	02:59	22:33:11.6	+26:10:15	600	90	1.5	#178 Low Mass	4	

UT Date 2014-12-15 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0057.COMP	10	03:10	22:33:11.6	+26:10:15	600	90	1.5	0 Calibration	4	
0058.lamost109	900	03:12	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0059.COMP	10	03:27	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0060.bb232	900	03:29	22:32:25.4	+28:21:55	600	100	1.5	#178 Low Mass	4	
0061.COMP	10	03:45	22:32:25.4	+28:21:55	600	100	1.5	0 Calibration	4	
0062.bb234	900	03:46	22:38:07.0	+29:44:52	600	100	1.5	#178 Low Mass	4	
0063.COMP	10	04:01	22:38:07.0	+29:44:52	600	99	1.5	0 Calibration	4	
0064.bb243	600	04:03	23:17:11.4	+09:55:50	600	99	1.5	#178 Low Mass	4	
0065.COMP	10	04:13	23:17:11.4	+09:55:50	600	99	1.5	0 Calibration	4	
0066.lamost109	900	04:17	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0067.COMP	10	04:33	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0068.bb244	1200	04:35	23:22:39.4	+25:56:40	600	90	1.5	#178 Low Mass	4	
0069.COMP	10	04:56	23:22:39.4	+25:56:40	600	91	1.5	0 Calibration	4	
0070.bb246	600	04:57	23:27:47.5	+23:50:14	600	91	1.5	#178 Low Mass	4	
0071.COMP	10	05:08	23:27:47.5	+23:50:14	600	91	1.5	0 Calibration	4	
0072.lamost109	900	05:10	03:08:18.2	+51:40:12	600	89	1.5	#178 Low Mass	4	
0073.COMP	10	05:25	03:08:18.2	+51:40:12	600	89	1.5	0 Calibration	4	
0074.bb248	900	05:27	23:31:06.4	+35:15:51	600	89	1.5	#178 Low Mass	4	
0075.COMP	10	05:43	23:31:06.4	+35:15:51	600	91	1.5	0 Calibration	4	
0076.bb127	900	05:46	01:32:13.2	+05:26:32	600	91	1.5	#178 Low Mass	4	

UT Date 2014-12-15 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0077.COMP	10	06:01	01:32:13.2	+05:26:32	600	91	1.5	0 Calibration	4	
0078.bb140	360	06:03	02:28:23.2	-01:32:41	600	91	1.5	#178 Low Mass	4	
0079.COMP	10	06:09	02:28:23.2	-01:32:41	600	91	1.5	0 Calibration	4	
0080.lamost109	900	06:14	03:08:18.2	+51:40:12	600	91	1.5	#178 Low Mass	4	
0081.COMP	10	06:29	03:08:18.2	+51:40:12	600	91	1.5	0 Calibration	4	
0082.bb141	760	06:32	02:42:08.6	-01:23:57	600	91	1.5	#178 Low Mass	4	
0083.COMP	10	06:47	02:42:08.6	-01:23:57	600	91	1.5	0 Calibration	4	
0084.bb128	1000	06:49	01:33:30.3	+19:24:08	600	91	1.5	#178 Low Mass	4	
0085.COMP	10	07:06	01:33:30.3	+19:24:08	600	90	1.5	0 Calibration	4	
0086.lamost109	900	07:08	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0087.COMP	10	07:24	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0088.bb129	1060	07:26	01:39:36.4	+17:37:17	600	90	1.5	#178 Low Mass	4	
0089.COMP	10	07:44	01:39:36.4	+17:37:17	600	90	1.5	0 Calibration	4	
0090.bb130	1000	07:48	01:48:00.7	+31:26:38	600	90	1.5	#178 Low Mass	4	
0091.COMP	10	08:06	01:48:00.7	+31:26:38	600	90	1.5	0 Calibration	4	
0092.lamost109	900	08:08	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0093.COMP	10	08:24	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0094.bb131	1320	08:25	02:07:03.4	+32:46:46	600	90	1.5	#178 Low Mass	4	
0095.COMP	10	08:48	02:07:03.4	+32:46:46	600	90	1.5	0 Calibration	4	
0096.bb150	900	08:51	07:37:00.3	+34:26:31	600	90	1.5	#178 Low Mass	4	

UT Date 2014-12-15 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0097.COMP	10	09:06	07:37:00.3	+34:26:31	600	90	1.5	0 Calibration	4	
0098.lamost109	900	09:08	03:08:18.2	+51:40:12	600	90	1.5	#178 Low Mass	4	
0099.COMP	10	09:23	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0100.bb152	900	09:25	07:48:19.2	+07:25:52	600	90	1.5	#178 Low Mass	4	
0101.COMP	10	09:41	07:48:19.2	+07:25:52	600	90	1.5	0 Calibration	4	
0102.bb153	420	09:42	07:53:07.3	+06:50:02	600	90	1.5	#178 Low Mass	4	
0103.COMP	10	09:49	07:53:07.3	+06:50:02	600	91	1.5	0 Calibration	4	
0104.lamost109	900	09:51	03:08:18.2	+51:40:12	600	91	1.5	#178 Low Mass	4	
0105.COMP	10	10:07	03:08:18.2	+51:40:12	600	90	1.5	0 Calibration	4	
0106-0115.FLAT	12	10:12	08:45:00.0	+32:00:00	600	90	1.5	0 Calibration	4	
0116.test	10	10:16	09:00:00.0	+32:00:00	300	90	3.0	#178 Low Mass	2	
0118.08160006-2127157	600	10:30	08:16:00.1	-21:27:16	300	46	3.0	#141 2MASS Red	2	300-line, 3-sec
0119.COMP	10	10:41	08:16:00.1	-21:27:16	300	46	3.0	0 Calibration	2	
0120.08180579-2006320	600	10:42	08:18:05.8	-20:06:32	300	46	3.0	#141 2MASS Red	2	
0121.COMP	10	10:52	08:18:05.8	-20:06:32	300	46	3.0	0 Calibration	2	
0122.08263965-2209370	600	10:54	08:26:39.7	-22:09:37	300	46	3.0	#141 2MASS Red	2	
0123.COMP	10	11:04	08:26:39.7	-22:09:37	300	45	3.0	0 Calibration	2	
0124.HD84937	40	11:06	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0125.HD84937	40	11:08	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0126.COMP	10	11:09	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	

UT Date 2014-12-15 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0127.Feige34	180	11:11	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0128.COMP	10	11:14	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0129.snASASSN-141o	900	11:16	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	
0130.snASASSN-141o	900	11:32	11:51:53.2	+18:32:31	300	90	3.0	#220 ASASSN Tr	2	
0131.COMP	10	11:47	11:51:53.2	+18:32:31	300	89	3.0	0 Calibration	2	
0132.snASASSN-141i	1200	11:48	12:48:15.2	+17:46:26	300	89	3.0	#220 ASASSN Tr	2	
0133.snASASSN-141i	682	12:10	12:48:15.2	+17:46:26	300	90	3.0	#220 ASASSN Tr	2	
0134.COMP	10	12:28	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	
0135.snASASSN-141p	300	12:30	12:45:09.1	-00:27:33	300	89	3.0	#220 ASASSN Tr	2	
0136.snASASSN-141p	300	12:36	12:45:09.1	-00:27:33	300	89	3.0	#220 ASASSN Tr	2	
0137.COMP	10	12:41	12:45:09.1	-00:27:33	300	89	3.0	0 Calibration	2	
0138.snASASSN-141i	892	12:43	12:48:15.2	+17:46:26	300	89	3.0	#220 ASASSN Tr	2	
0139.COMP	10	12:58	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	
0140-0149.BIAS	0	13:02	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	
0150-0164.FLAT	7	13:07	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	
0165-0169.DARK	1200	14:36	12:48:15.2	+17:46:26	300	89	3.0	0 Calibration	2	