

UT Date 2015-01-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	01:17	01:27:58.7	+31:25:50	300	93	3.0	0 Calibration	2	
0011-0025.FLAT	7	01:22	01:27:58.7	+31:25:50	300	93	3.0	0 Calibration	2	
0026.snASASSN-15ak	900	01:53	00:12:01.6	+26:23:37	300	93	3.0	#220 ASASSN Tr	2	
0027.snASASSN-15ak	900	02:08	00:12:01.6	+26:23:37	300	93	3.0	#220 ASASSN Tr	2	
0028.snASASSN-15ak	900	02:23	00:12:01.6	+26:23:37	300	93	3.0	#220 ASASSN Tr	2	
0029.COMP	10	02:38	00:12:01.6	+26:23:37	300	92	3.0	0 Calibration	2	
0030.05400089+4921163	1200	06:32	05:40:00.9	+49:21:16	300	92	3.0	#141 2MASS Red	2	
0031.COMP	10	06:54	05:40:00.9	+49:21:16	300	92	3.0	0 Calibration	2	
0032.05400089+4921163	1200	06:54	05:40:00.9	+49:21:16	300	92	3.0	#141 2MASS Red	2	
0033.COMP	10	07:15	05:40:00.9	+49:21:16	300	91	3.0	0 Calibration	2	
0034.05403550+4347487	1200	07:16	05:40:35.5	+43:47:49	300	91	3.0	#141 2MASS Red	2	
0035.COMP	10	07:38	05:40:35.5	+43:47:49	300	91	3.0	0 Calibration	2	
0036.05491900+4654287	900	07:40	05:49:19.0	+46:54:29	300	92	3.0	#141 2MASS Red	2	
0037.COMP	10	07:56	05:49:19.0	+46:54:29	300	92	3.0	0 Calibration	2	
0038.snASASSN-15as	1200	07:58	09:39:16.6	+06:25:49	300	92	3.0	#220 ASASSN Tr	2	
0039.snASASSN-15as	1200	08:18	09:39:16.6	+06:25:49	300	92	3.0	#220 ASASSN Tr	2	
0040.snASASSN-15as	1200	08:38	09:39:16.6	+06:25:49	300	92	3.0	#220 ASASSN Tr	2	
0041.COMP	10	08:59	09:39:16.6	+06:25:49	300	87	3.0	0 Calibration	2	
0042.HD84937	40	09:01	09:48:56.1	+13:44:39	300	87	3.0	#56 Spectropho	2	
0043.COMP	10	09:02	09:48:56.1	+13:44:39	300	87	3.0	0 Calibration	2	

UT Date 2015-01-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0044.snASASSN-15az	1200	09:04	11:08:37.6	-10:14:58	300	87	3.0	#220 ASASSN Tr	2	
0045.snASASSN-15az	1200	09:24	11:08:37.6	-10:14:58	300	87	3.0	#220 ASASSN Tr	2	
0046.snASASSN-15az	1200	09:44	11:08:37.6	-10:14:58	300	87	3.0	#220 ASASSN Tr	2	
0047.COMP	10	10:05	11:08:37.6	-10:14:58	300	90	3.0	0 Calibration	2	
0048.Feige34	200	10:08	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0049.COMP	10	10:13	10:39:36.7	+43:06:09	300	91	3.0	0 Calibration	2	
0050.Pbcg045	1200	10:17	10:52:46.4	+16:59:41	300	91	3.0	#210 Brightest	2	
0051.COMP	10	10:38	10:52:46.4	+16:59:41	300	91	3.0	0 Calibration	2	
0052.snASASSN-14lp	300	10:41	12:45:09.1	-00:27:33	300	92	3.0	#2 SN Observat	2	
0053.snASASSN-14lp	300	10:46	12:45:09.1	-00:27:33	300	92	3.0	#2 SN Observat	2	
0054.snASASSN-14lp	300	10:51	12:45:09.1	-00:27:33	300	92	3.0	#2 SN Observat	2	
0055.COMP	10	10:57	12:45:09.1	-00:27:33	300	92	3.0	0 Calibration	2	
0056.snBRUTUS7038_7	1200	11:02	14:04:55.1	+08:55:13	300	92	3.0	#220 ASASSN Tr	2	
0057.snBRUTUS7038_7	1200	11:23	14:04:55.1	+08:55:13	300	92	3.0	#220 ASASSN Tr	2	
0058.snBRUTUS7038_7	1200	11:44	14:04:55.1	+08:55:13	300	92	3.0	#220 ASASSN Tr	2	
0059.COMP	10	12:04	14:04:55.1	+08:55:13	300	92	3.0	0 Calibration	2	
0060.rmbcg017	1500	12:07	15:00:53.7	+47:13:37	300	92	3.0	#210 Brightest	2	
0061.COMP	10	12:33	15:00:53.7	+47:13:37	300	90	3.0	0 Calibration	2	
0062.rmbcg018	1200	12:34	15:00:55.4	+47:17:48	300	90	3.0	#210 Brightest	2	
0063.COMP	10	12:55	15:00:55.4	+47:17:48	300	91	3.0	0 Calibration	2	

UT Date 2015-01-16 Observers P BerlindColl. Focus 1350 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0064.rmbcg019	480	12:57	15:01:07.9	+47:16:35	300	91	3.0	#210 Brightest	2	
0065.COMP	10	13:05	15:01:07.9	+47:16:35	300	91	3.0	0 Calibration	2	
0066.rmbcg020	540	13:06	15:01:12.1	+47:16:23	300	91	3.0	#210 Brightest	2	
0067.COMP	10	13:16	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	
0068-0077.BIAS	0	13:22	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	
0078-0092.FLAT	7	13:28	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	
0093-0097.DARK	1200	14:50	15:01:12.1	+47:16:23	300	91	3.0	0 Calibration	2	