

UT Date 2015-02-14 Observers IrwinColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.DARK	900	23:05	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	2	standard setup
0002-0005.DARK	900	00:06	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	2	
0006-0015.BIAS	0	00:40	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	4	
0016-0025.FLAT	4	00:42	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	4	
0026-0035.BIAS	0	00:44	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	2	
0036-0050.FLAT	7	00:48	23:48:21.0	+31:25:29	300	88	3.0	0 Calibration	2	
0051.HD84937	30	07:17	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	thin cloud, seeing not great
0052.COMP	10	07:18	09:48:56.1	+13:44:39	300	88	3.0	0 Calibration	2	
0053.HD84937	30	07:18	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0054.HD84937	30	07:19	09:48:56.1	+13:44:39	300	88	3.0	#56 Spectropho	2	
0055.Feige34	180	07:21	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0056.COMP	10	07:25	10:39:36.7	+43:06:09	300	83	3.0	0 Calibration	2	
0057.N3115	120	07:27	10:05:14.0	-07:43:07	300	88	3.0	#57 Velocity S	2	ADC inoperative? not seeing or hearing it.
0058.COMP	10	07:29	10:05:14.0	-07:43:07	300	88	3.0	0 Calibration	2	
0059.snASASSN-15as	1800	07:34	09:39:16.6	+06:25:49	300	10	3.0	#2 SN Observat	2	
0060.COMP	10	08:04	09:39:16.6	+06:25:49	300	10	3.0	0 Calibration	2	
0061.sn2015A	1800	08:07	09:41:15.6	+35:53:17	300	60	3.0	#2 SN Observat	2	
0062.COMP	10	08:38	09:41:15.6	+35:53:17	300	60	3.0	0 Calibration	2	
0063.snASASSN-15az	1800	08:43	11:08:37.6	-10:14:58	300	0	3.0	#2 SN Observat	2	
0064.COMP	10	09:14	11:08:37.6	-10:14:58	300	0	3.0	0 Calibration	2	

UT Date 2015-02-14 Observers IrwinColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0065.snASASSN-15cz	1200	09:21	11:35:24.4	+57:39:00	300	0	3.0	#220 ASASSN Tr	2	not really able to see the sn, looks like one big elliptical bl
0066.COMP	10	09:41	11:35:24.4	+57:39:00	300	-3	3.0	0 Calibration	2	
0067.snASASSN-15cz	1200	09:45	11:35:24.4	+57:39:00	300	-9	3.0	#220 ASASSN Tr	2	second attempt no better than the first
0068.snASASSN-15cz	1200	10:05	11:35:24.4	+57:39:00	300	-10	3.0	#220 ASASSN Tr	2	
0069.COMP	10	10:25	11:35:24.4	+57:39:00	300	-10	3.0	0 Calibration	2	
0070.snASASSN-14lp	600	10:29	12:45:09.1	-00:27:33	300	-9	3.0	#2 SN Observat	2	
0071.COMP	10	10:40	12:45:09.1	-00:27:33	300	-9	3.0	0 Calibration	2	
0072.snASASSN-14lp	600	10:41	12:45:09.1	-00:27:33	300	-9	3.0	#2 SN Observat	2	
0073.snASASSN-14lp	600	10:51	12:45:09.1	-00:27:33	300	-10	3.0	#2 SN Observat	2	
0074.COMP	10	11:01	12:45:09.1	-00:27:33	300	-10	3.0	0 Calibration	2	
0075.SN14021678	1200	11:07	14:02:16.8	+54:26:20	300	11	3.0	#220 ASASSN Tr	2	nova? saved a couple of tele grabs
0076.COMP	10	11:27	14:02:16.8	+54:26:20	300	11	3.0	0 Calibration	2	
0077.COMP	10	11:36	12:48:15.2	+17:46:26	300	40	3.0	0 Calibration	2	
0078.snASASSN-14li	1200	11:37	12:48:15.2	+17:46:26	300	40	3.0	#2 SN Observat	2	
0079.snASASSN-14li	1200	11:57	12:48:15.2	+17:46:26	300	40	3.0	#2 SN Observat	2	
0080.COMP	10	12:17	12:48:15.2	+17:46:26	300	40	3.0	0 Calibration	2	
0081.snASASSN-15cq	1800	12:21	13:23:48.5	+43:17:59	300	110	3.0	#2 SN Observat	2	
0082.COMP	10	12:52	13:23:48.5	+43:17:59	300	110	3.0	0 Calibration	2	
0083.BDp332642	180	12:54	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0084.COMP	10	12:58	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	

UT Date 2015-02-14 Observers IrwinColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0085.BDp262606	90	12:59	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0086.COMP	10	13:01	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0087.BDp262606	90	13:02	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0088-0097.BIAS	0	13:07	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	4	
0098-0107.FLAT	4	13:09	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	4	
0108-0117.BIAS	0	13:12	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0118-0132.FLAT	7	13:16	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0133-0137.DARK	900	14:26	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0138-0142.DARK	900	15:42	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	4	