

UT Date 2015-02-19 Observers IrwinColl. Focus 1325 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0002-0003.BIAS	0	00:13	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0004.fastfoc	10	00:15	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	standard setup
0005.fastfoc	10	00:15	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0006.fastfoc	10	00:16	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0007.fastfoc	10	00:16	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0008.fastfoc	10	00:17	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0009.fastfoc	10	00:17	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0010.fastfoc	10	00:18	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0011.fastfoc	10	00:18	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0012.fastfoc	10	00:19	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0013.fastfoc	10	00:19	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0014.fastfoc	10	00:20	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0015.fastfoc	10	00:20	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0016.fastfoc	10	00:20	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0017.fastfoc	10	00:21	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0018.fastfoc	10	00:21	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	best foc 1325
0019.COMP	5	00:31	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	test
0020.COMP	5	00:33	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	test
0021.COMP	5	00:34	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	test
0022.fastfoc	10	00:38	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	newton 2 sec 600 tilt 752 binby2

UT Date 2015-02-19 Observers IrwinColl. Focus 1325 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0023.fastfoc	10	00:38	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0024.fastfoc	10	00:39	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0025.fastfoc	10	00:39	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0026.fastfoc	10	00:40	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0027.fastfoc	10	00:40	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0028.fastfoc	10	00:40	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0029.fastfoc	10	00:41	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0030.fastfoc	10	00:41	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0031.fastfoc	10	00:42	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0032.fastfoc	10	00:42	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0033.fastfoc	10	00:43	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0034.fastfoc	10	00:43	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0035.fastfoc	10	00:44	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	
0036.fastfoc	10	00:44	14:49:02.4	+25:42:09	600	90	2.0	#56 Spectropho	2	best foc 1360, set
0037-0051.BIAS	0	00:56	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	4	
0052-0066.BIAS	0	01:00	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0067-0079.FLAT	12	01:06	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	
0080.FLAT	12	01:07	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	opened late
0081.FLAT	12	01:07	14:49:02.4	+25:42:09	600	90	2.0	0 Calibration	2	conditions really losy
0082.Hiltner600	150	05:21	06:45:13.4	+02:08:15	600	95	2.0	#56 Spectropho	2	weak

UT Date 2015-02-19 Observers IrwinColl. Focus 1325 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0083.COMP	10	05:24	06:45:13.4	+02:08:15	600	95	2.0	0 Calibration	2	
0084.Hiltner600	449	05:25	06:45:13.4	+02:08:15	600	95	2.0	#56 Spectropho	2	
0085.LSPMJ0605+6049	420	05:37	06:05:29.4	+60:49:23	600	0	2.0	222 M dwarfs	2	
0086.COMP	10	05:44	06:05:29.4	+60:49:23	600	0	2.0	0 Calibration	2	
0087.LSPMJ0619+6605	1598	05:47	06:19:50.5	+66:05:31	600	0	2.0	222 M dwarfs	2	junk very cloudy
0088.COMP	10	06:14	06:19:50.5	+66:05:31	600	0	2.0	0 Calibration	2	
0089.LSPMJ0857+1924	450	06:35	08:57:15.4	+19:24:18	600	90	2.0	222 M dwarfs	2	
0090.COMP	10	06:43	08:57:15.4	+19:24:18	600	90	2.0	0 Calibration	2	
0091.COMP	5	07:30	09:09:38.7	+08:26:16	300	90	3.0	0 Calibration	2	test
0092.COMP	5	07:32	09:09:38.7	+08:26:16	300	90	3.0	0 Calibration	2	test
0093.HD84937	30	07:35	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	standard setup
0094.COMP	10	07:36	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0095.HD84937	30	07:37	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0096.HD84937	30	07:37	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0097.COMP	10	07:38	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	
0098.Feige34	300	07:40	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0099.COMP	10	07:46	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0100.N3377	300	07:48	10:47:42.4	+13:59:08	300	89	3.0	#57 Velocity S	2	
0101.COMP	10	07:53	10:47:42.4	+13:59:08	300	89	3.0	0 Calibration	2	
0102.snASASSN15df	1800	07:58	10:35:29.8	+34:34:26	300	104	3.0	#2 SN Observat	2	

UT Date 2015-02-19 Observers IrwinColl. Focus 1325 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0103.COMP	10	08:28	10:35:29.8	+34:34:26	300	104	3.0	0 Calibration	2	
0104.snASASSN15de	1200	08:31	11:28:49.6	+29:54:53	300	75	3.0	#2 SN Observat	2	
0105.COMP	10	08:51	11:28:49.6	+29:54:53	300	75	3.0	0 Calibration	2	
0106.snASASSN15de	1200	08:52	11:28:49.6	+29:54:53	300	75	3.0	#2 SN Observat	2	
0107.COMP	10	09:12	11:28:49.6	+29:54:53	300	75	3.0	0 Calibration	2	
0108.AWI0005dm9	12	09:14	09:33:57.9	+45:17:11	300	75	3.0	#219 Disk Dete	2	
0109.COMP	10	09:15	09:33:57.9	+45:17:11	300	75	3.0	0 Calibration	2	
0110.AWI0005dm9	30	09:15	09:33:57.9	+45:17:11	300	75	3.0	#219 Disk Dete	2	
0111.AWI0005dlh	120	09:18	09:00:45.5	+38:16:23	300	75	3.0	#219 Disk Dete	2	
0112.COMP	10	09:20	09:00:45.5	+38:16:23	300	75	3.0	0 Calibration	2	
0113-0122.BIAS	0	11:59	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	4	
0123-0132.FLAT	4	12:01	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	4	
0133-0142.BIAS	0	12:03	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	2	
0143-0157.FLAT	7	12:08	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	2	
0158-0162.DARK	900	13:31	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	2	
0163-0167.DARK	900	14:47	09:00:45.5	+38:16:23	300	89	3.0	0 Calibration	4	