

UT Date 2015-03-15 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:16	04:00:00.0	+31:40:00	300	94	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:22	04:00:00.0	+31:40:00	300	94	3.0	0 Calibration	2	
0026.COMP	10	02:25	04:00:00.0	+31:40:00	300	94	3.0	0 Calibration	2	
0027.AWI0000nwc	30	02:57	02:28:34.5	+13:52:35	300	94	3.0	#219 Disk Dete	2	
0028.AWI0000nwc	120	02:58	02:28:34.5	+13:52:35	300	94	3.0	#219 Disk Dete	2	
0029.COMP	10	03:00	02:28:34.5	+13:52:35	300	94	3.0	0 Calibration	2	
0030.AWI0005zxn	240	03:02	02:58:06.4	+20:35:27	300	94	3.0	#219 Disk Dete	2	
0031.COMP	5	03:06	02:58:06.4	+20:35:27	300	94	3.0	0 Calibration	2	
0032.AWI0002d5h	1200	03:08	02:56:05.7	+66:41:19	300	94	3.0	#219 Disk Dete	2	
0033.COMP	10	03:29	02:56:05.7	+66:41:19	300	95	3.0	0 Calibration	2	
0034.AWI0002vby	900	03:30	02:59:23.0	+57:42:52	300	95	3.0	#219 Disk Dete	2	
0035.COMP	10	03:45	02:59:23.0	+57:42:52	300	95	3.0	0 Calibration	2	
0036.AWI00023nh	600	03:47	03:37:36.5	+60:55:11	300	95	3.0	#219 Disk Dete	2	
0037.COMP	10	03:57	03:37:36.5	+60:55:11	300	95	3.0	0 Calibration	2	
0038.AWI0002vdg	900	03:59	04:20:51.8	+48:24:50	300	95	3.0	#219 Disk Dete	2	
0039.COMP	10	04:14	04:20:51.8	+48:24:50	300	95	3.0	0 Calibration	2	
0040.AWI00031x2	360	04:16	04:25:05.7	+45:55:50	300	95	3.0	#219 Disk Dete	2	
0041.COMP	5	04:23	04:25:05.7	+45:55:50	300	95	3.0	0 Calibration	2	
0042.AWI00055wb	499	04:25	04:35:48.2	+62:41:57	300	95	3.0	#219 Disk Dete	2	stopped by high wind
0043.COMP	10	04:33	04:35:48.2	+62:41:57	300	95	3.0	0 Calibration	2	now tv gain control does not work, no guide tv

UT Date 2015-03-15 Observers P BerlindColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0044.BIAS	0	08:44	09:48:56.1	+13:44:39	300	91	3.0	0 Calibration	2	can
0045.BIAS	0	08:44	09:48:56.1	+13:44:39	300	91	3.0	0 Calibration	2	same problem as from recent months
0046.BIAS	0	08:44	09:48:56.1	+13:44:39	300	91	3.0	0 Calibration	2	