

UT Date 2015-03-19 Observers P BerlindColl. Focus 1320 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	10:15	06:41:59.2	+06:20:44	300	89	3.0	0 Calibration	2	
0011-0025.FLAT	7	10:21	06:41:59.2	+06:20:44	300	89	3.0	0 Calibration	2	
0026.ASASSN15db	60	10:31	15:46:58.7	+17:53:03	300	89	3.0	#196 ASTRON 10	2	
0027.ASASSN15db	300	10:33	15:46:58.7	+17:53:03	300	89	3.0	#196 ASTRON 10	2	
0028.COMP	10	10:39	15:46:58.7	+17:53:03	300	89	3.0	0 Calibration	2	
0029.HD126327.M8III	30	10:51	14:24:11.0	+25:42:15	300	89	3.0	#196 ASTRON 10	2	
0030.HD126327.M8III	1	10:54	14:24:11.0	+25:42:15	300	89	3.0	#196 ASTRON 10	2	
0031.HD126327.M8III	5	10:55	14:24:11.0	+25:42:15	300	89	3.0	#196 ASTRON 10	2	
0032.HD126327.M8III	10	10:56	14:24:11.0	+25:42:15	300	89	3.0	#196 ASTRON 10	2	
0033.HD126327.M8III	1	10:57	14:24:11.0	+25:42:15	300	89	3.0	#196 ASTRON 10	2	
0034.AWI0005duh	1	11:04	16:34:08.2	+35:30:00	300	89	3.0	#219 Disk Dete	2	
0035.AWI0005duh	10	11:04	16:34:08.2	+35:30:00	300	89	3.0	#219 Disk Dete	2	
0036.AWI0005duh	25	11:05	16:34:08.2	+35:30:00	300	89	3.0	#219 Disk Dete	2	
0037.AWI0005duh	30	11:07	16:34:08.2	+35:30:00	300	89	3.0	#219 Disk Dete	2	
0038.AWI0005duh	25	11:08	16:34:08.2	+35:30:00	300	89	3.0	#219 Disk Dete	2	
0039.COMP	10	11:09	16:34:08.2	+35:30:00	300	89	3.0	0 Calibration	2	
0040.COMP	10	11:12	14:24:11.0	+25:42:15	300	89	3.0	0 Calibration	2	
0041.AWI0005dju	15	11:26	17:20:07.5	+35:41:04	300	89	3.0	#219 Disk Dete	2	
0042.AWI0005dju	20	11:27	17:20:07.5	+35:41:04	300	89	3.0	#219 Disk Dete	2	
0043.AWI0005dt9	25	11:34	16:18:16.2	+38:16:31	300	89	3.0	#219 Disk Dete	2	

UT Date 2015-03-19 Observers P BerlindColl. Focus 1320 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0044.AWI0005dt9	45	11:36	16:18:16.2	+38:16:31	300	89	3.0	#219 Disk Dete	2	
0045.AWI0005dt9	60	11:38	16:18:16.2	+38:16:31	300	89	3.0	#219 Disk Dete	2	
0046.COMP	10	11:40	16:18:16.2	+38:16:31	300	89	3.0	0 Calibration	2	
0047.BDp262606	30	11:48	14:49:02.4	+25:42:09	300	89	3.0	#219 Disk Dete	2	
0048.BDp262606	120	11:49	14:49:02.4	+25:42:09	300	89	3.0	#219 Disk Dete	2	
0049.BDp262606	300	11:52	14:49:02.4	+25:42:09	300	89	3.0	#219 Disk Dete	2	
0050.COMP	10	11:58	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0051.BDp262606	316	12:14	14:49:02.4	+25:42:09	300	89	3.0	#219 Disk Dete	2	