

UT Date 2015-04-15 Observers A VazColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	00:06	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0011-0021.FLAT	12	00:09	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0022-0026.DARK	900	01:12	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	2	
0027-0028.DARK	900	01:43	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0029.COMP	10	02:16	15:51:59.9	+32:56:54	600	91	1.5	0 Calibration	4	
0030.HD84937	30	04:00	09:48:56.1	+13:44:39	600	91	1.5	#56 Spectropho	4	
0031.HD84937	30	04:01	09:48:56.1	+13:44:39	600	91	1.5	#56 Spectropho	4	
0032.HD84937	30	04:01	09:48:56.1	+13:44:39	600	91	1.5	#56 Spectropho	4	
0033.COMP	10	04:02	09:48:56.1	+13:44:39	600	91	1.5	0 Calibration	4	
0034.Feige34	180	04:07	10:39:36.7	+43:06:09	600	91	1.5	#56 Spectropho	4	
0035.Feige34	180	04:11	10:39:36.7	+43:06:09	600	91	1.5	#56 Spectropho	4	
0036.COMP	10	04:15	10:39:36.7	+43:06:09	600	91	1.5	0 Calibration	4	
0037.j1131m07	720	04:18	11:31:43.5	-07:42:20	600	91	1.5	#178 Low Mass	4	
0038.COMP	10	04:30	11:31:43.5	-07:42:20	600	90	1.5	0 Calibration	4	
0039.j1131m07	720	04:31	11:31:43.5	-07:42:20	600	90	1.5	#178 Low Mass	4	
0040.COMP	10	04:43	11:31:43.5	-07:42:20	600	91	1.5	0 Calibration	4	
0041.j1131m07	720	04:44	11:31:43.5	-07:42:20	600	90	1.5	#178 Low Mass	4	
0042.COMP	10	04:57	11:31:43.5	-07:42:20	600	91	1.5	0 Calibration	4	
0043.j1131m07	720	04:58	11:31:43.5	-07:42:20	600	91	1.5	#178 Low Mass	4	
0044.COMP	10	05:10	11:31:43.5	-07:42:20	600	91	1.5	0 Calibration	4	

UT Date 2015-04-15 Observers A VazColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0045.lmwd541	840	05:13	13:55:12.3	+19:56:45	600	91	1.5	#178 Low Mass	4	
0046.COMP	10	05:28	13:55:12.3	+19:56:45	600	90	1.5	0 Calibration	4	
0047.lmwd541	840	05:30	13:55:12.3	+19:56:45	600	90	1.5	#178 Low Mass	4	
0048.COMP	10	05:45	13:55:12.3	+19:56:45	600	90	1.5	0 Calibration	4	
0049.lmwd541	840	05:45	13:55:12.3	+19:56:45	600	90	1.5	#178 Low Mass	4	
0050.COMP	10	06:00	13:55:12.3	+19:56:45	600	89	1.5	0 Calibration	4	
0051.lmwd541	840	06:01	13:55:12.3	+19:56:45	600	89	1.5	#178 Low Mass	4	
0052.COMP	10	06:16	13:55:12.3	+19:56:45	600	89	1.5	0 Calibration	4	
0053.j1337p39	1200	06:19	13:37:25.2	+39:52:39	600	89	1.5	#178 Low Mass	4	
0054.COMP	10	06:40	13:37:25.2	+39:52:39	600	89	1.5	0 Calibration	4	
0055.j1337p39	1200	06:41	13:37:25.2	+39:52:39	600	89	1.5	#178 Low Mass	4	
0056.COMP	10	07:01	13:37:25.2	+39:52:39	600	89	1.5	0 Calibration	4	
0057.j1337p39	1200	07:14	13:37:25.2	+39:52:39	600	89	1.5	#178 Low Mass	4	
0058.COMP	10	07:34	13:37:25.2	+39:52:39	600	89	1.5	0 Calibration	4	
0059.j1433p25	1320	07:45	14:33:15.9	+25:28:53	600	89	1.5	#178 Low Mass	4	
0060.COMP	10	08:07	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	4	
0061.j1433p25	1320	08:08	14:33:15.9	+25:28:53	600	89	1.5	#178 Low Mass	4	
0062.COMP	10	08:30	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	4	
0063.j1433p25	1320	08:31	14:33:15.9	+25:28:53	600	89	1.5	#178 Low Mass	4	
0064.COMP	10	08:53	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	4	

UT Date 2015-04-15 Observers A VazColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0065.j1433p25	1320	08:56	14:33:15.9	+25:28:53	600	89	1.5	#178 Low Mass	4	
0066.COMP	10	09:19	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	4	
0067.COMP	10	09:26	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	4	
0068.COMP	10	09:27	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0069.COMP	10	09:29	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0070.COMP	10	09:34	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0071.COMP	10	09:36	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0072.COMP	10	09:37	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0073.COMP	10	09:39	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0074.COMP	10	09:42	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0075.COMP	10	09:43	14:33:15.9	+25:28:53	600	89	1.5	0 Calibration	2	
0076.BIAS	0	09:46	14:33:15.9	+25:28:53	300	110	3.0	0 Calibration	2	
0077.FLAT	12	09:47	14:33:15.9	+25:28:53	300	110	3.0	0 Calibration	2	
0078.test	10	09:54	14:16:23.9	+39:30:09	300	110	3.0	#220 ASASSN Tr	2	
0079.test	10	09:55	14:16:23.9	+39:30:09	300	110	3.0	#220 ASASSN Tr	2	
0080.BRUTUS7123_5	900	09:59	14:16:23.9	+39:30:09	300	110	3.0	#220 ASASSN Tr	2	
0081.COMP	10	10:15	14:16:23.9	+39:30:09	300	109	3.0	0 Calibration	2	
0082.BRUTUS7123_5	900	10:15	14:16:23.9	+39:30:09	300	109	3.0	#220 ASASSN Tr	2	
0083.COMP	10	10:31	14:16:23.9	+39:30:09	300	110	3.0	0 Calibration	2	
0084.BRUTUS7123_5	900	10:32	14:16:23.9	+39:30:09	300	110	3.0	#220 ASASSN Tr	2	

UT Date 2015-04-15 Observers A VazColl. Focus 1360 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0085.COMP	10	10:55	14:16:23.9	+39:30:09	300	110	3.0	0 Calibration	2	
0086-0095.BIAS	0	11:01	14:16:23.9	+39:30:09	300	90	3.0	0 Calibration	2	
0096-0110.FLAT	7	11:06	14:16:23.9	+39:30:09	300	90	3.0	0 Calibration	2	
0111.BDp332642	120	11:14	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0112.COMP	10	11:16	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0113.BDp332642	120	11:23	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0114.COMP	10	11:25	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0115.BDp262606	90	11:32	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0116.BDp262606	90	11:36	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0117.BDp262606	90	11:38	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0118.COMP	10	11:40	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0119-0128.BIAS	0	11:58	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0129-0143.FLAT	7	12:04	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0144-0148.DARK	900	13:14	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0149-0153.DARK	900	14:30	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	4	
comp600+440.ms	5	08:44	11:13:04.3	+11:23:36	600	90	2.0	#166 Hyper Vel	1	