

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	21:27	15:42:44.6	+26:17:44	600	89	2.0	0 Calibration	2	
0002.fastfoc	12	21:35	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0003.fastfoc	12	21:36	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0004.fastfoc	12	21:37	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0005.fastfoc	12	21:37	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0006.fastfoc	12	21:38	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0007.fastfoc	12	21:38	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0008.fastfoc	12	21:39	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0009.fastfoc	12	21:39	15:42:44.6	+26:17:44	600	89	2.0	#57 Velocity S	2	
0010-0019.BIAS	0	21:50	15:42:44.6	+26:17:44	600	89	2.0	0 Calibration	2	
0035-0039.DARK	900	22:59	15:42:44.6	+26:17:44	600	89	2.0	0 Calibration	2	
0041.COMP	10	00:47	15:42:44.6	+26:17:44	300	89	3.0	0 Calibration	2	
0042-0051.BIAS	0	00:50	15:42:44.6	+26:17:44	300	89	3.0	0 Calibration	2	
0052-0066.FLAT	7	00:56	15:42:44.6	+26:17:44	300	89	3.0	0 Calibration	2	
0067.DARK	900	01:50	03:39:30.0	+31:27:00	300	89	3.0	0 Calibration	2	
0068.HD84937	30	02:28	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0069.COMP	5	02:29	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0070.COMP	10	02:31	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0071.Feige34	180	02:35	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0072.COMP	10	02:38	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0073.047_WHSS090314	300	03:11	09:03:07.2	+10:25:43	300	89	3.0	#221 Bright Hi	2	
0074.COMP	10	03:16	09:03:07.2	+10:25:43	300	88	3.0	0 Calibration	2	
0075.047_WHSS090314	600	03:17	09:03:07.2	+10:25:43	300	88	3.0	#221 Bright Hi	2	
0076.COMP	10	03:28	09:03:07.2	+10:25:43	300	87	3.0	0 Calibration	2	
0077.047_WHSS090314	600	03:28	09:03:07.2	+10:25:43	300	87	3.0	#221 Bright Hi	2	
0078.COMP	10	03:39	09:03:07.2	+10:25:43	300	88	3.0	0 Calibration	2	
0079.snASASSN-15hg	600	03:56	09:53:48.6	+09:11:38	300	0	3.0	#220 ASASSN Tr	2	
0080.COMP	10	04:06	09:53:48.6	+09:11:38	300	1	3.0	0 Calibration	2	
0081.snASASSN-15hg	600	04:07	09:53:48.6	+09:11:38	300	1	3.0	#220 ASASSN Tr	2	
0082.COMP	10	04:18	09:53:48.6	+09:11:38	300	0	3.0	0 Calibration	2	
0083.snASASSN-15hg	600	04:19	09:53:48.6	+09:11:38	300	0	3.0	#220 ASASSN Tr	2	
0084.COMP	10	04:29	09:53:48.6	+09:11:38	300	1	3.0	0 Calibration	2	
0085.090_WHSS110059	600	04:35	11:00:59.4	+21:48:02	300	1	3.0	#221 Bright Hi	2	
0086.COMP	10	04:46	11:00:59.4	+21:48:02	300	0	3.0	0 Calibration	2	
0087.094_WHSS111021	600	04:49	11:10:21.9	+26:13:59	300	0	3.0	#221 Bright Hi	2	
0088.COMP	10	05:00	11:10:21.9	+26:13:59	300	1	3.0	0 Calibration	2	
0089.094_WHSS111021	600	05:01	11:10:21.9	+26:13:59	300	1	3.0	#221 Bright Hi	2	
0090.COMP	10	05:11	11:10:21.9	+26:13:59	300	1	3.0	0 Calibration	2	
0091.102_WHSS112629	600	05:14	11:26:29.8	+26:37:23	300	1	3.0	#221 Bright Hi	2	
0092.COMP	10	05:25	11:26:29.8	+26:37:23	300	1	3.0	0 Calibration	2	

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0093.102_WHSS112629	600	05:26	11:26:29.8	+26:37:23	300	1	3.0	#221 Bright Hi	2	
0094.COMP	10	05:36	11:26:29.8	+26:37:23	300	1	3.0	0 Calibration	2	
0095.121_WHSS121155	600	05:38	12:11:55.3	+11:10:59	300	1	3.0	#221 Bright Hi	2	
0096.COMP	10	05:48	12:11:55.3	+11:10:59	300	1	3.0	0 Calibration	2	
0097.121_WHSS121155	600	05:49	12:11:55.3	+11:10:59	300	1	3.0	#221 Bright Hi	2	
0098.COMP	10	05:59	12:11:55.3	+11:10:59	300	0	3.0	0 Calibration	2	
0099.134_WHSS122803	600	06:01	12:28:03.6	+17:01:45	300	0	3.0	#221 Bright Hi	2	
0100.COMP	10	06:12	12:28:03.6	+17:01:45	300	1	3.0	0 Calibration	2	
0101.144_WHSS125440	600	06:18	12:54:40.6	+19:48:03	300	1	3.0	#221 Bright Hi	2	
0102.COMP	10	06:28	12:54:40.6	+19:48:03	300	0	3.0	0 Calibration	2	
0103.144_WHSS125440	600	06:29	12:54:40.6	+19:48:03	300	0	3.0	#221 Bright Hi	2	
0104.COMP	10	06:40	12:54:40.6	+19:48:03	300	0	3.0	0 Calibration	2	
0105.147_WHSS125555	600	06:43	12:55:55.7	+11:39:51	300	0	3.0	#221 Bright Hi	2	
0106.COMP	10	06:53	12:55:55.7	+11:39:51	300	1	3.0	0 Calibration	2	
0107.147_WHSS125555	600	06:54	12:55:55.7	+11:39:51	300	1	3.0	#221 Bright Hi	2	
0108.COMP	10	07:05	12:55:55.7	+11:39:51	300	0	3.0	0 Calibration	2	
0109.153_WHSS131812	600	07:06	13:18:12.5	+17:22:02	300	0	3.0	#221 Bright Hi	2	
0110.COMP	10	07:17	13:18:12.5	+17:22:02	300	1	3.0	0 Calibration	2	
0111.158_WHSS133841	600	07:19	13:38:41.5	+15:52:08	300	1	3.0	#221 Bright Hi	2	
0112.COMP	10	07:29	13:38:41.5	+15:52:08	300	1	3.0	0 Calibration	2	

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0113.166_WHSS134627	600	07:32	13:46:27.9	+12:47:54	300	1	3.0	#221 Bright Hi	2	
0114.COMP	10	07:42	13:46:27.9	+12:47:54	300	1	3.0	0 Calibration	2	
0115.178_WHSS141050	600	07:45	14:10:50.7	+10:47:13	300	1	3.0	#221 Bright Hi	2	
0116.COMP	10	07:55	14:10:50.7	+10:47:13	300	1	3.0	0 Calibration	2	
0117.182_WHSS141706	600	07:57	14:17:06.1	+10:15:45	300	1	3.0	#221 Bright Hi	2	
0118.COMP	10	08:08	14:17:06.1	+10:15:45	300	0	3.0	0 Calibration	2	
0119.182_WHSS141706	600	08:08	14:17:06.1	+10:15:45	300	0	3.0	#221 Bright Hi	2	
0120.COMP	10	08:19	14:17:06.1	+10:15:45	300	0	3.0	0 Calibration	2	
0121.186_WHSS143400	600	08:21	14:34:00.7	+11:16:31	300	0	3.0	#221 Bright Hi	2	
0122.COMP	10	08:32	14:34:00.7	+11:16:31	300	1	3.0	0 Calibration	2	
0123.186_WHSS143400	600	08:32	14:34:00.7	+11:16:31	300	1	3.0	#221 Bright Hi	2	
0124.COMP	10	08:43	14:34:00.7	+11:16:31	300	0	3.0	0 Calibration	2	
0125.193_WHSS145319	600	08:44	14:53:19.3	+19:58:23	300	0	3.0	#221 Bright Hi	2	
0126.COMP	10	08:55	14:53:19.3	+19:58:23	300	1	3.0	0 Calibration	2	
0127.193_WHSS145319	600	08:56	14:53:19.3	+19:58:23	300	1	3.0	#221 Bright Hi	2	
0128.COMP	10	09:06	14:53:19.3	+19:58:23	300	0	3.0	0 Calibration	2	
0129.202_WHSS151529	600	09:08	15:15:29.5	+22:52:07	300	0	3.0	#221 Bright Hi	2	
0130.COMP	10	09:18	15:15:29.5	+22:52:07	300	1	3.0	0 Calibration	2	
0131.202_WHSS151529	600	09:19	15:15:29.5	+22:52:07	300	1	3.0	#221 Bright Hi	2	
0132.COMP	10	09:29	15:15:29.5	+22:52:07	300	0	3.0	0 Calibration	2	

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0133.212_WHSS153415	600	09:31	15:34:15.1	+15:39:22	300	0	3.0	#221 Bright Hi	2	
0134.COMP	10	09:41	15:34:15.1	+15:39:22	300	0	3.0	0 Calibration	2	
0135.212_WHSS153415	600	09:42	15:34:15.1	+15:39:22	300	0	3.0	#221 Bright Hi	2	
0136.COMP	10	09:52	15:34:15.1	+15:39:22	300	1	3.0	0 Calibration	2	
0137.243_WHSS161308	600	09:54	16:13:08.2	+12:37:51	300	1	3.0	#221 Bright Hi	2	
0138.COMP	10	10:05	16:13:08.2	+12:37:51	300	0	3.0	0 Calibration	2	
0139.251_WHSS162840	600	10:07	16:28:40.1	+16:19:45	300	0	3.0	#221 Bright Hi	2	
0140.COMP	10	10:18	16:28:40.1	+16:19:45	300	0	3.0	0 Calibration	2	
0141.251_WHSS162840	600	10:19	16:28:40.1	+16:19:45	300	0	3.0	#221 Bright Hi	2	
0142.COMP	10	10:29	16:28:40.1	+16:19:45	300	0	3.0	0 Calibration	2	
0143.254_WHSS162942	600	10:31	16:29:42.6	+17:28:11	300	0	3.0	#221 Bright Hi	2	
0144.COMP	10	10:41	16:29:42.6	+17:28:11	300	1	3.0	0 Calibration	2	
0145.258_WHSS163212	600	10:43	16:32:12.1	+14:32:32	300	1	3.0	#221 Bright Hi	2	
0146.COMP	10	10:53	16:32:12.1	+14:32:32	300	0	3.0	0 Calibration	2	
0147.259_WHSS163213	600	10:55	16:32:13.2	+13:34:30	300	0	3.0	#221 Bright Hi	2	
0148.COMP	10	11:05	16:32:13.2	+13:34:30	300	0	3.0	0 Calibration	2	
0149.260_WHSS163436	600	11:07	16:34:36.9	+15:44:22	300	0	3.0	#221 Bright Hi	2	
0150.COMP	10	11:18	16:34:36.9	+15:44:22	300	0	3.0	0 Calibration	2	
0151.261_WHSS163437	600	11:20	16:34:37.5	+14:23:10	300	0	3.0	#221 Bright Hi	2	
0152.COMP	10	11:30	16:34:37.5	+14:23:10	300	1	3.0	0 Calibration	2	

UT Date 2015-04-20 Observers WillnerColl. Focus 1357 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0153.261.WHSS163437	600	11:31	16:34:37.5	+14:23:10	300	1	3.0	#221 Bright Hi	2	
0154.COMP	10	11:42	16:34:37.5	+14:23:10	300	1	3.0	0 Calibration	2	
0155.263.WHSS163500	600	11:44	16:35:00.4	+15:31:27	300	1	3.0	#221 Bright Hi	2	
0156.COMP	10	11:54	16:35:00.4	+15:31:27	300	0	3.0	0 Calibration	2	
0157.263.WHSS163500	300	11:55	16:35:00.4	+15:31:27	300	0	3.0	#221 Bright Hi	2	
0158.COMP	10	12:01	16:35:00.4	+15:31:27	300	0	3.0	0 Calibration	2	
0159.BDp332642	120	12:03	15:51:59.9	+32:56:54	300	0	3.0	#56 Spectropho	2	
0160.COMP	10	12:05	15:51:59.9	+32:56:54	300	0	3.0	0 Calibration	2	
0161.BDp262606	90	12:09	14:49:02.4	+25:42:09	300	0	3.0	#56 Spectropho	2	
0162.COMP	10	12:11	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	
0163-0172.BIAS	0	12:23	14:49:02.4	+25:42:09	300	0	3.0	0 Calibration	2	