

UT Date 2015-05-19 Observers P BerlindColl. Focus 1380 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	22:43	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	2	
0006-0010.DARK	900	23:59	19:57:05.0	+39:49:37	300	83	3.0	0 Calibration	4	
0012-0022.BIAS	0	03:27	11:46:02.8	+31:35:38	300	90	3.0	0 Calibration	2	
0023-0037.FLAT	7	03:33	11:46:02.8	+31:35:38	300	90	3.0	0 Calibration	2	
0038.Feige34	180	03:35	10:39:36.7	+43:06:09	300	90	3.0	#56 Spectropho	2	
0039.COMP	10	03:38	10:39:36.7	+43:06:09	300	90	3.0	0 Calibration	2	
0040.snngc27702015	1200	03:40	09:09:35.0	+33:07:20	300	90	3.0	#2 SN Observat	2	
0041.snngc27702015	1200	04:13	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0042.snngc27702015	1200	04:33	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0043.COMP	10	04:54	09:09:35.0	+33:07:20	300	89	3.0	0 Calibration	2	
0044.snASASSN-15jb	900	04:56	11:20:06.4	+34:07:43	300	90	3.0	#220 ASASSN Tr	2	
0045.snASASSN-15jb	900	05:11	11:20:06.4	+34:07:43	300	90	3.0	#220 ASASSN Tr	2	
0046.snASASSN-15jb	900	05:27	11:20:06.4	+34:07:43	300	90	3.0	#220 ASASSN Tr	2	
0047.COMP	10	05:42	11:20:06.4	+34:07:43	300	90	3.0	0 Calibration	2	
0048.snPSN130032	1200	05:44	13:00:32.3	+27:58:41	300	90	3.0	#2 SN Observat	2	
0049.snPSN130032	1200	06:04	13:00:32.3	+27:58:41	300	90	3.0	#2 SN Observat	2	
0050.snPSN130032	1200	06:25	13:00:32.3	+27:58:41	300	90	3.0	#2 SN Observat	2	
0051.COMP	10	06:45	13:00:32.3	+27:58:41	300	90	3.0	0 Calibration	2	
0052.BDp262606	90	06:47	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0053.COMP	10	06:49	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	

UT Date 2015-05-19 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0054.BDp332642	120	06:51	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0055.COMP	10	06:53	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0056.AWI0005dpu	10	06:56	14:53:51.4	-09:05:09	300	90	3.0	#219 Disk Dete	2	
0057.COMP	10	06:57	14:53:51.4	-09:05:09	300	90	3.0	0 Calibration	2	
0058.AWI0005dq1	30	06:58	15:18:39.0	-00:10:04	300	90	3.0	#219 Disk Dete	2	
0059.COMP	10	07:00	15:18:39.0	-00:10:04	300	90	3.0	0 Calibration	2	
0060.AWI0005dqb	1200	07:01	15:09:37.8	-05:36:55	300	90	3.0	#219 Disk Dete	2	
0061.COMP	10	07:22	15:09:37.8	-05:36:55	300	90	3.0	0 Calibration	2	
0062.AWI0005dfv	30	07:23	15:56:12.4	-09:43:22	300	90	3.0	#219 Disk Dete	2	
0063.COMP	10	07:24	15:56:12.4	-09:43:22	300	90	3.0	0 Calibration	2	
0064.AWI0005dr8	10	07:27	15:36:42.6	+14:55:29	300	90	3.0	#219 Disk Dete	2	
0065.COMP	10	07:28	15:36:42.6	+14:55:29	300	90	3.0	0 Calibration	2	
0066.AWI0005drb	600	07:29	15:38:50.8	+13:37:52	300	90	3.0	#219 Disk Dete	2	
0067.COMP	10	07:39	15:38:50.8	+13:37:52	300	89	3.0	0 Calibration	2	
0068.AWI00001sw	600	07:41	16:20:03.3	+06:11:05	300	89	3.0	#219 Disk Dete	2	
0069.COMP	10	07:52	16:20:03.3	+06:11:05	300	90	3.0	0 Calibration	2	
0070.AWI0005dqv	1200	07:54	15:25:12.5	+63:49:07	300	90	3.0	#219 Disk Dete	2	
0071.COMP	10	08:15	15:25:12.5	+63:49:07	300	90	3.0	0 Calibration	2	
0072.AWI0005dr4	15	08:17	15:35:14.1	+65:16:40	300	89	3.0	#219 Disk Dete	2	
0073.COMP	10	08:17	15:35:14.1	+65:16:40	300	89	3.0	0 Calibration	2	

UT Date 2015-05-19 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0074.AWI000047d	300	08:20	16:48:37.4	+35:12:09	300	89	3.0	#219 Disk Dete	2	
0075.COMP	10	08:25	16:48:37.4	+35:12:09	300	89	3.0	0 Calibration	2	
0076.AWI000015r	300	08:27	17:08:39.7	+29:50:33	300	89	3.0	#219 Disk Dete	2	
0077.COMP	10	08:32	17:08:39.7	+29:50:33	300	89	3.0	0 Calibration	2	
0078.AWI000028h	900	08:35	16:55:56.6	+24:15:54	300	89	3.0	#219 Disk Dete	2	
0079.COMP	10	08:50	16:55:56.6	+24:15:54	300	88	3.0	0 Calibration	2	
0080.snPSN162838	1800	08:53	16:28:38.4	+39:32:55	300	88	3.0	#2 SN Observat	2	
0081.COMP	10	09:23	16:28:38.4	+39:32:55	300	89	3.0	0 Calibration	2	
0082.snps15ahs	1800	09:25	17:59:29.8	+43:23:24	300	89	3.0	#2 SN Observat	2	
0083.COMP	10	09:56	17:59:29.8	+43:23:24	300	88	3.0	0 Calibration	2	
0084.Hen1591	60	09:59	18:07:32.0	-25:53:43	300	88	3.0	#12 Symbiotic	2	
0085.Hen1591	300	10:00	18:07:32.0	-25:53:43	300	88	3.0	#12 Symbiotic	2	
0086.COMP	10	10:06	18:07:32.0	-25:53:43	300	88	3.0	0 Calibration	2	
0087.AS281	60	10:07	18:10:44.0	-27:57:51	300	88	3.0	#12 Symbiotic	2	
0088.AS281	600	10:09	18:10:44.0	-27:57:51	300	88	3.0	#12 Symbiotic	2	
0089.COMP	10	10:19	18:10:44.0	-27:57:51	300	89	3.0	0 Calibration	2	
0090.Hen1674	60	10:21	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0091.Hen1674	600	10:25	18:20:19.1	-26:22:46	300	90	3.0	#12 Symbiotic	2	
0092.COMP	10	10:35	18:20:19.1	-26:22:46	300	89	3.0	0 Calibration	2	
0093.snASASSN-15hy	660	10:37	20:10:02.4	-00:44:21	300	89	3.0	#220 ASASSN Tr	2	

UT Date 2015-05-19 Observers P BerlindColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0094.snASASSN-15hy	660	10:48	20:10:02.4	-00:44:21	300	89	3.0	#220 ASASSN Tr	2	
0095.snASASSN-15hy	660	10:59	20:10:02.4	-00:44:21	300	89	3.0	#220 ASASSN Tr	2	
0096.COMP	10	11:11	20:10:02.4	-00:44:21	300	90	3.0	0 Calibration	2	
0097.AS296	60	11:13	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0098.AS296	120	11:15	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0099.AS296	10	11:17	18:15:07.0	-00:18:52	300	90	3.0	#12 Symbiotic	2	
0100.COMP	10	11:18	18:15:07.0	-00:18:52	300	90	3.0	0 Calibration	2	
0101.AS360	60	11:19	19:45:49.0	+18:36:49	300	90	3.0	#12 Symbiotic	2	
0102.AS360	360	11:21	19:45:49.0	+18:36:49	300	88	3.0	#12 Symbiotic	2	
0103.COMP	10	11:28	19:45:49.0	+18:36:49	300	88	3.0	0 Calibration	2	
0104-0113.BIAS	0	11:31	19:45:49.0	+18:36:49	300	88	3.0	0 Calibration	2	
0114-0128.FLAT	7	11:37	19:45:49.0	+18:36:49	300	88	3.0	0 Calibration	2	