
UT Date 2015-05-20 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.BIAS	0	20:29	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	test
0002.COMP	5	21:46	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	test
0003.COMP	5	23:09	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	test
0004.COMP	5	23:13	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	test
0005-0024.BIAS	0	23:18	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	4	
0025-0044.BIAS	0	23:39	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	
0045.COMP	5	23:41	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	300 tilt 760 3 sec gg495 binby2 Elvis
0046-0064.FLAT	8	23:49	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	
0065.FLAT	8	23:49	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	got sn request no can do Elvis sorry
0066.COMP	5	00:28	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	standard setup
0067-0086.FLAT	7	00:37	04:51:39.2	+31:29:15	300	90	3.0	0 Calibration	2	
0087-0091.sky	15	02:40	11:15:00.0	+31:40:00	300	90	3.0	#57 Velocity S	2	
0092.COMP	10	02:41	11:15:00.0	+31:40:00	300	90	3.0	0 Calibration	2	
0093.HIP55203	1	02:43	11:18:11.2	+31:31:51	300	90	3.0	#57 Velocity S	2	center adjust
0094.HIP55203	1	02:44	11:18:11.2	+31:31:51	300	90	3.0	#57 Velocity S	2	
0095.HIP55203	1	02:44	11:18:11.2	+31:31:51	300	90	3.0	#57 Velocity S	2	
0096.HIP55203	1	02:45	11:18:11.2	+31:31:51	300	90	3.0	#57 Velocity S	2	
0097.COMP	10	02:46	11:18:11.2	+31:31:51	300	90	3.0	0 Calibration	2	
0098.HD84937	30	03:36	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0099.COMP	10	03:37	09:48:56.1	+13:44:39	300	90	3.0	0 Calibration	2	

UT Date 2015-05-20 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0100.HD84937	30	03:38	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0101.HD84937	30	03:39	09:48:56.1	+13:44:39	300	90	3.0	#56 Spectropho	2	
0102.Feige34	180	03:41	10:39:36.7	+43:06:09	300	89	3.0	#56 Spectropho	2	
0103.COMP	10	03:44	10:39:36.7	+43:06:09	300	89	3.0	0 Calibration	2	
0104.N4853	600	03:47	12:58:35.2	+27:35:47	300	89	3.0	#57 Velocity S	2	
0105.COMP	10	03:57	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0106.snngc27702015	1800	03:59	09:09:35.0	+33:07:20	300	89	3.0	#2 SN Observat	2	
0107.COMP	10	04:30	09:09:35.0	+33:07:20	300	89	3.0	0 Calibration	2	
0108.snPSN130032	1800	04:32	13:00:32.3	+27:58:41	300	89	3.0	#2 SN Observat	2	
0109.COMP	10	05:03	13:00:32.3	+27:58:41	300	88	3.0	0 Calibration	2	
0110.COMP	5	05:10	14:32:36.6	+00:05:30	600	88	1.5	0 Calibration	4	600 tilt 445 1.5 sec binby4 Brown
0111.BDp332642	240	05:14	15:51:59.9	+32:56:54	600	86	1.5	#56 Spectropho	4	
0112.COMP	10	05:18	15:51:59.9	+32:56:54	600	86	1.5	0 Calibration	4	
0113.galex05	300	05:24	10:45:37.5	+59:46:56	600	90	1.5	#178 Low Mass	4	doesn
0114.COMP	10	05:29	10:45:37.5	+59:46:56	600	90	1.5	0 Calibration	4	
0115.galex05	300	05:30	10:45:37.5	+59:46:56	600	90	1.5	#178 Low Mass	4	but making sure we get it anyway
0116.COMP	10	05:35	10:45:37.5	+59:46:56	600	90	1.5	0 Calibration	4	
0117.galex05	300	05:36	10:45:37.5	+59:46:56	600	90	1.5	#178 Low Mass	4	queue very crowded at this ra
0118.COMP	10	05:41	10:45:37.5	+59:46:56	600	90	1.5	0 Calibration	4	
0119.galex05	300	05:42	10:45:37.5	+59:46:56	600	90	1.5	#178 Low Mass	4	so best not to have to go back

UT Date 2015-05-20 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0120.COMP	10	05:48	10:45:37.5	+59:46:56	600	90	1.5	0 Calibration	4	
0121.galex08	780	05:52	14:23:29.4	+03:43:17	600	70	1.5	#178 Low Mass	4	M star
0122.COMP	10	06:05	14:23:29.4	+03:43:17	600	70	1.5	0 Calibration	4	
0123.dr1434	900	06:08	14:34:58.5	+08:54:26	600	90	1.5	#178 Low Mass	4	WD
0124.COMP	10	06:24	14:34:58.5	+08:54:26	600	90	1.5	0 Calibration	4	
0125.dr1434	900	06:24	14:34:58.5	+08:54:26	600	90	1.5	#178 Low Mass	4	
0126.COMP	10	06:40	14:34:58.5	+08:54:26	600	90	1.5	0 Calibration	4	
0127.dr1434	900	06:41	14:34:58.5	+08:54:26	600	90	1.5	#178 Low Mass	4	
0128.COMP	10	06:56	14:34:58.5	+08:54:26	600	90	1.5	0 Calibration	4	
0129.dr1434	900	06:57	14:34:58.5	+08:54:26	600	90	1.5	#178 Low Mass	4	
0130.COMP	10	07:12	14:34:58.5	+08:54:26	600	90	1.5	0 Calibration	4	
0131.bcand899	960	07:14	15:55:02.0	+24:44:22	600	90	1.5	#178 Low Mass	4	
0132.COMP	10	07:31	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	
0133.bcand899	960	07:31	15:55:02.0	+24:44:22	600	90	1.5	#178 Low Mass	4	
0134.COMP	10	07:48	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	
0135.bcand899	960	07:49	15:55:02.0	+24:44:22	600	90	1.5	#178 Low Mass	4	
0136.COMP	10	08:05	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	
0137.bcand899	960	08:06	15:55:02.0	+24:44:22	600	90	1.5	#178 Low Mass	4	
0138.COMP	10	08:22	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	
0139-0153.FLAT	12	08:28	15:55:02.0	+24:44:22	600	90	1.5	0 Calibration	4	

UT Date 2015-05-20 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0154.COMP	5	08:33	15:55:02.0	+24:44:22	300	90	3.0	0 Calibration	2	test
0155.COMP	5	08:34	15:55:02.0	+24:44:22	300	90	3.0	0 Calibration	2	standard setup
0156.snPSN162838	1800	08:38	16:28:38.4	+39:32:55	300	90	3.0	#2 SN Observat	2	
0157.COMP	10	09:08	16:28:38.4	+39:32:55	300	90	3.0	0 Calibration	2	
0158.DracoC1	1200	09:11	17:19:58.0	+57:50:06	300	89	3.0	#12 Symbiotic	2	
0159.COMP	10	09:32	17:19:58.0	+57:50:06	300	89	3.0	0 Calibration	2	
0160.AS289	15	09:36	18:12:22.0	-11:40:08	300	89	3.0	#12 Symbiotic	2	
0161.AS289	420	09:36	18:12:22.0	-11:40:08	300	89	3.0	#12 Symbiotic	2	
0162.COMP	10	09:43	18:12:22.0	-11:40:08	300	89	3.0	0 Calibration	2	
0163.YYHer	10	09:46	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0164.YYHer	60	09:46	18:14:34.0	+20:59:19	300	89	3.0	#12 Symbiotic	2	
0165.COMP	10	09:48	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0166.V443Her	5	09:49	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0167.V443Her	45	09:49	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0168.V443Her	90	09:50	18:22:07.0	+23:27:20	300	89	3.0	#12 Symbiotic	2	
0169.COMP	10	09:52	18:22:07.0	+23:27:20	300	89	3.0	0 Calibration	2	
0170.snps15ahs	1800	09:54	17:59:29.8	+43:23:24	300	80	3.0	#2 SN Observat	2	
0171.COMP	10	10:25	17:59:29.8	+43:23:24	300	80	3.0	0 Calibration	2	
0172.snASASSN15hy	1800	10:28	20:10:02.4	-00:44:21	300	80	3.0	#2 SN Observat	2	triangular star images
0173.COMP	10	10:59	20:10:02.4	-00:44:21	300	80	3.0	0 Calibration	2	

UT Date 2015-05-20 Observers IrwinColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0174.V1515Cyg	120	11:02	20:23:48.0	+42:12:24	300	80	3.0	#12 Symbiotic	2	
0175.V1515Cyg	10	11:04	20:23:48.0	+42:12:24	300	80	3.0	#12 Symbiotic	2	
0176.COMP	10	11:04	20:23:48.0	+42:12:24	300	80	3.0	0 Calibration	2	
0177-0186.BIAS	0	11:10	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	4	
0187-0196.FLAT	4	11:12	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	4	
0197-0206.BIAS	0	11:14	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0207-0221.FLAT	7	11:19	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0222-0226.DARK	900	12:30	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	2	
0227-0231.DARK	900	13:46	20:23:48.0	+42:12:24	300	90	3.0	0 Calibration	4	