


UT Date 2015-05-22 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001.COMP	5	00:41	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	test
0002.COMP	5	00:43	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	test
0003.BIAS	0	00:52	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	standard setup
0004-0012.BIAS	0	00:53	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0013-0022.FLAT	4	00:55	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0023-0032.BIAS	0	00:58	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0033-0047.FLAT	7	01:02	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0048-0052.sky	15	02:38	11:15:00.0	+31:40:00	300	89	3.0	#57 Velocity S	2	
0053.COMP	10	02:39	11:15:00.0	+31:40:00	300	89	3.0	0 Calibration	2	
0054.HD84937	30	03:37	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0055.COMP	10	03:38	09:48:56.1	+13:44:39	300	89	3.0	0 Calibration	2	
0056.HD84937	30	03:39	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0057.HD84937	30	03:39	09:48:56.1	+13:44:39	300	89	3.0	#56 Spectropho	2	
0058.Feige34	180	03:42	10:39:36.7	+43:06:09	300	88	3.0	#56 Spectropho	2	
0059.COMP	10	03:46	10:39:36.7	+43:06:09	300	88	3.0	0 Calibration	2	
0060.snASASSN-15jp	1200	03:49	10:11:39.0	-31:39:04	300	88	3.0	#220 ASASSN Tr	2	
0061.COMP	10	04:10	10:11:39.0	-31:39:04	300	88	3.0	0 Calibration	2	
0062.snngc27702015	1800	04:14	09:09:35.0	+33:07:20	300	87	3.0	#2 SN Observat	2	
0063.COMP	10	04:45	09:09:35.0	+33:07:20	300	87	3.0	0 Calibration	2	
0064.N4853	600	04:47	12:58:35.2	+27:35:47	300	89	3.0	#57 Velocity S	2	

UT Date 2015-05-22 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0065.COMP	10	04:58	12:58:35.2	+27:35:47	300	89	3.0	0 Calibration	2	
0066.snPSN130032	1800	04:59	13:00:32.3	+27:58:41	300	88	3.0	#2 SN Observat	2	
0067.COMP	10	05:30	13:00:32.3	+27:58:41	300	89	3.0	0 Calibration	2	
0068.COMP	5	05:35	13:00:32.3	+27:58:41	600	89	2.0	0 Calibration	2	test
0069.COMP	5	05:36	13:00:32.3	+27:58:41	600	89	2.0	0 Calibration	2	test
0070.FLAT	12	05:37	13:00:32.3	+27:58:41	600	89	2.0	0 Calibration	2	600 tilt 752 2 sec binby2 Newton
0071-0084.FLAT	12	05:43	13:00:32.3	+27:58:41	600	89	2.0	0 Calibration	2	
0085.BDp262606	240	05:45	14:49:02.4	+25:42:09	600	89	2.0	#222 M dwarfs	2	
0086.COMP	10	05:49	14:49:02.4	+25:42:09	600	89	2.0	0 Calibration	2	
0087.LSPMJ1252+2908	300	05:51	12:52:12.8	+29:08:57	600	88	2.0	#222 M dwarfs	2	
0088.COMP	10	05:57	12:52:12.8	+29:08:57	600	88	2.0	0 Calibration	2	
0089.LSPMJ1240+1946	900	05:58	12:40:18.8	+19:46:12	600	89	2.0	#222 M dwarfs	2	
0090.COMP	10	06:14	12:40:18.8	+19:46:12	600	89	2.0	0 Calibration	2	
0091.LSPMJ1254+1159	1830	06:16	12:54:50.8	+11:59:14	600	110	2.0	#222 M dwarfs	2	
0092.COMP	10	06:47	12:54:50.8	+11:59:14	600	110	2.0	0 Calibration	2	
0093.LSPMJ1542+2447	720	06:49	15:42:11.4	+24:47:06	600	90	2.0	#222 M dwarfs	2	
0094.COMP	10	07:01	15:42:11.4	+24:47:06	600	90	2.0	0 Calibration	2	
0095.LSPMJ1637+3535	1200	07:04	16:37:01.4	+35:35:45	600	90	2.0	#222 M dwarfs	2	
0096.LSPMJ1637+3535	1200	07:24	16:37:01.4	+35:35:45	600	90	2.0	#222 M dwarfs	2	
0097.COMP	10	07:45	16:37:01.4	+35:35:45	600	90	2.0	0 Calibration	2	

UT Date 2015-05-22 Observers IrwinColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0098.LSPMJ1604+4827	450	07:47	16:04:52.5	+48:27:42	600	89	2.0	#222 M dwarfs	2	
0099.COMP	10	07:55	16:04:52.5	+48:27:42	600	89	2.0	0 Calibration	2	
0100.LSPMJ1630+7009	900	07:57	16:30:41.9	+70:09:19	600	89	2.0	#222 M dwarfs	2	seeing getting quite soft
0101.LSPMJ1630+7009	900	08:13	16:30:41.9	+70:09:19	600	89	2.0	#222 M dwarfs	2	
0102.LSPMJ1630+7009	900	08:28	16:30:41.9	+70:09:19	600	89	2.0	#222 M dwarfs	2	
0103.LSPMJ1630+7009	900	08:43	16:30:41.9	+70:09:19	600	89	2.0	#222 M dwarfs	2	
0104.COMP	10	08:58	16:30:41.9	+70:09:19	600	89	2.0	0 Calibration	2	
0105.LSPMJ1657+2614	600	09:01	16:57:26.2	+26:14:51	600	89	2.0	#222 M dwarfs	2	
0106.COMP	10	09:11	16:57:26.2	+26:14:51	600	89	2.0	0 Calibration	2	
0107.COMP	5	09:17	16:57:26.2	+26:14:51	300	89	3.0	0 Calibration	2	test
0108.COMP	5	09:18	16:57:26.2	+26:14:51	300	89	3.0	0 Calibration	2	test
0109.snPSNJ16025128	1500	09:22	16:02:51.3	+47:13:29	300	40	3.0	#2 SN Observat	2	standard setup
0110.COMP	10	09:47	16:02:51.3	+47:13:29	300	40	3.0	0 Calibration	2	
0111.snPSN162838	2100	09:50	16:28:38.4	+39:32:55	300	90	3.0	#2 SN Observat	2	
0112.COMP	10	10:26	16:28:38.4	+39:32:55	300	90	3.0	0 Calibration	2	
0113.snASASSN-15jm	1200	10:29	17:21:09.2	+25:34:55	300	99	3.0	#220 ASASSN Tr	2	
0114.COMP	10	10:50	17:21:09.2	+25:34:55	300	99	3.0	0 Calibration	2	
0115.BDp404032	180	10:53	20:08:24.1	+41:15:04	300	89	3.0	#56 Spectropho	2	
0116.COMP	10	10:56	20:08:24.1	+41:15:04	300	89	3.0	0 Calibration	2	
0117.HD192281	10	10:57	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	

UT Date 2015-05-22 Observers IrwinColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0118.COMP	10	10:58	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0119.HD192281	10	10:59	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	
0120.HD192281	10	10:59	20:12:33.1	+40:16:05	300	89	3.0	#56 Spectropho	2	
0121-0130.BIAS	0	11:04	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0131-0140.FLAT	4	11:06	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	
0141-0150.BIAS	0	11:08	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0151-0165.FLAT	7	11:13	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0166-0170.DARK	900	12:22	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	2	
0171-0175.DARK	900	13:39	20:12:33.1	+40:16:05	300	89	3.0	0 Calibration	4	