


UT Date 2015-06-13 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.BIAS	0	02:31	12:58:35.2	+27:35:47	300	87	3.0	0 Calibration	2	
0011-0025.FLAT	7	02:36	12:58:35.2	+27:35:47	300	87	3.0	0 Calibration	2	
0026-0028.sky	5	02:44	12:58:35.2	+27:35:47	300	87	3.0	#57 Velocity S	2	
0029.COMP	10	02:44	12:58:35.2	+27:35:47	300	87	3.0	0 Calibration	2	
0030.TXCVn	45	03:28	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0031.TXCVn	45	03:29	12:44:42.0	+36:45:48	300	90	3.0	#12 Symbiotic	2	
0032.COMP	10	03:31	12:44:42.0	+36:45:48	300	90	3.0	0 Calibration	2	
0033.RWHya	10	03:34	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0034.RWHya	30	03:34	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0035.RWHya	5	03:35	13:34:18.0	-25:22:51	300	90	3.0	#12 Symbiotic	2	
0036.COMP	10	03:36	13:34:18.0	-25:22:51	300	90	3.0	0 Calibration	2	
0037.snASASSN-15kz	720	03:37	13:37:18.7	-28:39:24	300	90	3.0	#220 ASASSN Tr	2	
0038.snASASSN-15kz	720	03:49	13:37:18.7	-28:39:24	300	90	3.0	#220 ASASSN Tr	2	
0039.snASASSN-15kz	720	04:02	13:37:18.7	-28:39:24	300	90	3.0	#220 ASASSN Tr	2	
0040.COMP	10	04:14	13:37:18.7	-28:39:24	300	90	3.0	0 Calibration	2	
0041.snCSS141223_2	1200	04:17	11:33:41.6	+00:43:32	300	90	3.0	#2 SN Observat	2	
0042.snCSS141223_2	1200	04:38	11:33:41.6	+00:43:32	300	90	3.0	#2 SN Observat	2	
0043.snCSS141223_2	1200	04:58	11:33:41.6	+00:43:32	300	90	3.0	#2 SN Observat	2	
0044.COMP	10	05:19	11:33:41.6	+00:43:32	300	90	3.0	0 Calibration	2	
0045.BDp262606	90	05:21	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	

UT Date 2015-06-13 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0046.BDp262606	90	05:23	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0047.BDp262606	90	05:26	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0048.COMP	10	05:28	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0049.snASASSN-151a	720	05:29	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0050.snASASSN-151a	720	05:41	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0051.snASASSN-151a	720	05:53	14:12:51.2	+35:42:40	300	90	3.0	#220 ASASSN Tr	2	
0052.COMP	10	06:06	14:12:51.2	+35:42:40	300	90	3.0	0 Calibration	2	
0053.BDp332642	150	06:08	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0054.COMP	10	06:11	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0055.snPSNJ16025128	1800	06:16	16:02:51.3	+47:13:29	300	81	3.0	#2 SN Observat	2	
0056.COMP	10	06:46	16:02:51.3	+47:13:29	300	80	3.0	0 Calibration	2	
0057.snps15ahs	1800	06:56	17:59:29.8	+43:23:24	300	89	3.0	#2 SN Observat	2	
0058.COMP	10	07:27	17:59:29.8	+43:23:24	300	89	3.0	0 Calibration	2	
0059.AWI0005d5p	10	07:33	18:02:30.7	+58:37:38	300	88	3.0	#219 Disk Dete	2	
0060.COMP	10	07:33	18:02:30.7	+58:37:38	300	88	3.0	0 Calibration	2	
0061.AWI0005dle	10	07:35	17:56:26.3	+62:37:10	300	88	3.0	#219 Disk Dete	2	
0062.AWI0005dle	20	07:35	17:56:26.3	+62:37:10	300	88	3.0	#219 Disk Dete	2	
0063.COMP	10	07:36	17:56:26.3	+62:37:10	300	88	3.0	0 Calibration	2	
0064.AWI0005dkz	20	07:38	17:39:50.8	+72:57:53	300	88	3.0	#219 Disk Dete	2	
0065.AWI0005dkz	40	07:39	17:39:50.8	+72:57:53	300	88	3.0	#219 Disk Dete	2	

UT Date 2015-06-13 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0066.COMP	10	07:40	17:39:50.8	+72:57:53	300	88	3.0	0 Calibration	2	
0067.AWI0005dkc	120	07:41	17:25:11.8	+65:44:16	300	88	3.0	#219 Disk Dete	2	
0068.COMP	10	07:44	17:25:11.8	+65:44:16	300	88	3.0	0 Calibration	2	
0069.AWI0005dkp	300	07:45	17:31:29.7	+60:11:56	300	88	3.0	#219 Disk Dete	2	
0070.COMP	10	07:51	17:31:29.7	+60:11:56	300	89	3.0	0 Calibration	2	
0071.AWI0005dk6	30	07:53	17:23:38.1	+45:59:57	300	89	3.0	#219 Disk Dete	2	
0072.AWI0005dk6	80	07:54	17:23:38.1	+45:59:57	300	89	3.0	#219 Disk Dete	2	
0073.COMP	10	07:56	17:23:38.1	+45:59:57	300	89	3.0	0 Calibration	2	
0074.AWI0005djv	40	07:57	17:20:07.5	+35:41:04	300	89	3.0	#219 Disk Dete	2	
0075.COMP	10	07:58	17:20:07.5	+35:41:04	300	89	3.0	0 Calibration	2	
0076.AWI0005dj7	900	08:00	17:05:51.1	+29:13:22	300	89	3.0	#219 Disk Dete	2	
0077.COMP	10	08:16	17:05:51.1	+29:13:22	300	90	3.0	0 Calibration	2	
0078.AWI0005bk2	20	08:17	17:29:12.4	+00:56:05	300	90	3.0	#219 Disk Dete	2	
0079.COMP	10	08:18	17:29:12.4	+00:56:05	300	90	3.0	0 Calibration	2	
0080.AS270	60	08:21	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0081.AS270	600	08:23	18:05:33.7	-20:20:38	300	90	3.0	#12 Symbiotic	2	
0082.COMP	10	08:34	18:05:33.7	-20:20:38	300	90	3.0	0 Calibration	2	
0083.Hen1591	60	08:36	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0084.Hen1591	720	08:37	18:07:32.0	-25:53:43	300	90	3.0	#12 Symbiotic	2	
0085.COMP	10	08:50	18:07:32.0	-25:53:43	300	89	3.0	0 Calibration	2	

UT Date 2015-06-13 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0086.AS316	60	08:51	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0087.AS316	720	08:52	18:42:33.0	-21:17:47	300	89	3.0	#12 Symbiotic	2	
0088.COMP	10	09:05	18:42:33.0	-21:17:47	300	89	3.0	0 Calibration	2	
0089.AS327	60	09:06	18:53:17.0	-24:22:59	300	89	3.0	#12 Symbiotic	2	
0090.AS327	600	09:08	18:53:17.0	-24:22:59	300	89	3.0	#12 Symbiotic	2	
0091.COMP	10	09:19	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0092.V919Sgr	60	09:21	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0093.V919Sgr	20	09:22	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0094.V919Sgr	360	09:23	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0095.COMP	10	09:29	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0096.snASASSN15hy	1800	09:33	20:10:02.4	-00:44:21	300	90	3.0	#2 SN Observat	2	
0097.COMP	10	10:03	20:10:02.4	-00:44:21	300	90	3.0	0 Calibration	2	
0098.snASASSN15kx	1800	10:08	22:16:11.8	+37:28:26	300	90	3.0	#2 SN Observat	2	
0099.COMP	10	10:39	22:16:11.8	+37:28:26	300	84	3.0	0 Calibration	2	
0100.ZAnd	30	10:41	23:33:40.0	+48:49:06	300	84	3.0	#12 Symbiotic	2	
0101.ZAnd	20	10:42	23:33:40.0	+48:49:06	300	84	3.0	#12 Symbiotic	2	
0102.ZAnd	8	10:43	23:33:40.0	+48:49:06	300	84	3.0	#12 Symbiotic	2	
0103.COMP	10	10:44	23:33:40.0	+48:49:06	300	84	3.0	0 Calibration	2	
0104.V1057Cyg	120	10:50	20:58:54.0	+44:15:30	300	84	3.0	#12 Symbiotic	2	
0105.V1057Cyg	240	10:53	20:58:54.0	+44:15:30	300	84	3.0	#12 Symbiotic	2	

UT Date 2015-06-13 Observers P BerlindColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0106.COMP	10	10:57	20:58:54.0	+44:15:30	300	84	3.0	0 Calibration	2	
0107.BDp284211	150	10:59	21:51:11.0	+28:51:50	300	84	3.0	#56 Spectropho	2	
0108.COMP	10	11:03	21:51:11.0	+28:51:50	300	84	3.0	0 Calibration	2	
0109.BDp174708	90	11:05	22:11:31.4	+18:05:34	300	84	3.0	#56 Spectropho	2	
0110.COMP	10	11:07	22:11:31.4	+18:05:34	300	84	3.0	0 Calibration	2	
0111.AGPeg	5	11:08	21:51:02.0	+12:37:33	300	84	3.0	#12 Symbiotic	2	
0112.AGPeg	15	11:09	21:51:02.0	+12:37:33	300	84	3.0	#12 Symbiotic	2	
0113.AGPeg	1	11:10	21:51:02.0	+12:37:33	300	84	3.0	#12 Symbiotic	2	
0114.COMP	10	11:10	21:51:02.0	+12:37:33	300	84	3.0	0 Calibration	2	
0115.V1329Cyg	60	11:15	20:51:01.0	+35:34:55	300	84	3.0	#12 Symbiotic	2	
0116.V1329Cyg	300	11:16	20:51:01.0	+35:34:55	300	84	3.0	#12 Symbiotic	2	
0117.COMP	10	11:22	20:51:01.0	+35:34:55	300	84	3.0	0 Calibration	2	
0118-0127.BIAS	0	11:26	20:51:01.0	+35:34:55	300	84	3.0	0 Calibration	2	
0128-0142.FLAT	7	11:32	20:51:01.0	+35:34:55	300	84	3.0	0 Calibration	2	
0143-0147.DARK	1200	13:01	20:51:01.0	+35:34:55	300	84	3.0	0 Calibration	2	