

UT Date 2015-06-15 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0005.DARK	900	20:42	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	2	
0006-0010.DARK	900	21:59	20:21:13.0	+21:34:21	300	89	3.0	0 Calibration	4	
0011.test	10	02:07	13:24:42.1	+63:04:17	300	89	3.0	#223 NEOWISE N	2	
0012.test	10	02:09	13:24:42.1	+63:04:17	300	89	3.0	#223 NEOWISE N	2	
0013.test	10	02:11	13:24:42.1	+63:04:17	300	89	3.0	#223 NEOWISE N	2	
0014.FLAT	5	03:16	13:30:00.0	+32:00:00	300	89	5.0	0 Calibration	2	300gpm, 5-sec, gg495, red tilt 760
0015-0028.FLAT	5	03:20	13:30:00.0	+32:00:00	300	89	5.0	0 Calibration	2	
0029.HD86728	5	03:24	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0030.HD86728	5	03:25	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0031.HD86728	5	03:25	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0032.COMP	10	03:26	10:01:00.7	+31:55:25	300	89	5.0	0 Calibration	2	
0033.HD89010	2	03:29	10:16:32.3	+23:30:11	300	89	5.0	#223 NEOWISE N	2	
0034.HD89010	5	03:29	10:16:32.3	+23:30:11	300	89	5.0	#223 NEOWISE N	2	
0035.HD89010	5	03:30	10:16:32.3	+23:30:11	300	89	5.0	#223 NEOWISE N	2	
0036.COMP	10	03:30	10:16:32.3	+23:30:11	300	89	5.0	0 Calibration	2	
0037.HD88072	20	03:32	10:09:23.4	+02:22:16	300	89	5.0	#223 NEOWISE N	2	
0038.HD88072	20	03:32	10:09:23.4	+02:22:16	300	89	5.0	#223 NEOWISE N	2	
0039.HD88072	20	03:33	10:09:23.4	+02:22:16	300	89	5.0	#223 NEOWISE N	2	
0040.COMP	10	03:34	10:09:23.4	+02:22:16	300	89	5.0	0 Calibration	2	
0041.HD84937	60	03:35	09:48:56.1	+13:44:39	300	89	5.0	#223 NEOWISE N	2	

UT Date 2015-06-15 Observers P BerlindColl. Focus 1380 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0042.HD84937	45	03:37	09:48:56.1	+13:44:39	300	89	5.0	#223 NEOWISE N	2	
0043.COMP	10	03:38	09:48:56.1	+13:44:39	300	89	5.0	0 Calibration	2	
0044.Ivar.1627	1200	03:47	10:01:07.3	+17:12:00	300	89	5.0	#223 NEOWISE N	2	
0045.COMP	10	04:07	10:01:07.3	+17:12:00	300	89	5.0	0 Calibration	2	
0046.Ivar.1627	1200	04:08	10:01:07.3	+17:12:00	300	89	5.0	#223 NEOWISE N	2	
0047.COMP	10	04:29	10:01:07.3	+17:12:00	300	89	5.0	0 Calibration	2	
0048.HD86728	4	04:40	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0049.HD86728	4	04:41	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0050.HD86728	4	04:41	10:01:00.7	+31:55:25	300	89	5.0	#223 NEOWISE N	2	
0051.COMP	10	04:41	10:01:00.7	+31:55:25	300	89	5.0	0 Calibration	2	
0052.test	10	04:45	15:30:00.0	+32:00:00	300	89	3.0	#223 NEOWISE N	2	
0053.test	10	04:47	15:30:00.0	+32:00:00	300	89	3.0	#223 NEOWISE N	2	
0054.snASASSN-151a	720	04:49	14:12:51.2	+35:42:40	300	89	3.0	#220 ASASSN Tr	2	300gpm, 3-sec, combo
0055.snASASSN-151a	720	05:01	14:12:51.2	+35:42:40	300	89	3.0	#220 ASASSN Tr	2	
0056.snASASSN-151a	720	05:14	14:12:51.2	+35:42:40	300	89	3.0	#220 ASASSN Tr	2	
0057.COMP	10	05:26	14:12:51.2	+35:42:40	300	89	3.0	0 Calibration	2	
0058.BDp262606	90	05:27	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0059.COMP	10	05:30	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0060.BDp332642	150	05:31	15:51:59.9	+32:56:54	300	89	3.0	#56 Spectropho	2	
0061.COMP	10	05:34	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	

UT Date 2015-06-15 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0062-0071.FLAT	8	05:43	16:20:00.0	+32:00:00	300	89	3.0	0 Calibration	2	
0072.BDp332642	150	05:48	15:51:59.9	+32:56:54	600	89	1.5	#56 Spectropho	4	600gpm, 1.5-sec, 445 blue
0073.COMP	10	05:51	15:51:59.9	+32:56:54	600	89	1.5	0 Calibration	4	
0074.pg1415	480	05:53	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0075.COMP	10	06:01	14:17:42.5	+07:42:51	600	89	1.5	0 Calibration	4	
0076.pg1415	480	06:02	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0077.COMP	10	06:10	14:17:42.5	+07:42:51	600	89	1.5	0 Calibration	4	
0078.pg1415	480	06:11	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0079.COMP	10	06:19	14:17:42.5	+07:42:51	600	89	1.5	0 Calibration	4	
0080.pg1459	120	06:50	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0081.COMP	10	06:53	15:01:09.0	+41:21:36	600	89	1.5	0 Calibration	4	
0082.pg1459	120	06:53	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0083.COMP	10	06:56	15:01:09.0	+41:21:36	600	89	1.5	0 Calibration	4	
0084.pg1459	120	06:56	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0085.COMP	10	06:59	15:01:09.0	+41:21:36	600	88	1.5	0 Calibration	4	
0086.bcand899	960	07:01	15:55:02.0	+24:44:22	600	88	1.5	#178 Low Mass	4	
0087.COMP	10	07:18	15:55:02.0	+24:44:22	600	88	1.5	0 Calibration	4	
0088.bcand899	960	07:18	15:55:02.0	+24:44:22	600	88	1.5	#178 Low Mass	4	
0089.COMP	10	07:34	15:55:02.0	+24:44:22	600	88	1.5	0 Calibration	4	
0090.bcand899	960	07:35	15:55:02.0	+24:44:22	600	88	1.5	#178 Low Mass	4	

UT Date 2015-06-15 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0091.COMP	10	07:51	15:55:02.0	+24:44:22	600	89	1.5	0 Calibration	4	
0092.galex13	600	07:57	17:17:46.6	+59:41:24	600	89	1.5	#178 Low Mass	4	
0093.COMP	10	08:07	17:17:46.6	+59:41:24	600	89	1.5	0 Calibration	4	
0094.galex13	600	08:08	17:17:46.6	+59:41:24	600	89	1.5	#178 Low Mass	4	
0095.COMP	10	08:19	17:17:46.6	+59:41:24	600	89	1.5	0 Calibration	4	
0096.galex13	600	08:19	17:17:46.6	+59:41:24	600	89	1.5	#178 Low Mass	4	
0097.COMP	10	08:30	17:17:46.6	+59:41:24	600	88	1.5	0 Calibration	4	
0098.lmwd551	840	08:35	17:35:21.7	+21:34:41	600	88	1.5	#178 Low Mass	4	
0099.COMP	10	08:50	17:35:21.7	+21:34:41	600	88	1.5	0 Calibration	4	
0100.lmwd551	840	08:51	17:35:21.7	+21:34:41	600	88	1.5	#178 Low Mass	4	
0101.COMP	10	09:05	17:35:21.7	+21:34:41	600	88	1.5	0 Calibration	4	
0102.lmwd551	840	09:05	17:35:21.7	+21:34:41	600	88	1.5	#178 Low Mass	4	
0103.COMP	10	09:20	17:35:21.7	+21:34:41	600	88	1.5	0 Calibration	4	
0104.lmwd551	840	09:20	17:35:21.7	+21:34:41	600	88	1.5	#178 Low Mass	4	
0105.COMP	10	09:35	17:35:21.7	+21:34:41	600	89	1.5	0 Calibration	4	
0106-0115.FLAT	12	09:58	20:29:23.7	+30:22:07	600	89	1.5	0 Calibration	4	
0116.test	10	10:01	20:29:23.7	+30:22:07	300	89	3.0	#57 Velocity S	4	
0117.test	10	10:02	20:29:23.7	+30:22:07	300	89	3.0	#57 Velocity S	4	
0120.snASASSN15kx	1200	10:08	22:16:11.8	+37:28:26	300	89	3.0	#2 SN Observat	2	300gpm, 3-sec, combo
0121.COMP	10	10:29	22:16:11.8	+37:28:26	300	88	3.0	0 Calibration	2	

UT Date 2015-06-15 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0122.BDp284211	150	10:31	21:51:11.0	+28:51:50	300	88	3.0	#56 Spectropho	2	
0123.COMP	10	10:34	21:51:11.0	+28:51:50	300	88	3.0	0 Calibration	2	
0124.BDp174708	90	10:37	22:11:31.4	+18:05:34	300	88	3.0	#56 Spectropho	2	
0125.COMP	10	10:39	22:11:31.4	+18:05:34	300	88	3.0	0 Calibration	2	
0126.CICyg	20	10:59	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0127.CICyg	120	11:00	19:50:12.0	+35:41:02	300	88	3.0	#12 Symbiotic	2	
0128.COMP	10	11:02	19:50:12.0	+35:41:02	300	88	3.0	0 Calibration	2	
0129.AS360	60	11:04	19:45:49.0	+18:36:49	300	88	3.0	#12 Symbiotic	2	
0130.AS360	600	11:06	19:45:49.0	+18:36:49	300	88	3.0	#12 Symbiotic	2	
0131.COMP	10	11:16	19:45:49.0	+18:36:49	300	88	3.0	0 Calibration	2	
0132-0141.BIAS	0	11:20	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	
0142-0156.FLAT	7	11:26	19:45:49.0	+18:36:49	300	89	3.0	0 Calibration	2	