

UT Date 2015-06-16 Observers M CalkinsColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:15	10:07:16.8	+31:35:04	300	88	3.0	0 Calibration	4	
0011-0020.BIAS	0	02:35	10:07:16.8	+31:35:04	300	88	3.0	0 Calibration	4	
0021-0040.FLAT	10	02:48	10:07:16.8	+31:35:04	300	88	3.0	0 Calibration	2	
0041-0050.BIAS	0	02:57	10:07:16.8	+31:35:04	300	88	3.0	0 Calibration	2	
0051.BDp332642	120	04:19	15:51:59.9	+32:56:54	300	88	3.0	#56 Spectropho	2	
0052.COMP	10	04:22	15:51:59.9	+32:56:54	300	89	3.0	0 Calibration	2	
0053.BDp262606	90	04:24	14:49:02.4	+25:42:09	300	89	3.0	#56 Spectropho	2	
0054.COMP	10	04:27	14:49:02.4	+25:42:09	300	89	3.0	0 Calibration	2	
0055.N5866	120	04:30	15:06:29.5	+55:45:48	300	89	3.0	#57 Velocity S	2	
0056.COMP	10	04:32	15:06:29.5	+55:45:48	300	86	3.0	0 Calibration	2	
0057.snASASSN15lf	1500	04:36	12:06:45.6	+67:09:24	300	86	3.0	#220 ASASSN Tr	2	
0058.COMP	10	05:02	12:06:45.6	+67:09:24	300	89	3.0	0 Calibration	2	
0059.snASASSN15lg	1500	05:09	13:15:32.8	+03:30:02	300	89	3.0	#220 ASASSN Tr	2	
0060.COMP	10	05:40	13:15:32.8	+03:30:02	300	89	3.0	0 Calibration	2	
0061.snASASSN-15la	1500	05:43	14:12:51.2	+35:42:40	300	89	3.0	#220 ASASSN Tr	2	
0062.COMP	10	06:09	14:12:51.2	+35:42:40	300	89	3.0	0 Calibration	2	
0063.pg1415	480	06:20	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0064.pg1415	480	06:28	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0065.pg1415	480	06:36	14:17:42.5	+07:42:51	600	89	1.5	#178 Low Mass	4	
0066.COMP	10	06:45	14:17:42.5	+07:42:51	600	89	1.5	0 Calibration	4	

UT Date 2015-06-16 Observers M CalkinsColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0068.pg1459	120	06:50	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0069.pg1459	120	06:52	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0070.pg1459	120	06:54	15:01:09.0	+41:21:36	600	89	1.5	#178 Low Mass	4	
0071.COMP	10	06:57	15:01:09.0	+41:21:36	600	89	1.5	0 Calibration	4	
0072.hotwd131	1200	07:00	14:56:34.7	+30:04:51	600	89	1.5	#178 Low Mass	4	
0073.hotwd131	1200	07:20	14:56:34.7	+30:04:51	600	89	1.5	#178 Low Mass	4	
0074.hotwd131	1200	07:40	14:56:34.7	+30:04:51	600	89	1.5	#178 Low Mass	4	
0075.COMP	10	08:00	14:56:34.7	+30:04:51	600	89	1.5	0 Calibration	4	
0076.dr1707	1500	08:04	17:07:16.5	+27:54:10	600	89	1.5	#178 Low Mass	4	
0077.dr1707	1500	08:29	17:07:16.5	+27:54:10	600	89	1.5	#178 Low Mass	4	
0078.dr1707	1500	08:54	17:07:16.5	+27:54:10	600	89	1.5	#178 Low Mass	4	
0079.COMP	10	09:20	17:07:16.5	+27:54:10	600	89	1.5	0 Calibration	4	
0080.lmwd469	1200	09:23	20:41:54.3	-17:57:32	600	89	1.5	#178 Low Mass	4	
0081.lmwd469	1200	09:43	20:41:54.3	-17:57:32	600	89	1.5	#178 Low Mass	4	
0082.lmwd469	1200	10:03	20:41:54.3	-17:57:32	600	89	1.5	#178 Low Mass	4	
0083.COMP	10	10:24	20:41:54.3	-17:57:32	600	89	1.5	0 Calibration	4	
0084.BDp284211	150	10:27	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	4	
0085.COMP	10	10:32	21:51:11.0	+28:51:50	600	88	1.5	0 Calibration	4	
0086-0095.FLAT	12	10:36	21:51:11.0	+28:51:50	600	88	1.5	0 Calibration	4	
0096.snASASSN15kx	1200	10:47	22:16:11.9	+37:28:26	300	99	3.0	#220 ASASSN Tr	2	

UT Date 2015-06-16 Observers M CalkinsColl. Focus 1380 Grating/Grism 300

<i>File</i>	<i>Exp Time</i>	<i>UT Start</i>	<i>RA</i>	<i>Dec</i>	<i>Gr.</i>	<i>P.A.</i>	<i>Slit</i>	<i>Program</i>	<i>Bin</i>	<i>Comments</i>
0097.COMP	10	11:08	22:16:11.9	+37:28:26	300	100	3.0	0 Calibration	2	
0098.BDp284211	150	11:13	21:51:11.0	+28:51:50	300	90	3.0	#56 Spectropho	2	
0099.COMP	10	11:16	21:51:11.0	+28:51:50	300	89	3.0	0 Calibration	2	
0100-0109.BIAS	0	11:29	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0110-0129.FLAT	7	11:39	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0130-0139.DARK	900	14:02	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	