

UT Date 2015-06-17 Observers M CalkinsColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0010.DARK	900	02:27	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	4	
0011-0020.BIAS	0	03:03	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	4	
0021-0040.FLAT	7	03:21	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0041-0050.BIAS	0	03:25	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	
0051.snASASSN151f	1500	03:48	12:06:45.6	+67:09:24	300	89	3.0	#220 ASASSN Tr	2	
0052.COMP	10	04:13	12:06:45.6	+67:09:24	300	89	3.0	0 Calibration	2	
0053.snASASSN151g	1500	04:19	13:15:32.8	+03:30:02	300	89	3.0	#220 ASASSN Tr	2	
0054.COMP	10	04:44	13:15:32.8	+03:30:02	300	90	3.0	0 Calibration	2	
0055.snCSS141223_2	2100	04:49	11:33:41.6	+00:43:32	300	90	3.0	#2 SN Observat	2	
0056.COMP	10	05:25	11:33:41.6	+00:43:32	300	90	3.0	0 Calibration	2	
0057.snASASSN151i	1800	05:31	14:25:07.7	+62:53:30	300	90	3.0	#220 ASASSN Tr	2	
0058.COMP	10	06:02	14:25:07.7	+62:53:30	300	90	3.0	0 Calibration	2	
0059.snPSNJ16025128	1800	06:29	16:02:51.3	+47:13:29	300	65	3.0	#2 SN Observat	2	
0060.COMP	10	07:00	16:02:51.3	+47:13:29	300	65	3.0	0 Calibration	2	
0061.BDp262606	90	07:03	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0062.COMP	10	07:05	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0063.BDp332642	150	07:09	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0064.COMP	10	07:12	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0065.snps15ahs	2400	07:20	17:59:29.8	+43:23:24	300	81	3.0	#2 SN Observat	2	
0066.COMP	10	08:00	17:59:29.8	+43:23:24	300	79	3.0	0 Calibration	2	

UT Date 2015-06-17 Observers M CalkinsColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0067.LSPMJ1527+3714	600	08:10	15:27:24.2	+37:14:15	600	89	2.0	#222 M dwarfs	2	need more counts
0068.COMP	10	08:21	15:27:24.2	+37:14:15	600	90	2.0	0 Calibration	2	
0069.LSPMJ1527+3714	1800	08:22	15:27:24.2	+37:14:15	600	90	2.0	#222 M dwarfs	2	
0070.COMP	10	08:55	15:27:24.2	+37:14:15	600	90	2.0	0 Calibration	2	
0071.LSPMJ1631+4051	420	08:57	16:31:18.8	+40:51:52	600	90	2.0	#222 M dwarfs	2	
0072.COMP	10	09:05	16:31:18.8	+40:51:52	600	90	2.0	0 Calibration	2	
0073.LSPMJ1635+3547	420	09:06	16:35:14.0	+35:47:21	600	90	2.0	#222 M dwarfs	2	
0074.COMP	10	09:14	16:35:14.0	+35:47:21	600	90	2.0	0 Calibration	2	
0075.LSPMJ1645+0444	1800	09:17	16:45:43.3	+04:44:40	600	90	2.0	#222 M dwarfs	2	
0076.COMP	10	09:47	16:45:43.3	+04:44:40	600	90	2.0	0 Calibration	2	
0077.PM_I20357-1242	1500	09:53	20:35:44.2	-12:42:50	600	95	2.0	#222 M dwarfs	2	
0078.COMP	10	10:19	20:35:44.2	-12:42:50	600	94	2.0	0 Calibration	2	
0079.LSPMJ2038+6349	1500	10:24	20:38:16.1	+63:49:37	600	91	2.0	#222 M dwarfs	2	
0080.COMP	10	10:49	20:38:16.1	+63:49:37	600	90	2.0	0 Calibration	2	
0081.BDp174708	360	10:55	22:11:31.4	+18:05:34	600	89	2.0	#56 Spectropho	2	
0082.COMP	10	11:01	22:11:31.4	+18:05:34	600	89	2.0	0 Calibration	2	
0083-0092.FLAT	12	11:37	22:11:31.4	+18:05:34	600	89	2.0	0 Calibration	2	
0093-0102.BIAS	0	11:41	22:11:31.4	+18:05:34	600	89	2.0	0 Calibration	2	
0103-0112.DARK	900	14:05	22:11:31.4	+18:05:34	300	89	3.0	0 Calibration	2	