

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0001-0011.BIAS	0	02:49	14:40:00.0	+31:40:00	300	90	3.0	0 Calibration	2	
0012-0026.FLAT	7	02:55	14:40:00.0	+31:40:00	300	90	3.0	0 Calibration	2	
0027-0036.BIAS	0	03:16	14:40:00.0	+31:40:00	300	90	3.0	0 Calibration	4	
0037.HD136202	5	03:33	15:19:18.8	+01:45:55	300	90	3.0	#57 Velocity S	2	
0038.HD136202	5	03:33	15:19:18.8	+01:45:55	300	90	3.0	#57 Velocity S	2	
0039.HD136202	5	03:33	15:19:18.8	+01:45:55	300	90	3.0	#57 Velocity S	2	
0040.COMP	10	03:34	15:19:18.8	+01:45:55	300	90	3.0	0 Calibration	2	
0041.N5846	300	03:36	15:06:29.3	+01:36:20	300	90	3.0	#57 Velocity S	2	
0042.COMP	10	03:43	15:06:29.3	+01:36:20	300	90	3.0	0 Calibration	2	
0043.BDp262606	90	03:45	14:49:02.4	+25:42:09	300	90	3.0	#56 Spectropho	2	
0044.COMP	10	03:47	14:49:02.4	+25:42:09	300	90	3.0	0 Calibration	2	
0045.BDp332642	120	03:48	15:51:59.9	+32:56:54	300	90	3.0	#56 Spectropho	2	
0046.COMP	10	03:51	15:51:59.9	+32:56:54	300	90	3.0	0 Calibration	2	
0047.snASASSN-151g	900	03:55	13:15:32.8	+03:30:02	300	90	3.0	#220 ASASSN Tr	2	
0048.snASASSN-151g	900	04:10	13:15:32.8	+03:30:02	300	90	3.0	#220 ASASSN Tr	2	
0049.snASASSN-151g	900	04:25	13:15:32.8	+03:30:02	300	90	3.0	#220 ASASSN Tr	2	
0050.COMP	10	04:41	13:15:32.8	+03:30:02	300	90	3.0	0 Calibration	2	
0051.snMRK477	720	04:44	14:40:38.3	+53:30:14	300	90	3.0	#2 SN Observat	2	
0052.snMRK477	720	04:57	14:40:38.3	+53:30:14	300	90	3.0	#2 SN Observat	2	
0053.snMRK477	720	05:09	14:40:38.3	+53:30:14	300	90	3.0	#2 SN Observat	2	

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300


File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0054.COMP	10	05:22	14:40:38.3	+53:30:14	300	91	3.0	0 Calibration	2	
0055.AGDra	2	05:24	16:01:41.0	+66:48:10	300	91	3.0	#12 Symbiotic	2	
0056.AGDra	15	05:25	16:01:41.0	+66:48:10	300	91	3.0	#12 Symbiotic	2	
0057.AGDra	60	05:25	16:01:41.0	+66:48:10	300	91	3.0	#12 Symbiotic	2	
0058.AGDra	90	05:27	16:01:41.0	+66:48:10	300	91	3.0	#12 Symbiotic	2	
0059.COMP	10	05:29	16:01:41.0	+66:48:10	300	91	3.0	0 Calibration	2	
0060.DracoC1	1500	05:32	17:19:58.0	+57:50:06	300	91	3.0	#12 Symbiotic	2	
0061.COMP	10	05:59	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0062.DracoC1	1500	06:00	17:19:58.0	+57:50:06	300	90	3.0	#12 Symbiotic	2	
0063.COMP	10	06:26	17:19:58.0	+57:50:06	300	90	3.0	0 Calibration	2	
0064.YYHer	120	06:28	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0065.YYHer	420	06:31	18:14:34.0	+20:59:19	300	90	3.0	#12 Symbiotic	2	
0066.COMP	10	06:39	18:14:34.0	+20:59:19	300	89	3.0	0 Calibration	2	
0067.Hen1674	120	06:42	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0068.Hen1674	600	06:45	18:20:19.1	-26:22:46	300	89	3.0	#12 Symbiotic	2	
0069.COMP	10	06:55	18:20:19.1	-26:22:46	300	90	3.0	0 Calibration	2	
0070.AS316	120	06:57	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0071.AS316	600	07:00	18:42:33.0	-21:17:47	300	90	3.0	#12 Symbiotic	2	
0072.AS316	60	07:10	18:42:33.0	-21:17:47	300	91	3.0	#12 Symbiotic	2	
0073.COMP	10	07:11	18:42:33.0	-21:17:47	300	91	3.0	0 Calibration	2	

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0074.AS327	60	07:12	18:53:17.0	-24:22:59	300	91	3.0	#12 Symbiotic	2	
0075.AS327	420	07:14	18:53:17.0	-24:22:59	300	91	3.0	#12 Symbiotic	2	
0076.COMP	10	07:22	18:53:17.0	-24:22:59	300	90	3.0	0 Calibration	2	
0077.V919Sgr	30	07:23	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0078.V919Sgr	120	07:24	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0079.V919Sgr	360	07:26	19:03:45.0	-16:59:56	300	90	3.0	#12 Symbiotic	2	
0080.COMP	10	07:32	19:03:45.0	-16:59:56	300	90	3.0	0 Calibration	2	
0081.AS338	60	07:34	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0082.AS338	180	07:35	19:03:47.0	+16:26:17	300	90	3.0	#12 Symbiotic	2	
0083.COMP	10	07:39	19:03:47.0	+16:26:17	300	90	3.0	0 Calibration	2	
0084.V443Her	5	07:40	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0085.V443Her	60	07:40	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0086.V443Her	150	07:42	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0087.V443Her	20	07:45	18:22:07.0	+23:27:20	300	90	3.0	#12 Symbiotic	2	
0088.COMP	10	07:45	18:22:07.0	+23:27:20	300	90	3.0	0 Calibration	2	
0089.AWI0005brq	20	07:47	18:19:49.0	+31:08:41	300	90	3.0	#219 Disk Dete	2	
0090.AWI0005brq	20	07:48	18:19:49.0	+31:08:41	300	90	3.0	#219 Disk Dete	2	
0091.COMP	10	07:48	18:19:49.0	+31:08:41	300	90	3.0	0 Calibration	2	
0092.AWI0005bud	10	07:50	18:41:41.3	+31:37:03	300	90	3.0	#219 Disk Dete	2	
0093.AWI0005bud	10	07:50	18:41:41.3	+31:37:03	300	90	3.0	#219 Disk Dete	2	

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0094.COMP	10	07:51	18:41:41.3	+31:37:03	300	90	3.0	0 Calibration	2	
0095.BFCyg	45	07:53	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0096.BFCyg	15	07:54	19:23:53.0	+29:40:27	300	90	3.0	#12 Symbiotic	2	
0097.COMP	10	07:54	19:23:53.0	+29:40:27	300	90	3.0	0 Calibration	2	
0098.CHCyg	5	07:56	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0099.CHCyg	3	07:56	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0100.CHCyg	10	07:56	19:24:33.0	+50:14:30	300	90	3.0	#12 Symbiotic	2	
0101.COMP	10	07:57	19:24:33.0	+50:14:30	300	90	3.0	0 Calibration	2	
0102.V1016Cyg	60	07:59	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0103.V1016Cyg	15	08:00	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0104.V1016Cyg	600	08:01	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0105.V1016Cyg	5	08:11	19:57:05.0	+39:49:37	300	90	3.0	#12 Symbiotic	2	
0106.COMP	10	08:12	19:57:05.0	+39:49:37	300	74	3.0	0 Calibration	2	
0107.AGPeg	10	08:14	21:51:02.0	+12:37:33	300	74	3.0	#12 Symbiotic	2	
0108.AGPeg	2	08:14	21:51:02.0	+12:37:33	300	74	3.0	#12 Symbiotic	2	
0109.AGPeg	1	08:15	21:51:02.0	+12:37:33	300	74	3.0	#12 Symbiotic	2	
0110.AGPeg	0	08:15	21:51:02.0	+12:37:33	300	74	3.0	#12 Symbiotic	2	
0111.AGPeg	10	08:16	21:51:02.0	+12:37:33	300	74	3.0	#12 Symbiotic	2	
0112.COMP	10	08:16	21:51:02.0	+12:37:33	300	74	3.0	0 Calibration	2	
0113-0122.FLAT	30	08:32	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0123.hs2220ab	780	08:34	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0124.COMP	10	08:47	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0125.hs2220ab	780	08:48	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0126.COMP	10	09:02	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0127.hs2220ab	780	09:02	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0128.COMP	10	09:16	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0129.hs2220ab	780	09:17	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0130.COMP	10	09:30	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0131.hs2220ab	780	09:31	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0132.COMP	10	09:44	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0133.hs2220ab	780	09:45	22:23:01.7	+22:01:25	600	-12	1.5	#178 Low Mass	2	
0134.COMP	10	09:59	22:23:01.7	+22:01:25	600	-12	1.5	0 Calibration	2	
0135.BDp284211	180	10:01	21:51:11.0	+28:51:50	600	89	1.5	#56 Spectropho	2	
0136.COMP	10	10:04	21:51:11.0	+28:51:50	600	89	1.5	0 Calibration	2	
0137.test	10	10:07	23:00:00.0	+32:00:00	600	89	2.0	#56 Spectropho	2	
0138.test	10	10:09	23:00:00.0	+32:00:00	600	89	2.0	#56 Spectropho	2	
0139.BDp174708	120	10:11	22:11:31.4	+18:05:34	600	89	2.0	#56 Spectropho	2	
0140.COMP	10	10:13	22:11:31.4	+18:05:34	600	89	2.0	0 Calibration	2	
0141.LSPMJ1950+2009	720	10:16	19:50:59.9	+20:09:56	600	89	2.0	#222 M dwarfs	2	
0142.COMP	10	10:28	19:50:59.9	+20:09:56	600	89	2.0	0 Calibration	2	

UT Date 2015-07-21 Observers P BerlindColl. Focus 1380 Grating/Grism 300

File	Exp Time	UT Start	RA	Dec	Gr.	P.A.	Slit	Program	Bin	Comments
0143.PM_I21112-2248	900	10:30	21:11:13.7	-22:48:18	600	89	2.0	#222 M dwarfs	2	
0144.COMP	10	10:46	21:11:13.7	-22:48:18	600	90	2.0	0 Calibration	2	
0145.PM_I22518-2447	1200	10:48	22:51:51.9	-24:47:15	600	90	2.0	#222 M dwarfs	2	
0146.COMP	10	11:09	22:51:51.9	-24:47:15	600	90	2.0	0 Calibration	2	
0147.PM_I21378-0337	900	11:11	21:37:53.2	-03:37:52	600	90	2.0	#222 M dwarfs	2	
0148.LSPMJ2335+3003	10	11:27	23:35:24.3	+30:03:45	600	89	2.0	#222 M dwarfs	2	
0149.LSPMJ2335+3003	300	11:28	23:35:24.3	+30:03:45	600	89	2.0	#222 M dwarfs	2	
0150.COMP	10	11:34	23:35:24.3	+30:03:45	600	90	2.0	0 Calibration	2	
0151-0160.FLAT	12	11:39	23:35:24.3	+30:03:45	600	90	2.0	0 Calibration	2	
0161-0170.BIAS	0	11:42	23:35:24.3	+30:03:45	600	90	2.0	0 Calibration	2	
0171-0175.DARK	1200	13:09	00:42:41.8	+40:51:55	300	90	3.0	0 Calibration	2	